INDOOR



FARO
BARCELONA


Remember to download the latest version. Last updated on 01/01/2026 / Recuerda descargarte la última versión. Última actualización 01/01/2026




Edition
A2026IN

Art direction and design
Faro Art

All Rights Reserved
Reproduction without written permission from
the publisher is strictly prohibited.





Indoor Collection

Portable	32
Table & Floor	40
Clip-on	160
Suspended	168
Ceiling	288
Wall	330
Recessed	548
Track	598
Bulbs	606
Shades	615

Portables


Buddy 34


Fuji 36


Take Away 38

Table


Cata 42


Shan 44


Hoshi 46


Moy 48


Amelia 48


Niko 50


Venice 86


Dominica 88


Martinica 90


Leo 92


Studio 96


Guadalupe 98


Akane 118


Windsor 120


Drum 122


Samba 124


Conga 126


Montreal 128


Berni 146


Volta 148



Inviting 150


Academy 150


Anouk 152


Otto 154

Floor


Staff 58


Treewood 60


Stand Up 62


Whizz 62


Guest 64


Jellyfish 64


Leo 92


Studio 96


Guadalupe 98


Liggera 100


Link 102


Lao 104


Samba 124

Conga 126

Montreal 128

Savoy 130

Rem 132

Artis 134


Ten 52



Mine 52


Sumba 54


Moma 54


Lula 56


Dome 70


Matilda 76


Tatawin 80


Liggera 100


Link 102


Lao 104


Le Vita 106


Luang 108


Loop 112


Stood 114


Mambo 116


Savoy 130


Rem 132


Artis 134


Nila 136


Vesper 138


Linda 140


Lupe 142


Tree 144


Lena 154


Ito 156


Baobab 156


Bela 162


Black 66


Papua 66


Dome 72


Matilda 76


Tatawin 82


Venice 86


Dominica 88


Martinica 90

Le Vita 106


Luang 110


Loop 112


Stood 114

Mambo 116

Akane 118

Windsor 120

Drum 122

Nila 136

Vesper 138

Linda 140

Lupe 142

Tree 144

Berni 146

Volta 148

Clip-on


Bela
162



Inviting
164


Pepper
166



Studio
166


Lena
166

Suspended


Lumina
178


Tierra
182


Aire
186


Cata
188


Dome
191


Dome
191


Whizz
214


Kombo
216

Nina
218


Plat
218


Pluma
220


Marisol
220


Art
228

Diana
230


Lina
232


Anna
232


Pam
234

Stan
236


Saipan
248


Tupai
248


Sumba
248


Haka
250


Mambo
252


Savoy
254


Saigon
264


Stood
266


Stood
266



Tatawin
268


Liggera
272


Retro
272

Ceiling


Stan Slim
290


Stan
292


Leo
296


Link
298


Orleans
298

Stan
300

Shoku
314

Side
316

Dolme
318


Cocotte
318

Mega
320

Bic
320

Isabelle 196


Tatawin 198


Tatawin 202


Studio 206


Studio 208


Vico 210


Venice 212


Whizz 214


Side 220


Mine 222


Le Vita 224

Le Vita 224


Marlin 226


Retro 226


Claire 226


Brume 228

Danka 236


Cocotte 238


Charlotte 240


Crater 240


Magma 240


Loop 242


Confetti 244


Costas 246


Linda 254


Tree 254

Aina 256


Seven 256



Vesper 258


Conga 258


Samba 260


Windsor 262


Mine 274


Rol 302


Sven 304


Mizu 306


Janet 308


Tecto 308


Amelia 310


Brume 310

Tender 312

Seven 322

Aris 324

Foro 326

Zon 326

Vuk 326

Logos 328

Tola 329

Wall


Matilda 332


Matilda 332


Tatawin 334


Venice 336


Studio 338


Dominica 340


Snap 360


Maya 362


Tatawin 368


Martinica 370


Dominica 372


Inviting 374


Windsor 416


Samba 418


Savoy 420


Conga 422


Sumba 424


Mambo 426


Fold 438


Room 440


Vesper 442


Berni 444


Handy 444


Nila 446


Stan 472


Nash 474


Kappu 478


Trama 482


Milo 484

Oslo 486


Kamen 494


Otton 496


Cotton 500


Stood 504



Linda 504


Diula 506


Kera 520


Sera 520


Board 522


Han 524

Magritte 526

Nubo 528

Tide 538

Volga 540

Kiva 542

Danubio 544

Nilo 546


Guadalupe 342


Inviting 346


Academy 346


Liggera 348


Noon 354


Smile 354


Stan Slim 358


Retro 360


Celia 374


Loop 376


Pure 376


Whizz 378


Whizz 378


Cata 408


Dome 412


Dome 414


Luang 428


Loop 428


Lupe 430


Ron 430


Eterna 432


Rem 434


Frame 436


Artis 448


Sahara 450


Roda 450


Novo 460


Eres 462


Homs 462


Ovo 464


Sole 468


Lune 470


Olaf 486

Chera 488

Eaco 490

Snow 492

Elsa 492


Cove 492

Tera 494

Luna 494

Confetti 508

Costas 510

Isabelle 512

May 514

Moy 516

Le Vita 516

Ten 518

Joy 520

Mabe 530

Perla 530

Lago 532

Ping 532

Gala 534

Bianca 534

Brume 534

Calma 536

Reader


Dominica 340


Guadalupe 342


Tila 344


Aurea 350


Le Petit 350


Corb 352


Gabo 386


Duas 388


Click 388


Suau 390


Suau 392


Rob 394

Flin 402


Boken 404


Bel 404


Leser 406


Kale 406


Lead 406


Eterna 432


Rem 434


Frame 436


Fold 438


Room 440

Spot


Orleans 361


Stan 452


Link 454


Coco 456


Stone 457


Lao 457

Recessed



Stan Slim 294


Stan 294


Lox 550


Fox 552


Tast 556



Kivi 558


Gas 588


Neu 588



Wet 582



Moist 582



Niva 584

Dop 590

Track

Stan Slim 600

Stan 602

Leo 604


Well 352


Leo 356


Stan 358


Niko 364


Nit 366


Dante 380


Cronos 382



Timit 384


Boc 394


Press 394


Klee 396


Mood 398


Mood 398


Pixie 400


Loke 400


Juliet 402


Dome 412


Windsor 416


Samba 418


Savoy 420


Conga 422


Sumba 424


Mambo 426


Lupe 430


Vesper 442


Berni 444


Nila 446


Rob 448


Montreal 448


Artis 448


Nais 560


Flic 562



Flac 564


Fresh 566


Hyde 572


Radón 576


Argón 578


Neon 580


Luan 592


Ebba 592

Navi 594

Tuk 594

Plas 594

Conga
Faro Lab



Table
P. 126



Floor
P. 126



Ceiling
P. 258



Ceiling
P. 282



Wall
P. 422

Cata
Marina Milá

N



Table
P. 42



Wall
P. 408



Ceiling
P. 188

Dome
Faro Lab

N



Table
P. 70



Floor
P. 72



Ceiling
P. 192



Ceiling
P. 194



Wall
P. 412



Wall
P. 414

Dominica
Faro Lab



Table
P. 88



Floor
P. 88



Wall
P. 340



Wall
P. 372



Wall
P. 372

Guadalupe
Faro Lab



Table
P. 98



Floor
P. 98



Wall
P. 342

Inviting
Bohman And
Folenius



Table
P. 150



Clip-on
P. 164



Wall
P. 346



Wall
P. 374

Lao
Nahtrang



Table
P. 104



Floor
P. 104



Wall
P. 457

Leo
Estudi Ribaudí



Table
P. 92



Floor
P. 92



Ceiling
P. 296



Wall
P. 356



Track
P. 604

Le Vita
Nahtrang



Table
P. 106




Floor
P. 106



Ceiling
P. 224



Ceiling
P. 224



Wall
P. 516

Liggera



Table
P. 100



Floor
P. 100



Ceiling
P. 272



Wall
P. 348

Link
Estudi Ribaudí



Table
P. 102



Floor
P. 102



Ceiling
P. 298



Wall
P. 454

Loop
Estudi Ribaudí



Table
P. 112



Floor
P. 112



Ceiling
P. 242



Wall
P. 376



Wall
P. 428

Luang
Faro Lab



Table
P. 108



Table
P. 108



Table
P. 108



Floor
P. 110



Wall
P. 428

Mambo
Faro Lab



Table
P. 116



Floor
P. 116



Ceiling
P. 252



Ceiling
P. 281

Martinica
Faro Lab



Table
P. 90



Floor
P. 90



Wall
P. 370



Wall
P. 370

Matilda
Faro Lab



Table
P. 75



Floor
P. 76



Wall
P. 332



Wall
P. 332

Montreal
Nahtrang



Table
P. 128



Floor
P. 128



Wall
P. 448

Nila



Table
P. 136



Floor
P. 136



Wall
P. 446



Wall
P. 446

Samba
Faro Lab



Table
P. 124



Floor
P. 124



Ceiling
P. 260



Ceiling
P. 282



Wall
P. 418

Savoy
Isaac Piñeiro



Table
P. 130



Floor
P. 130



Ceiling
P. 254




Wall
P. 420

Stan



Ceiling
P. 236

N



Wall
P. 292



Ceiling
P. 294



Wall
P. 452



Three-phase track
P. 602

Stan Slim

N



Recessed
P. 294



Ceiling
P. 290



Wall
P. 358



Track
P. 600

Stood
Lucid Product Design



Table
P. 114



Floor
P. 114



Ceiling
P. 266



Ceiling
P. 266



Wall
P. 504

Studio
Nahtrang



Table
P. 96



Floor
P. 96



Clip-on
P. 166



Ceiling
P. 206



Ceiling
P. 208



Wall
P. 338

Tatawin
Adolfo Abejón



Table
P. 80



Floor
P. 82



Ceiling
P. 198



Ceiling
P. 202



Ceiling
P. 268



Ceiling
P. 284



Wall
P. 334



Wall
P. 368

Venice
Adolfo Abejón



Table
P. 86



Floor
P. 86



Ceiling
P. 212



Ceiling
P. 285



Wall
P. 336

Vesper
Nahtrang



Table
P. 138



Floor
P. 138

Ceiling
P. 258



Wall
P. 442



Wall
P. 442

Windsor
Faro Lab



Table
P. 120



Floor
P. 120



Ceiling
P. 262



Ceiling
P. 282



Wall
P. 416



Wall
P. 416

Our purpose is to contribute to the wellbeing and happiness of people through design and the relationship we establish with the objects that surround us in our daily lives. We believe in honest and accessible design.
Nuestra razón de ser es contribuir al bienestar y la felicidad de las personas a través del diseño y la relación que establecemos con los objetos que nos acompañan en nuestro día a día. Creemos en un diseño honesto, accesible y cercano.

DESIGN FOR EVERYONE

BRAND WITH SOUL







Our sustainability journey focuses on minimizing our environmental footprint and maximizing our positive impact on society.
Nuestro camino hacia la sostenibilidad se centra en reducir nuestro impacto negativo en el planeta y maximizar nuestro impacto social positivo.

SUSTAINABILITY

TURN OFF THE LIGHT



Our impact report
Nuestro impacto



The expertise and knowledge of our professionals are dedicated to bringing your ideas to life, creating unique and functional spaces.
La experiencia y el conocimiento de nuestros profesionales se ponen al servicio de tus ideas para crear espacios únicos y funcionales.

SERVICES

YOUR IDEA,
OUR EXPERTISE



Lighting & Fan projects / Proyectos de iluminación y ventilación
Control and connectivity / Control y conectividad
Customization and bespoke products / Personalización y productos a medida



Our commitment to quality is at the heart of everything we design. We rigorously control the quality of our products and services from conception to functionality and reliability testing.
Nuestro compromiso con la calidad está presente en todo lo que diseñamos. Controlamos rigurosamente la calidad de nuestros productos y servicios desde la concepción hasta los ensayos de funcionalidad y fiabilidad.


FARO QUALITY LAB

QUALITY COMMITMENT





Quality management system based on ISO9001.
Compliance with electrical safety regulations under EN60598 (lighting) & EN60335 (fans), as well as ERP energy-efficiency requirements.
Sistema de gestión de calidad basado en la ISO9001.
Cumplimiento legislativo de las normativas de seguridad bajo la EN60598 (iluminación) y EN60335 (ventiladores de techo), así como la normativa de eficiencia energética ERP.



Parametrical Lab
Specification Compliance
Electrical Safety Tests
Integrating Sphere
Climatic Chamber
IK Tests
Endurance Test Room
Thermal Test Room

Environmental Testing Lab
Water IP Tests
Powder IP Tests
Salt Spray Chamber

Technical Assistance Service (TAS)
Customer Returns Analysis
Customer Returns Repairs
TAS Spare Parts

Quality inspections Lab
Batch inspections
Functional Tests
Product Assembly Control
Product Finish Control

Specification Compliance
Life Test
Customizations
Airflow measurements
Noise measurements

Goniophotometer Room

Clear Code Architecture
INSPIRED BY PMMT

Together with PMMT Forward Thinking Architecture, we work to promote real inclusion. A selection of our designs carry the Clear Code Architecture© seal, ensuring that everyone can use them safely and comfortably, regardless of their circumstances.
Junto a PMMT Forward Thinking Architecture, trabajamos para fomentar una inclusión real. Una selección de nuestros diseños cuentan con el sello Clear Code Architecture©, garantizando que todas las personas puedan utilizarlos de forma segura y cómoda, independientemente de sus circunstancias.

CLEAR CODE ARCHITECTURE©

TOWARDS UNIVERSAL ACCESSIBILITY




Find out more
Descubre más

Clear Code Architecture® Groups
The Clear Code Architecture® method takes into account all diseases recognized by the WHO and complements them with others not recognized.
In this way, 13 groups have been created that encompass all people with similar difficulties when using the physical environment, whether or not they have a disability.

Grupos del Clear Code Architecture®
El método Clear Code Architecture® tiene en cuenta todas las enfermedades reconocidas por la OMS y las complementa con otras no reconocidas. De esta manera, se han generado 13 grupos que engloban a todas las personas con dificultades similares en el uso del entorno físico, tengan o no una discapacidad.

	Group Grupo
1	Cannot see No puede ver
2	Poor vision Ve poco
3	Color blindness Confunde los colores
4	Poor hearing Oye poco
5	Use sign language Utiliza el lenguaje de signos
6	Do not understand language No comprende el idioma
7	Cannot walk No puede caminar
8	Walk with great difficulty Camina con gran dificultad
9	Walk with difficulty Camina con dificultad
10	Limited manipulation Manipulación limitada
11	Cognitive impairment Discapacidad cognitiva
12	Short stature Estatura baja
13	Hypersensitivity Hipersensibilidad



Universal accessibility
Silver





We continue expanding the reach of our lighting and fan solutions to more regions worldwide. A selection of our designs is available for 110V, US and Canadian markets, identified with this iconography.
Ampliamos el alcance de nuestras soluciones de iluminación y ventilación a más regiones de todo el mundo. Una selección de nuestros diseños está disponible para los mercados de 110V, Estados Unidos y Canadá, identificada con esta iconografía.

110V

Light goes further.
Air too.



Scan the QR codes to explore the selection.
Escanea los QR para ver la selección.

US & CA

110V







PORTABLE

Buddy
Andreu Carulla

DIM










20210	**Structure** Opal + Green
20209	**Structure** Opal + Blue
20208	**Structure** Opal + Dark Grey

Material	**Structure** PC
Power	3W
Lumen Output	276lm
Light Source	SMD LED 2700K
Class	III
CRI	>80
Voltage	5VDC
Battery	7 Charge Max. 10 Worktime

DESIGN AWARD 2022

GERMAN DESIGN AWARD WINNER 2022





Fuji
Isaac Piñeiro

IP44 DIM








74465	**Structure** Satin Black **Diffuser** Opal

Material	**Structure** Aluminium + PC
	Shade Aluminium
	Diffuser PC
Power	1,5W
Lumen Output	68lm
Light Source	SMD LED 2700K
Dimmable W/lm	0,5/25-1/45-1,5/90
Class	III
CRI	>80
Voltage	5VDC
Battery	8 Charge Max. 10 Worktime

reddot winner 2021

GERMAN DESIGN AWARD WINNER 2022





Thanks to YSLA Architects | Photo by Munetaka Onodera

Take Away
Nahtrang

DIM




01016	**Structure** Matt Black + Wood **Diffuser** White

Material	**Structure** ABS + Wood
	Diffuser TPU
Power	1,5W
Lumen Output	106lm
Light Source	COB LED 2700K
Dimmable W/lm	0,5/30-1/55-1,5/100
Class	III
CRI	>80
Voltage	5VDC
Battery	5 Charge Max. 5 Worktime



Take Away Hook Accessory

01017	Beech
Material	**Structure** Beech wood





Its wooden accessory lets you mount it on the wall.







TABLE & FLOOR

Cata Table
Marina Milá





20325	**Structure** Black **Shade** Beige	Ash Wood
20326	**Structure** Walnut **Shade** Beige	Walnut Wood


Material	**Structure** Wood
	Shade Papyrus
Power	2W
Lumen Output	91lm
Light Source	SMD LED 2200K
Class	II
CRI	85
Voltage	220V-240V/50/60Hz
Cable	1.5m



Suspended
188



Surface
408





Cata combines warmth and sustainability, featuring a flat-pack design and certified sustainable wood (FSC® Certified wood), making it a perfect choice for cozy winter days.


Shan
Pepe Llaudet

110V Check p. 30



20069	**Structure** Beige

Material	**Structure** Steel
	Shade Parchment
Light Source	1 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	II
Cable	2.1m





Composed of three handmade parchment shades, its essence is inspired by the architecture and materials of japanese zen culture. Shan transcends time and fashion.

Hoshi
Xjer Studio

DIM

110V Check p. 30




28387	**Structure** Satin Gold + Matt Black **Diffuser** Opal
28388	**Structure** Matt Black + Copper **Diffuser** Opal
28350	**Structure** Gloss Black **Diffuser** Opal
28351	**Structure** Gloss Blue **Diffuser** Opal
28352	**Structure** Gloss Garnet **Diffuser** Opal

Material	**Structure** Steel
	Diffuser PC
Power	12W
Lumen Output	782lm
Light Source	SMD LED 2700K
Class	II
CRI	>80
Voltage	100V-240V/50/60Hz
Cable	2m



Clear Code Architecture
INSPIRED BY PMMT




Openhouse

Moy Table
Nahtrang




40065	**Structure** Matt Black **Shade** Opal

Material	**Structure** Steel
	Shade Glass
Power	4W
Lumen Output	260lm
Light Source	SMD LED 2700K
Class	II
CRI	>80
Voltage	100V-240V/50/60Hz
Cable	1.8m



Surface
516



Amelia Table
Héctor Serrano

110V Check p. 30




28430	**Structure** Matt White **Diffuser** Opal
28431	**Structure** Matt Black **Diffuser** Opal

Material	**Structure** Steel
	Diffuser Glass
Light Source	1 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17528
Class	II
Cable	1.5m



Ceiling
310






A calm lamp that blends into the space and uplifts it delicately all at once.

Amelia 28431


Niko Glass Table
Nahtrang

110V Check p. 30



01007A	**Structure** Matt White + Wood **Diffuser** Opal

Material	**Structure** Aluminium + Wood
	Diffuser Glass
Power	7W
Lumen Output	500lm
Light Source	SMD LED 3000K
Dimmable W/lm	1/80-4/250-7/500
Class	II
CRI	>80
Voltage	100V-240V/50/60Hz





Induction charger
and USB charger, type A

Niko PC Table
Nahtrang

110V Check p. 30




01025A	**Structure** Matt White + Wood **Diffuser** Opal

Material	**Structure** Aluminium + Wood
	Diffuser PC
Power	7W
Lumen Output	500lm
Light Source	SMD LED 3000K
Dimmable W/lm	1/80-4/250-7/500
Class	II
CRI	>80
Voltage	100V-240V/50/60Hz



Wall
364





Induction charger
and USB charger, type A


JOSÉ Y JESÚS DE LAS CUEVAS
MIENTRAS APAGAN LAS VENTANAS DE SEVILLA
Werner Sombart
Historia de la Revolución Francesa
REVISTA DE OCCIDENTE
J. BARZAVO
LOS SIGLOS DEL REY
EL DIARIO FRANCÉS
HISTORIA DE LOS
GEL
EL PROCESO POR CONTUMACIA
Federico G

Ten Table
Faro Lab



62156	**Structure** Gloss Copper
62157	**Structure** Satin Gold
62168	**Structure** Matt White
62169	**Structure** Matt Black


Material	**Structure** Steel
Light Source	1 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17464
Class	II
Cable	1.5m

Mine PC Table
Nahtrang



28211	**Structure** Matt White + Beech **Diffuser** Opal
28212	**Structure** Dark Grey + Beech **Diffuser** Opal

Material	**Structure** Aluminium + Beech wood
	Diffuser PC
Light Source	1 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	II
Cable	1.8m




Mine Glass Table
Nahtrang



28378	**Structure** Matt White + Beech **Diffuser** Opal
28379	**Structure** Dark Grey + Beech **Diffuser** Opal

Material	**Structure** Aluminium + Beech wood
	Diffuser Glass
Light Source	1 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	II
Cable	1.8m



Wall
518

Suspended
222


AMS TER DAM
QUERIDA YO
MIL DOLORES PEQUEÑOS
Puente al infinito


Moma Table

110V Check p. 30



68500	**Structure** Chrome **Shade** White **Diffuser** Opal
68501	**Structure** Chrome **Shade** Black **Diffuser** Opal

Material	**Structure** Steel
	Shade Textile
	Diffuser PC
Light Source	1 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	II
Cable	1.9m



Sumba Table S

Faro Lab

ETL 110V Check p. 30



64317-71	**Structure** Matt Black **Shade** Rattan

Material	**Structure** Steel
	Shade Rattan
Light Source	1 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17426
Class	II
Cable	1.5m





Suspended 248
Wall 424



Sumba 64317-71


Lula S
Marina Milá

110V Check p. 30



28380	**Structure** Matt White **Shade** White
28382	**Structure** Matt Black **Shade** White

Material	**Structure** Steel
	Shade Textile
Light Source	1 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	II
Cable	1.7m




Lula M
Marina Milá

110V Check p. 30



28383	**Structure** Matt White **Shade** White
28385	**Structure** Matt Black **Shade** White

Material	**Structure** Steel
	Shade Textile
Light Source	1 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	II
Cable	1.7m





Lula 28382 + 28385

Staff
Faro Lab

DIM






24531	**Structure** Satin Black **Shade** Satin Black **Diffuser** Transparent

Material	**Structure** Steel
	Shade Aluminium
	Diffuser Glass
Power	26,5W
Lumen Output	2101lm
Light Source	COB LED 2700K
Class	II
CRI	90
Voltage	220V-240V/50/60Hz
Beam angle	109º
Cable	2m



Staff Gold Shade Accessory

24536	Matt Gold
Material	**Structure** Aluminium





Push dimmer



Staff is an exploration of structural minimalism, inspired by the iconic halogen floor lamps of the ‘90s. A refined design that combines clean lines, modern technology, and high performance to offer a piece that is sober, functional, and surprisingly contemporary.

Staff 24531


Treewood
Faro Lab

110V Check p. 30



20056	**Structure** Ash Wood + Matt Black **Shade** Beige

Material	**Structure** Ash Wood + Steel
	Shade Parchment
Light Source	1 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17464
Class	II
Cable	1.8m




Treewood Tray
Faro Lab

110V Check p. 30



20057	**Structure** Ash Wood + Matt Black **Shade** Beige

Material	**Structure** Ash Wood + Steel
	Shade Parchment
Light Source	1 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17464
Class	II
Cable	1.8m





Treewood 20057


Stand Up
Estudi Ribaudí

110V Check p. 30



57211-01	**Structure** Matt Black **Shade** White
57211-03	**Structure** Matt Black **Shade** Grey
57211-04	**Structure** Matt Black **Shade** Off White Linen

Material	**Structure** Aluminium
	Shade Textilene
Light Source	1 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	II
Cable	2m






Whizz Floor
Christoph Friedrich Wagner

ETL 110V Check p. 30



20164-95	**Structure** Black **Shade** Black + Satin Gold
20164-96	**Structure** Black **Shade** Satin Gold + Black

Material	**Structure** Steel
	Shade Steel
Light Source	1 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17496
Class	II
Cable	3.4m





Suspended
214



Wall
378



Stand Up 57211-04


Guest
Andreu Carulla

110V Check p. 30



01046	**Structure** Matt Black

Material	**Structure** Steel
Light Source	1 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17429
Class	II
Cable	1.8m



Jellyfish Floor
Nahtrang




24521	**Structure** Matt Black + Matt Gold **Diffuser** Opal

Material	**Structure** Steel
	Diffuser PMMA
Power	6W
Lumen Output	136lm
Light Source	SMD LED 3000K
Class	II
CRI	>80
Voltage	220V-240V/50/60Hz
Cable	4.3m



Cork tray
accessory included





Guest 01046


Black

110V Check p. 30



29764	**Structure** Gloss Black **Shade** Black

Material	**Structure** Steel
	Shade Textile
Light Source	1 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17464
Class	II
Cable	2.5m




Papua

110V Check p. 30



68462	**Structure** Matt White **Shade** White
68463	**Structure** Matt Black **Shade** Black

Material	**Structure** Steel
	Shade Textile
Light Source	1 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17464
Class	II
Cable	2m





Papua 68463



Dome Table 29913 + Dome Floor 29915

Dome

Designed by Faro Lab

Dome evokes the architectural minimalism of the ‘70s with a contemporary twist.




Dome 29913



Dome 29914


Dome Table S
Faro Lab

110V Check p. 30



29913	**Structure** Satin Black **Shade** Gloss White

Material	**Structure** Steel
	Shade PMMA
Light Source	1 E27 LED G45 max. 15W
Bulb incl.	No
Recom. Bulb	17524
Class	II
Cable	1.5m




Dome Table M
Faro Lab

DIM



29914	**Structure** Satin Black **Shade** Gloss White

Material	**Structure** Steel
	Shade PMMA
Light Source	1 E27 LED G95 max. 20W
Bulb incl.	No
Recom. Bulb	17542
Class	II
Cable	1.5m





DIM



The large table lamp and the floor version include dimming functionality, allowing the light to be adjusted to suit every moment or activity and to create tailored atmospheres.

Dome 29914

Dome Floor
Faro Lab

DIM




29915	**Structure** Satin Black **Shade** Gloss White

Material	**Structure** Steel
	Shade PMMA
Light Source	1 E27 LED G95 max. 20W
Bulb incl.	No
Recom. Bulb	17542
Class	II
Cable	2m



Suspended
192

Surface
414





DIM



Dome 29915



Matilda 20517-137

Matilda

Designed by Faro Lab

Its rotating shade system and height adjustment offer a wide variety of lighting effects, making it a multifunctional collection.



Matilda 20512-136



Matilda Table
Faro Lab

360º

110V Check p. 30




20512-136	**Structure** Beige
20513-137	**Structure** Black
20514-138	**Structure** Garnet

Material	**Structure** Steel
	Shade Steel
Light Source	1 E14 LED G45 max. 15W
Bulb incl.	No
Recom. Bulb	17461
Class	II
Cable	2.5m







Matilda Floor
Faro Lab

360º

110V Check p. 30




20516-136	**Structure** Beige
20517-137	**Structure** Black
20518-138	**Structure** Garnet

Material	**Structure** Steel
	Shade Steel
Light Source	1 E14 LED G45 max. 15W
Bulb incl.	No
Recom. Bulb	17461
Class	II
Cable	2.5m



Surface
332





Matilda 20518-138

Tatawin

Designed by Adolfo Abejón



Tatawin 20337-116

The shape of the lampshade is reminiscent of the upper part of the characteristic houses of Tataouine, a city located in the south-east of Tunisia.





Tatawin 20336-120

Tatawin Table Glass
Adolfo Abejón

150º

110V Check p. 30



20337-116	**Structure** Satin Black **Shade** Opal
20337-117	**Structure** Satin Black **Shade** Gloss Black

Material	**Structure** Steel
	Shade Glass
Light Source	1 E27 LED G45 max. 15W
Bulb incl.	No
Recom. Bulb	17462
Class	II
Cable	1.5m

Tatawin Table Metal
Adolfo Abejón


150º


110V Check p. 30



20337-140	**Structure** Satin Black **Shade** Gloss White
20337-141	**Structure** Satin Black **Shade** Gloss Black
20337-142	**Structure** Satin Black **Shade** Gloss Grayish Blue
20337-143	**Structure** Satin Black **Shade** Gloss Reddish Orange
20337-144	**Structure** Satin Black **Shade** Gloss Green

Material	**Structure** Steel
	Shade Steel
Light Source	1 E27 LED G45 max. 15W
Bulb incl.	No
Recom. Bulb	17462
Class	II
Cable	1.5m





Adjustable structure



Tatawin Floor Glass
Adolfo Abejón

150º

110V Check p. 30



20336-119	**Structure** Satin Black **Shade** Opal
20336-120	**Structure** Satin Black **Shade** Gloss Black

Material	**Structure** Steel
	Shade Glass
Light Source	1 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	II
Cable	2m

Tatawin Floor Metal
Adolfo Abejón

150º

110V Check p. 30



20336-145	**Structure** Satin Black **Shade** Gloss White
20336-146	**Structure** Satin Black **Shade** Gloss Black
20336-147	**Structure** Satin Black **Shade** Gloss Grayish Blue
20336-148	**Structure** Satin Black **Shade** Gloss Reddish Orange
20336-149	**Structure** Satin Black **Shade** Gloss Green


Material	**Structure** Steel
	Shade Steel
Light Source	1 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	II
Cable	2m



Suspended
202



Wall
334





Adjustable structure





Venice 64275-111

Venice

Designed by Adolfo Abejón

Following a traditional and manual process, the shade is produced by casting the ceramic.



Venice 64276-113

Venice Table
Adolfo Abejón


150º

110V Check p. 30



64276-115	**Structure** Satin Black **Shade** Gloss Blue
64276-111	**Structure** Satin Black **Shade** Gloss White
64276-112	**Structure** Satin Black **Shade** Gloss Black
64276-114	**Structure** Satin Black **Shade** White & Gloss Black
64276-113	**Structure** Satin Black **Shade** Gloss Pink

Material	**Structure** Steel
	Shade Ceramic
Light Source	1 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	II
Cable	1.5m





Adjustable structure

Venice Floor
Adolfo Abejón

150º

110V Check p. 30




64275-115	**Structure** Satin Black **Shade** Gloss Blue
64275-111	**Structure** Satin Black **Shade** Gloss White
64275-112	**Structure** Satin Black **Shade** Gloss Black
64275-114	**Structure** Satin Black **Shade** White & Gloss Black
64275-113	**Structure** Satin Black **Shade** Gloss Pink

Material	**Structure** Steel
	Shade Ceramic
Light Source	1 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	II
Cable	2m



Suspended
212

Wall
336





Adjustable structure



Venice 64276-112

Dominica Table
Faro Lab


110V Check p. 30



20033-122	**Structure** Black **Shade** Beige
20033-123	**Structure** Black **Shade** Black

Material	**Structure** Steel
	Shade Steel
Light Source	1 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	II
Cable	1.5m

Clear Code Architecture



Dominica Floor
Faro Lab

110V Check p. 30




20034-122	**Structure** Black **Shade** Beige
20034-123	**Structure** Black **Shade** Black

Material	**Structure** Steel
	Shade Steel
Light Source	1 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	II
Cable	3.5m

Clear Code Architecture



Wall
340





Dominica 20034-123


Martinica Table
Faro Lab

110V Check p. 30



20033-133	**Structure** Black **Shade** Black
20033-134	**Structure** Black **Shade** Blue
20033-135	**Structure** Black **Shade** Beige

Material	**Structure** Steel
	Shade Steel
Light Source	1 E27 LED ST64 max. 15W
Bulb incl.	No
Recom. Bulb	17428
Class	II
Cable	1.5m




Martinica Floor
Faro Lab

110V Check p. 30



20034-133	**Structure** Black **Shade** Black
20034-134	**Structure** Black **Shade** Blue
20034-135	**Structure** Black **Shade** Beige

Material	**Structure** Steel
	Shade Steel
Light Source	1 E27 LED ST64 max. 15W
Bulb incl.	No
Recom. Bulb	17428
Class	II
Cable	3.5m





Surface
370



Martinica 20034-134


Leo Table
Estudi Ribaudí

90º 355º



43796	**Structure** Matt White
43797	**Structure** Matt Black

Material	**Structure** Aluminium
Power	3,5W
Lumen Output	299lm
Light Source	COB LED 2700K
Class	II
CRI	≥90
Voltage	220V-240V/50/60Hz
Cable	2m



Leo Floor
Estudi Ribaudí

90º 355º



43798	**Structure** Matt White
43799	**Structure** Matt Black

Material	**Structure** Aluminium
Power	3,5W
Lumen Output	299lm
Light Source	COB LED 2700K
Class	II
CRI	≥90
Voltage	220V-240V/50/60Hz
Cable	2m




Track
604



Wall
356



Ceiling
296





Leo 43798



Studio

Designed by Nahtrang

Studio brings back lines of the 1950s and reinterprets them to fit into a modern context.





Studio 28252

Studio Table
Nahtrang

355º


110V Check p. 30



28251	**Structure** Matt Black **Shade** Matt Black
28252	**Structure** Matt Black **Shade** Matt White
28253	**Structure** Matt Black **Shade** Matt Green
28269	**Structure** Matt Black **Shade** Matt Blue
28270	**Structure** Matt Black **Shade** Matt Pink

Material	**Structure** Steel
	Shade Steel
Light Source	1 E14 LED max. 8W
Bulb incl.	No
Recom. Bulb	17461
Class	II
Cable	1.8m

Clear Code Architecture



Studio Floor
Nahtrang

355º

110V Check p. 30



28254	**Structure** Matt Black **Shade** Matt Black
28255	**Structure** Matt Black **Shade** Matt White
28256	**Structure** Matt Black **Shade** Matt Green
28271	**Structure** Matt Black **Shade** Matt Blue
28272	**Structure** Matt Black **Shade** Matt Pink


Material	**Structure** Steel
	Shade Steel
Light Source	1 E14 LED max. 8W
Bulb incl.	No
Recom. Bulb	17461
Class	II
Cable	2.3m

Clear Code Architecture



Suspended 206

Wall 338





Guadalupe Table


Faro Lab

110V Check p. 30



20033-80	**Structure** Matt Black **Shade** Beige
20033-81	**Structure** Matt Black **Shade** Green

Material	**Structure** Steel
	Shade Steel
Light Source	1 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	II
Cable	1.5m



Guadalupe Floor


Faro Lab

110V Check p. 30



20034-80	**Structure** Matt Black **Shade** Beige
20034-81	**Structure** Matt Black **Shade** Green

Material	**Structure** Steel
	Shade Steel
Light Source	1 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	II
Cable	3.5m





Wall
342



Guadalupe 20034-80

Liggera Table


355º

110V Check p. 30



20076 **Structure** Matt Black

Material	**Structure** Steel
	Shade Steel
Light Source	1 G9 LED max. 6W
Bulb incl.	No
Recom. Bulb	17466
Class	II
Cable	1.8m



Liggera Floor

355º

110V Check p. 30



20075 **Structure** Matt Black


Material	**Structure** Steel
	Shade Steel
Light Source	1 G9 LED max. 6W
Bulb incl.	No
Recom. Bulb	17466
Class	II
Cable	2.2m



Suspended 272



Wall 348





Liggera 20075

Link Table
Estudi Ribaudí


355º 90º

110V Check p. 30



29881	**Structure** Matt White
29882	**Structure** Matt Black
29898	**Structure** Bronze

Material	**Structure** Steel
Light Source	1 GU10 LED max. 8W
Bulb incl.	No
Recom. Bulb	17324
Class	II
Cable	1.9m



Link Floor
Estudi Ribaudí

355º 90º

110V Check p. 30




29883	**Structure** Matt White
29884	**Structure** Matt Black
29899	**Structure** Bronze

Material	**Structure** Steel
Light Source	1 GU10 LED max. 8W
Bulb incl.	No
Recom. Bulb	17324
Class	II
Cable	1.9m



Ceiling 298 **Spot** 454 **Wall** 454





Link 29881

Lao Table
Nahtrang


180º 355º

110V Check p. 30



29047	**Structure** Matt Black + Gloss Black **Diffuser** Opal

Material	**Structure** Aluminium + ABS
	Diffuser PMMA
Power	4W
Lumen Output	400lm
Light Source	SMD LED 3000K
Class	II
CRI	>80
Voltage	100V-240V/50/60Hz
Cable	2m



Lao Floor
Nahtrang

180º 355º

110V Check p. 30




29049	**Structure** Matt Black + Gloss Black **Diffuser** Opal

Material	**Structure** Aluminium + ABS
	Diffuser PMMA
Power	4W
Lumen Output	400lm
Light Source	SMD LED 3000K
Class	II
CRI	>80
Voltage	100V-240V/50/60Hz
Cable	2m



Spot
361





Lao 29049


Le Vita Table
Nahtrang

DIM



29692D	**Structure** Gloss Gold **Diffuser** Opal
29697	**Structure** Matt Black **Diffuser** Opal

Material	**Structure** Steel
	Diffuser Glass
Power	7W
Lumen Output	570lm
Light Source	SMD LED 2700K
Dimmable W/lm	1/95-4/380-6/570
Class	II
CRI	>80
Voltage	220V-240V/50/60Hz
Cable	2m




Touch dimmer

Le Vita Floor
Nahtrang

DIM




29693D	**Structure** Gloss Gold **Diffuser** Opal
29698	**Structure** Matt Black **Diffuser** Opal

Material	**Structure** Steel
	Diffuser Glass
Power	7W
Lumen Output	570lm
Light Source	SMD LED 2700K
Dimmable W/lm	1/95-4/380-6/570
Class	II
CRI	>80
Voltage	220V-240V/50/60Hz
Cable	2m


Suspended
224


Wall
516




Touch dimmer



Its glass diffuser offers a homogeneous and dim light, avoiding glare.


Luang Table XS
Faro Lab

110V Check p. 30



23065	**Structure** Black **Shade** Beige
23066	**Structure** Black **Shade** Camel

Material	**Structure** Steel
	Shade Parchment
Light Source	1 E14 LED max. 8W
Bulb incl.	No
Recom. Bulb	17461
Class	II
Cable	1.5m




Luang Table S
Faro Lab

110V Check p. 30



23001-57	**Structure** Black **Shade** Beige
23001-58	**Structure** Black **Shade** Camel

Material	**Structure** Steel
	Shade Parchment
Light Source	1 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17462
Class	II
Cable	1.9m




Luang Table M
Faro Lab

ETL 110V Check p. 30



23002-57	**Structure** Black **Shade** Beige
23002-58	**Structure** Black **Shade** Camel

Material	**Structure** Steel
	Shade Parchment
Light Source	1 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	II
Cable	1.9m




NEUTRA
FRANK LLOYD WRIGHT EARLY VISIONS
ARQUITECTURA MODERNISTA
GG

Luang Floor
Faro Lab

110V Check p. 30






Flat pack

23003-59	**Structure** Black **Shade** Beige
23003-60	**Structure** Black **Shade** Camel

Material	**Structure** Steel
	Shade Parchment
Light Source	1 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	II
Cable	1.8m



Wall
428






Luang 23003-60


Loop Table
Estudi Ribaudí

355º 180º DIM



29398	**Structure** Matt Black **Shade** Ash Wood **Diffuser** Translucent
29568	**Structure** Matt Black **Shade** Cherry Wood **Diffuser** Translucent

Material	**Structure** Steel
	Shade Wood
	Diffuser PMMA
Power	6W
Lumen Output	221lm
Light Source	SMD LED 2700K
Class	II
CRI	>80
Voltage	220V-240V/50/60Hz
Cable	2m




Touch dimmer

Loop Floor
Estudi Ribaudí

355º 180º DIM




29399	**Structure** Matt Black **Shade** Ash Wood **Diffuser** Translucent
29569	**Structure** Matt Black **Shade** Cherry Wood **Diffuser** Translucent

Material	**Structure** Steel
	Shade Wood
	Diffuser PMMA
Power	6W
Lumen Output	221lm
Light Source	SMD LED 2700K
Class	II
CRI	>80
Voltage	220V-240V/50/60Hz
Cable	2m



Suspended
242

Wall
428





Loop 29398 + 29399


Stood Table
Lucid Product Design

110V Check p. 30



29846	**Structure** Matt Black **Shade** Cherry Wood

Material	**Structure** Steel
	Shade Cherry Wood
Light Source	1 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17464
Class	II
Cable	2m




Stood Floor
Lucid Product Design

110V Check p. 30



29847	**Structure** Matt Black **Shade** Cherry Wood

Material	**Structure** Steel
	Shade Cherry Wood
Light Source	1 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17464
Class	II
Cable	2m





Suspended
266



Wall
504



Stood 29846


Mambo Table S
Faro Lab

110V Check p. 30



64317-47 **Structure** Matt Black
Shade Rattan

Material	**Structure** Steel
	Shade Rattan
Light Source	1 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	II
Cable	1.5m




Mambo Table M
Faro Lab

110V Check p. 30



64311-48 **Structure** Matt Black
Shade Rattan

Material	**Structure** Steel
	Shade Rattan
Light Source	1 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	II
Cable	1.5m




Mambo Floor
Faro Lab

110V Check p. 30



64313-49 **Structure** Matt Black
Shade Rattan

Material	**Structure** Steel
	Shade Rattan
Light Source	1 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17464
Class	I
Cable	1.8m





Suspended
286



Wall
426



Switch



Mambo 64313-49


Akane 350
Pepe Llaudet

110V Check p. 30



28370	**Structure** Matt Black **Shade** Beige

Material	**Structure** Steel
	Shade Parchment
Light Source	1 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	II
Cable	1.7m



Akane 595
Pepe Llaudet

110V Check p. 30



28371	**Structure** Matt Black **Shade** Beige

Material	**Structure** Steel
	Shade Parchment
Light Source	1 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17464
Class	II
Cable	1.7m





With a parchment diffuser, it is inspired by the traditional lanterns of the Far East.

Akane 28370


Windsor Table
Faro Lab

110V Check p. 30



20225-130	**Structure** Matt Black **Shade** Grey **Diffuser** Grey
20225-151	**Structure** Matt Black **Shade** Off White Linen **Diffuser** Off White
20226-151	**Structure** Matt White **Shade** Off White Linen **Diffuser** Off White

Material	**Structure** Steel
	Shade Textile
	Diffuser Textile
Light Source	1 E27 LED A60 max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	II
Cable	2m





Textile diffuser

Windsor Floor
Faro Lab

110V Check p. 30




20227-131	**Structure** Matt Black **Shade** Grey **Diffuser** Grey
20227-152	**Structure** Matt Black **Shade** Off White Linen **Diffuser** Off White
20228-152	**Structure** Matt White **Shade** Off White Linen **Diffuser** Off White

Material	**Structure** Steel
	Shade Textile
	Diffuser Textile
Light Source	1 E27 LED G95 max. 15W
Bulb incl.	No
Recom. Bulb	17464
Class	II
Cable	2m



Suspended
262

Wall
416





Textile diffuser



Windsor can create ambient lighting for large spaces, such as hotels and restaurants.

Windsor 20227-131


Drum Table
Nahtrang

110V Check p. 30



24020-31	**Structure** Matt Black **Shade** Beige **Diffuser** Opal
24020-32	**Structure** Matt Black **Shade** Dark Grey **Diffuser** Opal

Material	**Structure** Steel
	Shade Textile
	Diffuser PC
Light Source	1 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	II
Cable	1.8m




Drum Floor
Nahtrang

110V Check p. 30



24023-33	**Structure** Matt Black **Shade** Beige **Diffuser** Opal
24023-34	**Structure** Matt Black **Shade** Dark Grey **Diffuser** Opal

Material	**Structure** Steel
	Shade Textile
	Diffuser PC
Light Source	1 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17464
Class	II
Cable	2.1m





Drum 24023-34

Samba Table S
Faro Lab

110V Check p. 30



64316-35	**Structure** Matt White **Shade** Beige
64316-36	**Structure** Matt White **Shade** Yellow
64316-37	**Structure** Matt White **Shade** Green
64317-35	**Structure** Matt Black **Shade** Beige
64317-36	**Structure** Matt Black **Shade** Yellow
64317-37	**Structure** Matt Black **Shade** Green

Material	**Structure** Steel
	Shade Textile
Light Source	1 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	II
Cable	1.5m

Samba Table M
Faro Lab

110V Check p. 30



64310-38	**Structure** Matt White **Shade** Beige
64310-39	**Structure** Matt White **Shade** Yellow
64310-40	**Structure** Matt White **Shade** Green
64311-38	**Structure** Matt Black **Shade** Beige
64311-39	**Structure** Matt Black **Shade** Yellow
64311-40	**Structure** Matt Black **Shade** Green

Material	**Structure** Steel
	Shade Textile
Light Source	1 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	II
Cable	1.5m

Samba Floor
Faro Lab

110V Check p. 30



64312-41	**Structure** Matt White **Shade** Beige
64312-42	**Structure** Matt White **Shade** Yellow
64312-43	**Structure** Matt White **Shade** Green
64313-41	**Structure** Matt Black **Shade** Beige
64313-42	**Structure** Matt Black **Shade** Yellow
64313-43	**Structure** Matt Black **Shade** Green


Material	**Structure** Steel
	Shade Textile
Light Source	1 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17464
Class	I
Cable	1.8m





Suspended
260



Wall
418









Switch



Samba 64312-41


Conga Table S
Faro Lab

110V Check p. 30



64316-01	**Structure** Matt White **Shade** White
64316-02	**Structure** Matt White **Shade** Beige
64317-03	**Structure** Matt Black **Shade** Black

Material	**Structure** Steel
	Shade Textile
Light Source	1 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	II
Cable	1.5m




Conga Table M
Faro Lab

110V Check p. 30



64310-04	**Structure** Matt White **Shade** White
64310-05	**Structure** Matt White **Shade** Beige
64311-06	**Structure** Matt Black **Shade** Black

Material	**Structure** Steel
	Shade Textile
Light Source	1 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	II
Cable	1.5m




Conga Floor
Faro Lab

110V Check p. 30



64312-07	**Structure** Matt White **Shade** White
64312-08	**Structure** Matt White **Shade** Beige
64313-09	**Structure** Matt Black **Shade** Black

Material	**Structure** Steel
	Shade Textile
Light Source	1 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17464
Class	I
Cable	1.8m





Suspended
258

Wall
422

Switch



Conga 64313-09


Montreal Table
Nahtrang

110V Check p. 30



24034-04	**Structure** Matt White **Shade** White
24034-05	**Structure** Matt White **Shade** Beige

Material	**Structure** Steel
	Shade Textile
Light Source	1 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	II
Cable	1.8m




Montreal Floor
Nahtrang

110V Check p. 30



24037-07	**Structure** Chrome **Shade** White
24037-08	**Structure** Chrome **Shade** Beige
24037-09	**Structure** Chrome **Shade** Black

Material	**Structure** Steel
	Shade Textile
Light Source	1 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17464
Class	II
Cable	2.1m





Wall
448



Savoy Table
Isaac Piñeiro


110V Check p. 30



20304-82	**Structure** Matt White **Shade** White
20305-83	**Structure** Matt Black **Shade** Black
20305-84	**Structure** Matt Black **Shade** Green

Material	**Structure** Steel
	Shade Textile
Light Source	1 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	II
Cable	2m

Clear Code Architecture



Savoy Floor
Isaac Piñeiro

110V Check p. 30



20306-85	**Structure** Matt White **Shade** White
20307-86	**Structure** Matt Black **Shade** Black
20307-87	**Structure** Matt Black **Shade** Green


Material	**Structure** Steel
	Shade Textile
Light Source	1 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17464
Class	II
Cable	2m

Clear Code Architecture



Suspended
254

Wall
420





Savoy 20307-86


Rem Table
Àlex & Manel Lluscà

110V Check p. 30



29685-04	**Structure** Old Gold **Shade** White
29685-05	**Structure** Old Gold **Shade** Beige
29685-06	**Structure** Old Gold **Shade** Black

Material	**Structure** Steel
	Shade Textile
Light Source	1 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	II
Cable	1.6m




Rem Floor
Àlex & Manel Lluscà

110V Check p. 30



29687-07	**Structure** Old Gold **Shade** White
29687-08	**Structure** Old Gold **Shade** Beige
29687-09	**Structure** Old Gold **Shade** Black

Material	**Structure** Steel
	Shade Textile
Light Source	1 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17464
Class	II
Cable	1.9m





Wall
434



Rem 29685-05

Artis Table
Àlex & Manel Lluscà


40º 355º

110V Check p. 30



68488	**Structure** Bronze **Shade** White

Material	**Structure** Steel
	Shade Textile
Light Source	1 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	II
Cable	2.4m



Artis Floor
Àlex & Manel Lluscà


40º 355º

110V Check p. 30



68489	**Structure** Bronze **Shade** White

Material	**Structure** Steel
	Shade Textile
Light Source	1 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	II
Cable	3.2m





Wall
448



Artis 68489


Nila Table

110V Check p. 30



20054	**Structure** Matt Black **Shade** Off White

Material	**Structure** Steel
	Shade Textile
Light Source	1 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	II
Cable	1.5m




Nila Floor

ETL 110V Check p. 30



20055	**Structure** Matt Black **Shade** Off White

Material	**Structure** Steel
	Shade Textile
Light Source	2 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17464
Class	II
Cable	2.3m





Wall
446



Nila 20054


Vesper Table
Nahtrang

110V Check p. 30



29984	**Structure** Matt White **Shade** Beige **Diffuser** Beige
29985	**Structure** Brown **Shade** Beige **Diffuser** Beige

Material	**Structure** Steel
	Shade Textile
	Diffuser Textile
Light Source	2 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	II
Cable	1.7m




Vesper Floor
Nahtrang

110V Check p. 30



29979	**Structure** Brown **Shade** Beige **Diffuser** Beige

Material	**Structure** Steel
	Shade Textile
	Diffuser Textile
Light Source	2 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	II
Cable	3.5m



Suspended
258



Wall
442



Vesper 29979


Linda Table
Estudi Ribaudí

110V Check p. 30



29311	**Structure** Matt Black **Shade** Beige

Material	**Structure** Steel
	Shade Textile
Light Source	1 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17464
Class	II
Cable	2m



Linda Floor
Estudi Ribaudí

110V Check p. 30




29312	**Structure** Matt Black **Shade** Beige

Material	**Structure** Steel
	Shade Textile
Light Source	1 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17464
Class	II
Cable	2.8m



Suspended 254 **Wall** 504





Linda 29312


Lupe Table
Jordi Busquets

110V Check p. 30



29997	**Structure** Chrome **Shade** Beige

Material	**Structure** Steel
	Shade Textile
Light Source	1 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	II
Cable	1.8m




Lupe Floor
Jordi Busquets

ETL 110V Check p. 30



20034-88	**Structure** Matt Black **Shade** Beige

Material	**Structure** Steel
	Shade Textile
Light Source	1 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	II
Cable	3.5m





Wall
430



Adjustable Shade



Lupe 29997


Tree Table
Estudi Ribaudí

110V Check p. 30



29866	**Structure** Matt Black **Shade** Black
29867	**Structure** Matt White **Shade** White

Material	**Structure** Steel
	Shade Textile
Light Source	1 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17464
Class	II
Cable	1.8m




Tree Floor
Estudi Ribaudí

110V Check p. 30



29868	**Structure** Matt Black **Shade** Black
29869	**Structure** Matt White **Shade** White

Material	**Structure** Steel
	Shade Textile
Light Source	1 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17464
Class	II
Cable	2m



Suspended
254



Tree 29867


Berni Table
Nahtrang

110V Check p. 30



29332	**Structure** Matt White **Shade** White
29333	**Structure** Matt Black **Shade** Black

Material	**Structure** Steel
	Shade Textile
Light Source	1 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	II
Cable	1.5m




Berni Floor
Nahtrang

110V Check p. 30



29335	**Structure** Matt White **Shade** White
29336	**Structure** Matt Black **Shade** Black

Material	**Structure** Steel
	Shade Textile
Light Source	1 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17464
Class	II
Cable	1.5m





Wall
444



Berni 29333


Volta Table
Estudi Ribaudí

110V Check p. 30



20026	**Structure** Matt Black + Satin Nickel **Shade** Black

Material	**Structure** Steel
	Shade Textile
Light Source	1 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	II
Cable	2m




Volta Floor
Estudi Ribaudí

110V Check p. 30



20029	**Structure** Matt White + Satin Nickel **Shade** White
20030	**Structure** Matt Black + Satin Nickel **Shade** Black

Material	**Structure** Steel
	Shade Textile
Light Source	1 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17464
Class	II
Cable	2m




ARQUITECTURA
MODERNA de la A a la Z
CHARLES & RAY EAMES
BAUHAUS

Inviting Table
Bohman And Folenius

180º 90º 90º DIM

110V Check p. 30



57312	**Structure** Matt White **Diffuser** Transparent
57313	**Structure** Black **Diffuser** Transparent
57314	**Structure** Yellow **Diffuser** Transparent

Material	**Structure** Aluminium + Steel
	Diffuser PMMA
Power	6W
Lumen Output	586lm
Light Source	SMD LED 2700-4800K
Class	II
CRI	>80
Voltage	100V-240V/50/60Hz
Cable	1.9m

Clear Code Architecture


reddot award 2019 winner

DESIGN AWARD 2019

GERMAN DESIGN AWARD SPECIAL 2019

Surface 346

Clip-on 164





Colour temperature and intensity can be adjusted.

Academy Table
Nahtrang

355º DIM


110V Check p. 30



28202	**Structure** Chrome **Diffuser** Opal

Material	**Structure** Aluminium + Steel
	Diffuser PMMA
Power	4W
Lumen Output	350lm
Light Source	SMD LED 3000K
Class	II
CRI	>80
Voltage	100V-240V/50/60Hz
Cable	2m

Wall 346





Anouk

90º 90º DIM


110V Check p. 30



USB Type A charger

53415	**Structure** Matt Black **Diffuser** Translucent

Material	**Structure** ABS
	Diffuser PMMA
Power	8W
Lumen Output	608lm
Light Source	SMD LED 4000K
Class	II
CRI	>80
Voltage	100V-240V/50/60Hz
Cable	1.5m





USB-A charger

Anouk Induction

90º 90º DIM


110V Check p. 30



Induction charger and USB charger, type A

53416	**Structure** Gloss White **Diffuser** Translucent

Material	**Structure** ABS
	Diffuser PMMA
Power	8W
Lumen Output	608lm
Light Source	SMD LED 2700-6500K
Class	II
Voltage	100V-240V/50/60Hz
Cable	1.5m





Induction charger
and USB charger, type A


Jasper Morrison A Book of Things
Dieter Rams: As Little Design as Possible

Anouk 53416


Otto

360º DIM



52064	**Structure** Matt Black **Diffuser** Opal
52065	**Structure** Matt White **Diffuser** Opal

Material	**Structure** ABS + Silicone
	Diffuser PMMA
Power	6W
Lumen Output	610lm
Light Source	SMD LED 4000K
Class	II
CRI	>80
Voltage	220V-240V/50/60Hz
Cable	1.8m



Lena




52057	**Structure** Gloss White **Diffuser** Translucent
52058	**Structure** Gloss Black **Diffuser** Translucent

Material	**Structure** Aluminium + ABS
	Diffuser Glass
Power	3W
Lumen Output	296lm
Light Source	SMD LED 4000K
Class	II
CRI	>80
Voltage	220V-240V/50/60Hz
Beam angle	70º
Cable	1.8m



Clip-on
166




Economía emocional
MATTEO MOTTERLINI
Viaje al centro de la Tierra
JULES VERNE
Dr. Mario Alonso Puig
LA ÚLTIMA NOCHE EN TREMORE BEACH
STEPHEN HAWKING
LEONARD MLODINOW
BREVÍSIMA HISTORIA DEL TIEMPO
ERAGON
Plan General de CONTABILIDAD
LA REPÚBLICA
PLATÓN


Ito

360º DIM



52071	**Structure** Matt Black + Satin Nickel **Diffuser** Opal

Material	**Structure** ABS + Aluminium **Diffuser** PMMA
Power	5W
Lumen Output	531lm
Light Source	SMD LED 3000K
Class	II
CRI	>80
Voltage	220V-240V/50/60Hz
Cable	1.8m




Baobab

110V Check p. 30



51908	**Structure** Matt White
51909	**Structure** Matt Black
51910	**Structure** Grey

Material	**Structure** Steel
Light Source	1 E14 LED max. 8W
Bulb incl.	No
Recom. Bulb	17461
Class	II
Cable	1.7m









NEW



Tider Cable Management Accessory	
20546	Textured Black
Material	**Structure** TPU






Cable management accessory designed to keep your environment cleaner, more organized, and safer.
It features an adhesive backing that allows it to be firmly fixed to vertical or horizontal surfaces, preventing tripping and slipping hazards.

Made of high-strength PP, it withstands impacts and foot traffic without deforming. The soft section, made of TPE, provides a pleasant touch and a more secure grip.

*Check the specifications of each model to verify compatibility.






100 INTERIORS AROUND THE WORLD
TASCHEN
NEUTRA
FRANK LLOYD WRIGHT
FRANK LLOYD WRIGHT EARLY VISIONS

CLIP-ON

Bela
Faro Lab

90°

110V Check p. 30








56100	**Structure** Gloss Black
56101	**Structure** Gloss White
56102	**Structure** Gloss Blue
56103	**Structure** Gloss Red

Material	**Structure** Steel
	Shade Steel
Light Source	1 E27 LED G45 max. 15W
Bulb incl.	No
Recom. Bulb	17462
Class	II
Cable	2.7m





Tabletop ring accessory



Bela 56101 + 56103

Inviting
Bohman And Folenius

180º 90º 90º DIM

110V Check p. 30






57315	**Structure** Matt White **Diffuser** Transparent
57316	**Structure** Matt Black **Diffuser** Transparent
57317	**Structure** Yellow **Diffuser** Transparent

Material	**Structure** Aluminium
	Diffuser PMMA
Power	6W
Lumen Output	586lm
Light Source	SMD LED 2700-4800K
Class	II
CRI	>80
Voltage	100V-240V/50/60Hz
Cable	1.9m

reddot award 2019 winner

DESIGN AWARD 2019

GERMAN DESIGN AWARD SPECIAL 2019





Table&Floor 150



Wall 374



Colour temperature and intensity can be adjusted.



Pepper


180º 360º

110V Check p. 30



64169	**Structure** Matt Black + Matt White

Material	**Structure** Steel
Light Source	1 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17462
Class	II
Cable	1.7m



Studio Clip
Nahtrang

355º

110V Check p. 30



51133	**Structure** Matt Black
51135	**Structure** Gloss White

Material	**Structure** Aluminium + ABS
Light Source	1 E14 LED max. 8W
Bulb incl.	No
Recom. Bulb	17461
Class	II
Cable	1.6m

Studio Accessory

51129	Black

Material	**Structure** Steel






Suspended
206



Wall
338



Table&Floor
96



Lena Clip

incl. 360º DIM




52059	**Structure** Matt White
52061	**Structure** Matt Black

Material	**Structure** PC + Aluminium
Power	3W
Lumen Output	296lm
Light Source	SMD LED 4000K
Class	II
CRI	>80
Voltage	220V-240V/50/60Hz
Beam angle	30º
Cable	1.8m



Table&Floor
154




XALA





SUSPENDED





LUMINA

Carrasquet







Lumina transforms light into visible matter, creating atmospheres rich in warmth and character. A piece defined by both technical precision and emotional depth, with a pure form and a discreet yet unmistakable presence.






The elements can be linked, clustered or suspended, allowing for linear, angular or free-hanging configurations that flexibly adapt to each project. The result is a piece of both technical and emotional character, with a formal purity and a discreet yet unmistakable presence.



Each module can be installed independently or combined into more complex structures—up to three per driver. The elements can be linked, clustered or suspended, enabling linear, angular or free-hanging configurations that adapt flexibly to each project. Every composition blends naturally into the architecture, casting a balanced light that enhances usability and deepens the spatial experience.



The system is built around a striated glass module with a star-shaped profile—an intricate geometry that amplifies reflections and softens light diffusion, unveiling a warm texture that fosters a sense of wellbeing.



Lumina 64622-111




Lumina 64662-111




A collection of pendant luminaires that goes beyond function to become a tool for lighting architecture. Its language is understated and precise; its presence, calm and essential.

Lumina 64602-111

Lumina
Carrasquet


Vertical


Horizontal


Swag

Serie		Color		Temperature		Instalation		Glass		Control	
6460	600 1L Vertical	**2**	Black	**-1**	2200K	**1**	Surface Canopy	**1**	Transparent	**D**	DALI
6462	600 2L Vertical			**-2**	2700K	**3**	Recessed Canopy				ON/OFF
6464	600 3L Vertical					✱	*Compatible with Neso Slim. Check our Architectural catalogue.				
6466	900 1L Vertical										
6461	600 1L Horizontal										
6467	900 1L Horizontal										
6468	1200 1L Horizontal										
6463	600 2L Swag										
6465	600 3L Swag										


Example **64602-111D** — Lumina 600 1L Vertical Black 2200K Surface Canopy Transparent DALI






Connection Piece	
64701	Black
Material	**Structure** Steel


VERTICAL



HORIZONTAL



SWAG









Tierra and Aire arose from a concern about or interest in two concepts. First, an intention to democratise 3D printing on a large scale by integrating it as another industrial process in light manufacturing. Second, and most importantly, an interest in producing increasingly sustainable products and contributing to circularity. The project is something of a rallying cry encouraging us to consider our relationship with the planet in response to the current climate crisis. Nature does not generate waste: we must learn from it and move towards a more circular and sustainable product.

Tierra y Aire

Designed by Héctor Serrano




Tierra 470
Héctor Serrano

110V Check p. 30



20400	**Structure** Black **Shade** Beige

Material	**Structure** Steel
	Shade PLA + Pine Cellulose
Light Source	1 E27 LED G120 max. 20W
Bulb incl.	No
Recom. Bulb	17478
Class	II
Cable	2m




Tierra 500
Héctor Serrano

110V Check p. 30



20401	**Structure** Black **Shade** Beige

Material	**Structure** Steel
	Shade PLA + Pine Cellulose
Light Source	1 E27 LED G120 max. 20W
Bulb incl.	No
Recom. Bulb	17478
Class	II
Cable	2m




Tierra 520
Héctor Serrano

110V Check p. 30



20402	**Structure** Black **Shade** Beige

Material	**Structure** Steel
	Shade PLA + Pine Cellulose
Light Source	1 E27 LED G120 max. 20W
Bulb incl.	No
Recom. Bulb	17478
Class	II
Cable	2m





Made from plant-based bioplastic, its forms evoke bee nests, merging digital craft and nature.






Aire 450
Héctor Serrano

110V Check p. 30



20406	**Structure** White **Shade** Translucent

Material	**Structure** Steel
	Shade Recycled PETG
Light Source	1 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	II
Cable	3m




Aire 650
Héctor Serrano

110V Check p. 30



20407	**Structure** White **Shade** Translucent

Material	**Structure** Steel
	Shade Recycled PETG
Light Source	1 E27 LED G120 max. 20W
Bulb incl.	No
Recom. Bulb	17478
Class	II
Cable	3m




Aire 850
Héctor Serrano

110V Check p. 30



20408	**Structure** White **Shade** Translucent

Material	**Structure** Steel
	Shade Recycled PETG
Light Source	1 E27 LED G120 max. 20W
Bulb incl.	No
Recom. Bulb	17478
Class	II
Cable	3m





Its crystalline texture and appearance magically diffuse light through the shade of the lamp.

Aire 20407


Cata Pendant

Marina Milá

incl.

110V Check p. 30

NEW





20329	**Structure** Wood **Shade** Beige


Material	**Structure** Walnut Wood
	Shade Papyrus
Power	15W
Lumen Output	680lm
Light Source	SMD LED 2700K
Class	II
CRI	>80
Voltage	100V-240V/50/60Hz
Beam angle	120º
Cable	2m



Table&Floor
42



Surface
408





The pendant version of Cata includes a cable and plug, offering two installation options: the cable can exit from either the center or one side of the lamp. This flexibility allows for optimized wiring and a clean, customized installation tailored to the design of the space.



Dome 29917

Dome

Designed by Faro Lab

Dome is a complete and diverse collection. Not only is it available in table, floor, and pendant versions, but its shade also comes in two different sizes. Perfect for those looking for visual coherence in both contract and residential spaces.



Dome 29916



Dome 29918


Dome Pendant S
Faro Lab

110V Check p. 30



29916	**Structure** Satin Black **Shade** Gloss White

Material	**Structure** Steel
	Shade PMMA
Light Source	1 E27 LED G45 max. 15W
Bulb incl.	No
Recom. Bulb	17524
Class	II
Cable	2m




Dome Pendant M
Faro Lab

110V Check p. 30



29917	**Structure** Satin Black **Shade** Gloss White

Material	**Structure** Steel
	Shade PMMA
Light Source	1 E27 LED G95 max. 20W
Bulb incl.	No
Recom. Bulb	17542
Class	II
Cable	2m





Dome draws inspiration from the refined aesthetics of the 1970s, reimagined with modern materials and finishes. Its opal dome diffuses a warm, even light that transforms the space into a serene, timeless, and welcoming atmosphere.

Dome 29917

Dome Pendant M Plug
Faro Lab




29918	**Structure** Satin Black **Shade** Gloss White

Material	**Structure** Steel
	Shade PMMA
Light Source	1 E27 LED G95 max. 20W
Bulb incl.	No
Recom. Bulb	17542
Class	II
Cable	3.4m

Table&Floor
70

Surface
414






Isabelle Pendant 310
Héctor Serrano

110V Check p. 30



28300	**Structure** Matt White **Shade** Opal

Material	**Structure** Steel
	Shade Glass
Light Source	1 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17528
Class	II
Cable	2m




Isabelle Pendant 400
Héctor Serrano

110V Check p. 30



28301	**Structure** Matt White **Shade** Opal

Material	**Structure** Steel
	Shade Glass
Light Source	1 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17528
Class	II
Cable	2m




Isabelle Pendant 500
Héctor Serrano

110V Check p. 30



28302	**Structure** Matt White **Shade** Opal

Material	**Structure** Steel
	Shade Glass
Light Source	1 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17528
Class	II
Cable	2m





Surface
512



Three models that can be implemented individually or together depending on architectural needs.

Isabelle 28300

Tatawin Glass S
Adolfo Abejón

110V Check p. 30



20339-116	**Structure** Satin Black **Shade** Opal
20339-117	**Structure** Satin Black **Shade** Gloss Black

Material	**Structure** Steel
	Shade Glass
Light Source	1 E27 LED G45 max. 15W
Bulb incl.	No
Recom. Bulb	17462
Class	II
Cable	2m


Tatawin Metal S
Adolfo Abejón

110V Check p. 30



20339-140	**Structure** Satin Black **Shade** Gloss White
20339-141	**Structure** Satin Black **Shade** Gloss Black
20339-142	**Structure** Satin Black **Shade** Gloss Grayish Blue
20339-143	**Structure** Satin Black **Shade** Gloss Reddish Orange
20339-144	**Structure** Satin Black **Shade** Gloss Green

Material	**Structure** Steel
	Shade Steel
Light Source	1 E27 LED G45 max. 15W
Bulb incl.	No
Recom. Bulb	17462
Class	II
Cable	2m





The shape of the lampshade is reminiscent of the upper part of the characteristic houses of Tataouine, a city located in the south-east of Tunisia.

Tatawin 20339-144

Tatawin Glass M
Adolfo Abejón

110V Check p. 30



20339-119	**Structure** Satin Black **Shade** Opal
20339-120	**Structure** Satin Black **Shade** Gloss Black

Material	**Structure** Steel
	Shade Glass
Light Source	1 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	II
Cable	2m


Tatawin Metal M
Adolfo Abejón

110V Check p. 30



20339-145	**Structure** Satin Black **Shade** Gloss White
20339-146	**Structure** Satin Black **Shade** Gloss Black
20339-147	**Structure** Satin Black **Shade** Gloss Grayish Blue
20339-148	**Structure** Satin Black **Shade** Gloss Reddish Orange
20339-149	**Structure** Satin Black **Shade** Gloss Green

Material	**Structure** Steel
	Shade Steel
Light Source	1 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	II
Cable	2m





Tatawin 20339-147

Tatawin Glass S Lineal

Adolfo Abejón

110V Check p. 30




20338-116	**Structure** Satin Black **Shade** Opal
20338-117	**Structure** Satin Black **Shade** Gloss Black

Material	**Structure** Steel
	Shade Glass
Light Source	3 E27 LED G45 max. 15W
Bulb incl.	No
Recom. Bulb	17462
Class	II
Cable	2m

Tatawin Metal S Lineal


Adolfo Abejón

110V Check p. 30



20338-140	**Structure** Satin Black **Shade** Gloss White
20338-141	**Structure** Satin Black **Shade** Gloss Black
20338-142	**Structure** Satin Black **Shade** Gloss Grayish Blue
20338-143	**Structure** Satin Black **Shade** Gloss Reddish Orange
20338-144	**Structure** Satin Black **Shade** Gloss Green

Material	**Structure** Steel
	Shade Steel
Light Source	3 E27 LED G45 max. 15W
Bulb incl.	No
Recom. Bulb	17462
Class	II
Cable	2m





Tatawin Glass M Lineal
Adolfo Abejón

110V Check p. 30




20338-119	**Structure** Satin Black **Shade** Opal
20338-120	**Structure** Satin Black **Shade** Gloss Black

Material	**Structure** Steel
	Shade Glass
Light Source	3 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	II
Cable	2m

Tatawin Metal M Lineal
Adolfo Abejón

110V Check p. 30




20338-145	**Structure** Satin Black **Shade** Gloss White
20338-146	**Structure** Satin Black **Shade** Gloss Black
20338-147	**Structure** Satin Black **Shade** Gloss Grayish Blue
20338-148	**Structure** Satin Black **Shade** Gloss Reddish Orange
20338-149	**Structure** Satin Black **Shade** Gloss Green

Material	**Structure** Steel
	Shade Steel
Light Source	3 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	II
Cable	2m

Table&Floor 78

Wall 368





Tatawin 20338-120

Studio 110
Nahtrang

110V Check p. 30



28260	**Structure** Matt Black **Shade** Matt Black
28261	**Structure** Matt Black **Shade** Matt White
28262	**Structure** Matt Black **Shade** Matt Green
28277	**Structure** Matt Black **Shade** Matt Blue
28278	**Structure** Matt Black **Shade** Matt Pink

Material	**Structure** Steel
	Shade Steel
Light Source	1 E14 LED max. 8W
Bulb incl.	No
Recom. Bulb	17461
Class	II
Cable	2m

Studio 160
Nahtrang

110V Check p. 30



28263	**Structure** Matt Black **Shade** Matt Black
28264	**Structure** Matt Black **Shade** Matt White
28265	**Structure** Matt Black **Shade** Matt Green
28279	**Structure** Matt Black **Shade** Matt Blue
28280	**Structure** Matt Black **Shade** Matt Pink

Material	**Structure** Steel
	Shade Steel
Light Source	1 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	II
Cable	2m


Studio 290
Nahtrang


ETL 110V Check p. 30




28283	**Structure** Matt Black **Shade** Matt Black
28284	**Structure** Matt Black **Shade** Matt White
28285	**Structure** Matt Black **Shade** Matt Green
28286	**Structure** Matt Black **Shade** Matt Blue
28287	**Structure** Matt Black **Shade** Matt Pink

Material	**Structure** Steel
	Shade Steel
Light Source	1 E27 LED G95 max. 15W
Bulb incl.	No
Recom. Bulb	17464
Class	II
Cable	2m










Studio Lineal
Nahtrang

110V Check p. 30



28266	**Structure** Matt Black **Shade** Matt Black
28267	**Structure** Matt Black **Shade** Matt White
28268	**Structure** Matt Black **Shade** Matt Green
28281	**Structure** Matt Black **Shade** Matt Blue
28282	**Structure** Matt Black **Shade** Matt Pink

Material	**Structure** Steel
	Shade Steel
Light Source	3 E14 LED max. 8W
Bulb incl.	No
Recom. Bulb	17461
Class	II
Cable	2m




Table&Floor
96



Wall
338



Clip-on
166





Vico 600
Faro Lab

incl. DIM TRIAC

110V Check p. 30



61101 Surface	**Structure** Matt Black **Diffuser** Opal
61105 Recessed	**Structure** Matt Black **Diffuser** Opal



Surface



Recessed

Material	**Structure** Aluminium
	Diffuser PC
Power	15W
Lumen Output	925lm
Light Source	SMD LED 2700K
Class	II
CRI	≥90
Voltage	220V-240V/50/60Hz
Beam angle	110º
Cable	2m




Vico Accessory joint kit

61117	Matt Black
Material	**Structure** Steel

Vico 1150
Faro Lab

incl. DIM TRIAC

110V Check p. 30



61103 Surface	**Structure** Matt Black **Diffuser** Opal
61104 Recessed	**Structure** Matt Black **Diffuser** Opal





Surface



Recessed

Material	**Structure** Aluminium
	Diffuser PC
Power	30W
Lumen Output	1703lm
Light Source	SMD LED 2700K
Class	II
CRI	≥90
Voltage	220V-240V/50/60Hz
Beam angle	110º
Cable	2m





*More dimmable options under request



Vico 61103


Venice 160
Adolfo Abejón

110V Check p. 30



64255	**Structure** Black **Shade** Gloss White
64256	**Structure** Black **Shade** Gloss Black
64258	**Structure** Black **Shade** White & Gloss Black
64257	**Structure** Black **Shade** Gloss Pink
64259	**Structure** Black **Shade** Gloss Blue

Material	**Structure** Steel
	Shade Ceramic
Light Source	1 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	II
Cable	2m




Venice 200
Adolfo Abejón

110V Check p. 30



64255-124	**Structure** Black **Shade** Gloss White
64255-125	**Structure** Black **Shade** Gloss Black
64255-126	**Structure** Black **Shade** Gloss Pink
64255-128	**Structure** Black **Shade** Gloss Blue
64255-127	**Structure** Black **Shade** White & Gloss Black

Material	**Structure** Steel
	Shade Ceramic
Light Source	1 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	II
Cable	2m





Table&Floor
84



Wall
336

*Compatible with track system on page 287



Venice 64259


Whizz Pendant
Christoph Friedrich Wagner

110V Check p. 30



20160	**Structure** Black + Satin Gold
20161	**Structure** Satin Gold + Black
20169	**Structure** Blue + White

Material	**Structure** Steel
Light Source	1 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17496
Class	II
Cable	1.5m



Whizz Pendant Floor
Christoph Friedrich Wagner

110V Check p. 30




20166-95	**Structure** Black **Shade** Black + Satin Gold
20166-96	**Structure** Black **Shade** Satin Gold + Black

Material	**Structure** Steel
	Shade Steel
Light Source	1 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17496
Class	II
Cable	3.4m



Floor
62

Wall
378



*Compatible with track system on page 287



Whizz 20169

Kombo 120
Nutcreatives

110V Check p. 30



68591-1L	**Structure** Matt Black **Shade** Grey
68592-1L	**Structure** Matt Black **Shade** Beige

Material	**Structure** Steel
	Shade Steel
Light Source	1 E27 LED A60 max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	II
Cable	1.5m



Kombo 200
Nutcreatives

110V Check p. 30



68593-1L	**Structure** Matt Black **Shade** Grey
68594-1L	**Structure** Matt Black **Shade** Beige

Material	**Structure** Steel
	Shade Steel
Light Source	1 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	II
Cable	1.5m




Kombo 400
Nutcreatives

110V Check p. 30



68595-1L	**Structure** Matt Black **Shade** Grey
68596-1L	**Structure** Matt Black **Shade** Beige
68597-1L	**Structure** Matt Black **Shade** Terracotta

Material	**Structure** Steel
	Shade Steel
Light Source	1 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	II
Cable	1.5m



*Compatible with track system on page 287




Nina

incl.



22023	**Structure** Matt Black **Diffuser** Transparent
22024	**Structure** Matt White **Diffuser** Transparent
22025	**Structure** Satin Gold **Diffuser** Transparent

Material	**Structure** Aluminium
	Diffuser PMMA
Power	4W
Lumen Output	108lm
Light Source	SMD LED 2700K
Class	II
CRI	90
Voltage	220V-240V/50/60Hz
Beam angle	38º
Cable	1.5m



*Compatible with Neso Slim. Check our Architectural catalogue.


Plat

110V Check p. 30



68145	**Structure** Matt Black
68146	**Structure** Matt White

Material	**Structure** Steel
Light Source	1 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17271
Class	II
Cable	1.5m



*Compatible with track system on page 287




Side 200 Pendant
Àlex & Manel Lluscà

110V Check p. 30



62139	**Structure** Matt Black + Satin Copper **Diffuser** Opal

Material	**Structure** Steel
	Diffuser Glass
Light Source	1 G9 LED max. 6W
Bulb incl.	No
Recom. Bulb	17443
Class	II
Cable	1.5m




Pluma
Nahtrang

incl.



64172	**Structure** Matt Black + Matt Gold **Diffuser** Opal

Material	**Structure** Aluminium
	Diffuser PMMA
Power	6W
Lumen Output	161lm
Light Source	SMD LED 3000K
Class	II
CRI	>80
Voltage	220V-240V/50/60Hz
Cable	1.5m




Marisol

incl. DIM TRIAC



60012	**Structure** Matt White **Diffuser** Opal
60013	**Structure** Matt Black **Diffuser** Opal

Material	**Structure** Steel
	Diffuser Glass
Power	14,5W
Lumen Output	887lm
Light Source	SMD LED 2700K
Class	I
CRI	90
Voltage	220V-240V/50/60Hz
Cable	1.5m



Ceiling
316

*Compatible with track system on page 287



Mine Glass Pendant
Nahtrang

110V Check p. 30



28375	**Structure** Matt White **Diffuser** Opal
28376	**Structure** Dark Grey **Diffuser** Opal

Material	**Structure** Aluminium + Beech wood
	Diffuser Glass
Light Source	1 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	II
Cable	4m

Mine PC Pendant
Nahtrang


110V Check p. 30



28209	**Structure** Matt White **Diffuser** Opal
28210	**Structure** Dark Grey **Diffuser** Opal

Material	**Structure** Aluminium + Beech wood
	Diffuser PC
Light Source	1 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	II
Cable	4m

Table
52



*Compatible with track system on page 287



Mine 28376

Le Vita Pendant
Nahtrang


incl.

110V Check p. 30



29691	**Structure** Gloss Gold **Diffuser** Opal
29696	**Structure** Matt Black **Diffuser** Opal

Material	**Structure** Steel
	Diffuser Glass
Power	14W
Lumen Output	1392lm
Light Source	SMD LED 2700K
Class	I
CRI	>80
Voltage	220V-240V/50/60Hz
Cable	1.5m



Le Vita Pendant Floor
Nahtrang

incl.



29694	**Structure** Gloss Gold **Diffuser** Opal
29699	**Structure** Matt Black **Diffuser** Opal


Material	**Structure** Steel
	Diffuser Glass
Power	7W
Lumen Output	694lm
Light Source	SMD LED 2700K
Class	II
CRI	>80
Voltage	220V-240V/50/60Hz
Cable	1.5m



Table&Floor
106



Wall
516



*Max. ceiling height 3mts.






Marlin

110V Check p. 30



64133	**Structure** Old Gold **Shade** Matt Black

Material	**Structure** Steel
	Shade Steel
Light Source	1 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17428
Class	I
Cable	1.5m



*Compatible with track system on page 287

Retro Pendant


Àlex & Manel Lluscà

110V Check p. 30



20050	**Structure** Matt Black + Chrome

Material	**Structure** Steel
Light Source	1 E14 LED max. 8W
Bulb incl.	No
Recom. Bulb	17461
Class	I
Cable	1.6m





Wall
360


Claire

110V Check p. 30



62802	**Structure** Gloss Black **Shade** Gloss Black
62803	**Structure** Gloss Black **Shade** Gloss Green

Material	**Structure** Steel
	Shade Steel
Light Source	1 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17426
Class	I
Cable	1.4m



*Compatible with track system on page 284


H.J.HEINZ Co.
PICKLES

Brume Pendant

Àlex & Manel Lluscà

IP44 incl.




40078	**Structure** Anthracite **Diffuser** Opal

Material	**Structure** Steel
	Diffuser Glass
Power	3W
Lumen Output	168lm
Light Source	SMD LED 2700K
Class	II
CRI	>80
Voltage	220V-240V/50/60Hz
Cable	1m

Ceiling
310

Wall
534




Art

110V Check p. 30



64137	**Structure** Old Gold
65134	**Structure** Black

Material	**Structure** Steel
Light Source	1 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17425
Class	I
Cable	2m



*Compatible with track system on page 287



Brume 40078


Diana 400

incl.



22005	**Structure** Black **Diffuser** Transparent
22006	**Structure** Dark Brown **Diffuser** Transparent
22007	**Structure** Matt White **Diffuser** Transparent
22008	**Structure** Satin Gold **Diffuser** Transparent

Material	**Structure** Aluminium
	Diffuser PC
Power	6W
Lumen Output	317lm
Light Source	SMD LED 2700K
Class	II
CRI	90
Voltage	220V-240V/50/60Hz
Beam angle	18º
Cable	1.5m




Diana 600

incl.



22011	**Structure** Black **Diffuser** Transparent
22012	**Structure** Dark Brown **Diffuser** Transparent
22013	**Structure** Matt White **Diffuser** Transparent
22014	**Structure** Satin Gold **Diffuser** Transparent

Material	**Structure** Aluminium
	Diffuser PC
Power	6W
Lumen Output	317lm
Light Source	SMD LED 2700K
Class	II
CRI	90
Voltage	220V-240V/50/60Hz
Beam angle	18º
Cable	1.5m



Diana 800

incl.



22017	**Structure** Black **Diffuser** Transparent
22018	**Structure** Dark Brown **Diffuser** Transparent
22019	**Structure** Matt White **Diffuser** Transparent
22020	**Structure** Satin Gold **Diffuser** Transparent

Material	**Structure** Aluminium
	Diffuser PC
Power	6W
Lumen Output	317lm
Light Source	SMD LED 2700K
Class	II
CRI	90
Voltage	220V-240V/50/60Hz
Beam angle	18º
Cable	1.5m



*Compatible with Neso Slim. Check our Architectural catalogue.



With its ultra-thin, vertical hanging structure, Diana provides ideal accent lighting to bring out the finest details in any space.


Lina

incl.



22028	**Structure** Black **Diffuser** Translucent
22029	**Structure** White **Diffuser** Translucent

Material	**Structure** Aluminium
	Shade Aluminium
	Diffuser PC
Power	12W
Lumen Output	524lm
Light Source	LED MODULE 2700K
Class	II
CRI	90
Voltage	220V-240V/50/60Hz
Beam angle	85º
Cable	1.5m




Anna

incl.



22032	**Structure** Black **Diffuser** Transparent
22033	**Structure** White **Diffuser** Transparent

Material	**Structure** Aluminium
	Shade Aluminium
	Diffuser PMMA
Power	4W
Lumen Output	205lm
Light Source	SMD LED 2700K
Class	II
CRI	90
Voltage	220V-240V/50/60Hz
Beam angle	18º
Cable	1.5m



*Compatible with Neso Slim. Check our Architectural catalogue.




Pam 165

incl.



64160	**Structure** Matt Black + Matt Gold **Diffuser** Opal

Material	**Structure** Steel
	Diffuser PMMA
Power	11W
Lumen Output	1050lm
Light Source	SMD LED 3000K
Class	II
CRI	>80
Voltage	220V-240V/50/60Hz
Beam angle	120º
Cable	1.5m




Pam 250

incl.



64162	**Structure** Matt Black + Matt Gold **Diffuser** Opal

Material	**Structure** Steel
	Diffuser PMMA
Power	24W
Lumen Output	1968lm
Light Source	SMD LED 3000K
Class	II
CRI	>80
Voltage	220V-240V/50/60Hz
Beam angle	120º
Cable	1.5m





Distura Design
Pam 64160

Stan Pendant

110V Check p. 30



43754	**Structure** Matt White + Matt Black
43755	**Structure** Matt Black + Matt Black
43756	**Structure** Satin Gold + Matt Black

Material	**Structure** Aluminium + ABS
Light Source	1 GU10 LED max. 5W
Bulb incl.	No
Recom. Bulb	17334
Class	I
Cable	1.2m



Ceiling
300



Recessed
294




Spot
292



Track
602



Wall
472



*Compatible with track system on page 287


Danka

incl.



64223	**Structure** Satin Gold + Matt Black **Diffuser** Transparent

Material	**Structure** Steel + Aluminium
	Diffuser PMMA
Power	6W
Lumen Output	440lm
Light Source	COB LED 3000K
Class	II
CRI	>80
Voltage	220V-240V/50/60Hz
Beam angle	60º
Cable	1.5m





Stan 43756

Cocotte Pendant 430

Jordi Llopis

incl.

110V Check p. 30




64262	**Structure** Gloss White **Diffuser** Opal
64263	**Structure** Gloss Black **Diffuser** Opal

Material	**Structure** Aluminium
	Diffuser PMMA
Power	30W
Lumen Output	2072lm
Light Source	SMD LED 3000K
Class	I
CRI	>80
Voltage	220V-240V/50/60Hz
Cable	1.1m



Ceiling
318




BIENVENIDO
A CASA!!!
07.'09
GRACIES
FAHICY!
HOLI!
COMIDA
Solo Cabo
arroz
verduras
cena
-verdura
-salmón
-Mermelada Frutos del bosque
-mayonesa
Sal cocina


Charlotte

110V Check p. 30



68563	**Structure** Matt White **Diffuser** Opal

Material	**Structure** Steel
	Diffuser PC
Light Source	1 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17464
Class	I
Cable	1.2m




Crater

110V Check p. 30



68461	**Structure** Matt Black + Matt Gold

Material	**Structure** Aluminium
Light Source	3 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	II
Cable	1.5m




Magma

110V Check p. 30



28398	**Structure** Matt White + Matt Silver
28399	**Structure** Matt White + Matt Gold
29468	**Structure** Matt Black + Matt Gold

Material	**Structure** Fiber Glass
Light Source	3 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17464
Class	I
Cable	2m



*Compatible with track system on page 287



Crater 68461

Loop Pendant
Estudi Ribaudí

incl.



29397	**Structure** Matt Black **Shade** Ash Wood **Diffuser** Translucent
29567	**Structure** Matt Black **Shade** Cherry Wood **Diffuser** Translucent


Material	**Structure** Steel
	Shade Wood
	Diffuser PMMA
Power	18W
Lumen Output	663lm
Light Source	SMD LED 2700K
Class	II
CRI	>80
Voltage	100V-240V/50/60Hz
Cable	1.2m



Table&Floor
112



Wall
428






Confetti Pendant 300
Nutcreatives

110V Check p. 30



68600-50	**Structure** Matt Black **Shade** White & Black

Material	**Structure** Aluminium
	Shade Recycled PET
Light Source	1 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	II
Cable	1.5m



Confetti Pendant 450
Nutcreatives

110V Check p. 30




68600-51	**Structure** Matt Black **Shade** White & Black

Material	**Structure** Aluminium
	Shade Recycled PET
Light Source	1 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17464
Class	II
Cable	1.5m



Wall
508





Locally produced, made from recycled plastic from bottle caps.

Confetti 68600-50


Costas Pendant 600
Àlex & Manel Lluscà

110V Check p. 30



68590-69	**Structure** Matt Black **Shade** Rattan

Material	**Structure** Steel
	Shade Rattan
Light Source	1 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17426
Class	II
Cable	1.5m





Hook accessory

Costas Pendant 1000
Àlex & Manel Lluscà

110V Check p. 30




68590-70	**Structure** Matt Black **Shade** Rattan

Material	**Structure** Steel
	Shade Rattan
Light Source	1 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17426
Class	II
Cable	1.5m



Wall
510





Hook accessory



Espais amb arquitectura | Photo by Maria Pujol
Costas 68590-70

Saipan 225
Faro Lab

110V Check p. 30



65134-76 **Structure** Black
Shade Rattan

Material	**Structure** Steel
	Shade Rattan
Light Source	1 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17426
Class	I
Cable	2m




Tupai 300
Faro Lab

110V Check p. 30



65134-77 **Structure** Black
Shade Rattan

Material	**Structure** Steel
	Shade Rattan
Light Source	1 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17426
Class	I
Cable	2m



Sumba Pendant
Faro Lab

110V Check p. 30



65134-72 **Structure** Black
Shade Rattan

Material	**Structure** Steel
	Shade Rattan
Light Source	1 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17426
Class	I
Cable	2m






Table
54



Wall
424


INTERIO
NOW


Haka 250
Faro Lab

110V Check p. 30



65134-73
Structure Black
Shade Rattan

Material	**Structure** Steel
	Shade Rattan
Light Source	1 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17426
Class	I
Cable	2m




Haka 300
Faro Lab

110V Check p. 30



65134-74
Structure Black
Shade Rattan

Material	**Structure** Steel
	Shade Rattan
Light Source	1 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17426
Class	I
Cable	2m




Haka 530
Faro Lab

110V Check p. 30



65134-75
Structure Black
Shade Rattan

Material	**Structure** Steel
	Shade Rattan
Light Source	1 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17426
Class	I
Cable	2m





Haka 65134-75

Mambo Pendant 210
Faro Lab

110V Check p. 30



Standard Canopy

64315-47	**Structure** Matt Black **Shade** Rattan

Displaced Canopy

64314-47	**Structure** Matt Black **Shade** Rattan

Material	**Structure** Steel
	Shade Rattan
Light Source	1 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	II
Cable	1.5m

Mambo Pendant 320
Faro Lab

110V Check p. 30



Standard Canopy

64315-48	**Structure** Matt Black **Shade** Rattan

Displaced Canopy

64314-48	**Structure** Matt Black **Shade** Rattan

Material	**Structure** Steel
	Shade Rattan
Light Source	1 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	II
Cable	1.5m

Mambo Pendant 450
Faro Lab

110V Check p. 30



Standard Canopy

64315-49	**Structure** Matt Black **Shade** Rattan

Displaced Canopy

64314-49	**Structure** Matt Black **Shade** Rattan

Material	**Structure** Steel
	Shade Rattan
Light Source	1 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	II
Cable	1.5m




Table&Floor
116




Wall
426


Standard Canopy




Displaced Canopy




Standard Canopy




Displaced Canopy



Standard Canopy



Displaced Canopy



*Compatible with track system on page 287




Savoy Pendant 420
Isaac Piñeiro



20308-89	**Structure** White **Shade** White
20309-90	**Structure** Black **Shade** Black
20309-91	**Structure** Black **Shade** Green

Material	**Structure** Steel
	Shade Textile
Light Source	1 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17464
Class	II
Cable	0.8m

Table&Floor 130 **Wall** 420




Linda Pendant
Estudi Ribaudí



29309	**Structure** Matt White **Shade** Beige
29313	**Structure** Matt Black **Shade** Beige

Material	**Structure** Steel
	Shade Textile
Light Source	1 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17464
Class	I
Cable	1.2m

Table&Floor 140 **Wall** 504




Tree Pendant
Estudi Ribaudí



29864	**Structure** Matt Black **Shade** Black
29865	**Structure** Matt White **Shade** White

Material	**Structure** Steel
	Shade Textile
Light Source	1 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17464
Class	I
Cable	1.3m

Table&Floor 144



*Compatible with track system on page 287



Savoy 20309-90


Aina

IP44 incl.



64174	**Structure** Matt White **Shade** White **Diffuser** Opal

Material	**Structure** Steel
	Shade Textile
	Diffuser PC
Power	40W
Lumen Output	3476lm
Light Source	SMD LED 2700K
Class	II
CRI	>80
Voltage	220V-240V/50/60Hz
Cable	1.3m




Seven Pendant 400

110V Check p. 30



68283	**Structure** Matt White **Shade** White **Diffuser** White

Material	**Structure** Steel
	Shade Textile
	Diffuser Textile
Light Source	2 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	I
Cable	0.9m




Seven Pendant 500

110V Check p. 30



68284	**Structure** Matt White **Shade** White **Diffuser** White

Material	**Structure** Steel
	Shade Textile
	Diffuser Textile
Light Source	3 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	I
Cable	0.9m





Ceiling
322

*Compatible with track system on page 287



Aina 64174

Conga Pendant 500
Faro Lab

110V Check p. 30



Standard Canopy

64315-54	**Structure** Matt Black **Shade** White **Diffuser** White
64315-55	**Structure** Matt Black **Shade** Beige **Diffuser** White
64315-56	**Structure** Matt Black **Shade** Black **Diffuser** White


Displaced Canopy

64314-54	**Structure** Matt Black **Shade** White **Diffuser** White
64314-55	**Structure** Matt Black **Shade** Beige **Diffuser** White
64314-56	**Structure** Matt Black **Shade** Black **Diffuser** White


Material	**Structure** Steel
	Shade Textile
	Diffuser Papyrus
Light Source	1 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17464
Class	II
Cable	1.5m

Table&Floor 126 **Wall** 422

Standard Canopy



Displaced Canopy



Vesper Pendant 600
Nahtrang


110V Check p. 30



29986	**Structure** Matt White **Shade** Beige **Diffuser** Opal

Material	**Structure** Steel
	Shade Textile
	Diffuser PC
Light Source	2 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	I
Cable	2m

Table&Floor 138 **Wall** 442



*Compatible with track system on page 287



Conga 64315-56

Samba Pendant 500
Faro Lab

110V Check p. 30



Standard Canopy


64315-44	**Structure** Matt Black **Shade** Beige **Diffuser** White
64315-45	**Structure** Matt Black **Shade** Yellow **Diffuser** White
64315-46	**Structure** Matt Black **Shade** Green **Diffuser** White

Displaced Canopy


64314-44	**Structure** Matt Black **Shade** Beige **Diffuser** White
64314-45	**Structure** Matt Black **Shade** Yellow **Diffuser** White
64314-46	**Structure** Matt Black **Shade** Green **Diffuser** White

Material	**Structure** Steel
	Shade Textile
	Diffuser Papyrus
Light Source	1 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17464
Class	II
Cable	1.5m

Standard Canopy



Displaced Canopy



Samba Pendant 700
Faro Lab

110V Check p. 30



Standard Canopy

64329-154	**Structure** Matt Black **Shade** Beige **Diffuser** White

Displaced Canopy

64330-154	**Structure** Matt Black **Shade** Beige **Diffuser** White

Material	**Structure** Steel
	Shade Textile
	Diffuser Papyrus
Light Source	3 E27 LED A60 max. 45W
Bulb incl.	No
Recom. Bulb	17463
Class	II
Cable	1.5m




Table&Floor
124




Wall
418

Standard Canopy



Displaced Canopy



*Compatible with track system on page 287



Samba 64329-154

Windsor Pendant

Faro Lab

110V Check p. 30





Standard Canopy

20229-132	**Structure** Matt Black **Shade** Grey **Diffuser** Natural
20229-153	**Structure** Matt Black **Shade** Off White Linen **Diffuser** Natural

Displaced Canopy

20231-132	**Structure** Matt Black **Shade** Grey **Diffuser** Natural
20231-153	**Structure** Matt Black **Shade** Off White Linen **Diffuser** Natural

Material	**Structure** Steel
	Shade Textile
	Diffuser Papyrus
Light Source	3 E27 LED A60 max. 45W
Bulb incl.	No
Recom. Bulb	17463
Class	II
Cable	1.5m







Table&Floor 120

Wall 416

Standard Canopy



Displaced Canopy



*Compatible with track system on page 287



Extra-large lampshades for a great presence. Windsor can create ambient lighting for large spaces, such as hotels and restaurants.

Windsor 20229-132


Saigon In 700
Nahtrang

110V Check p. 30



20116	**Shade** Beige **Diffuser** Beige
20117	**Shade** White **Diffuser** Beige
20118	**Shade** Terracotta **Diffuser** Beige
20119	**Shade** Black **Diffuser** Beige
20120	**Shade** Yellow **Diffuser** Beige
20121	**Shade** Garnet **Diffuser** Beige
20122	**Shade** Green **Diffuser** Beige
20123	**Shade** Brown **Diffuser** Beige

Material	**Structure** Steel
	Shade Textile Ribbon
	Diffuser Papyrus
Light Source	3 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17464
Class	II
Cable	1.6m



Saigon In 1300
Nahtrang


110V Check p. 30



20124	**Shade** Beige **Diffuser** Beige
20125	**Shade** White **Diffuser** Beige
20126	**Shade** Terracotta **Diffuser** Beige
20127	**Shade** Black **Diffuser** Beige
20128	**Shade** Yellow **Diffuser** Beige
20129	**Shade** Garnet **Diffuser** Beige
20130	**Shade** Green **Diffuser** Beige
20131	**Shade** Brown **Diffuser** Beige

Material	**Structure** Steel
	Shade Textile Ribbon
	Diffuser Papyrus
Light Source	4 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17464
Class	II
Cable	1.6m







Saigon 20128


Stood Pendant
Lucid Product Design

110V Check p. 30



29848	**Structure** Matt Black **Shade** Cherry Wood

Material	**Structure** Steel
	Shade Cherry Wood
Light Source	1 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17464
Class	II
Cable	2m



Stood Pendant 5L
Lucid Product Design

110V Check p. 30




29849	**Structure** Matt Black **Shade** Cherry Wood

Material	**Structure** Steel
	Shade Cherry Wood
Light Source	5 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17464
Class	II
Cable	2m



Table&Floor
114

Wall
504





Stood 29849

Tatawin Glass S Circular

Adolfo Abejón

110V Check p. 30



20343-116-5L	**Structure** Satin Black **Shade** Opal
20343-117-5L	**Structure** Satin Black **Shade** Gloss Black

Material	**Structure** Steel
	Shade Glass
Light Source	5 E27 LED G45 max. 15W
Bulb incl.	No
Recom. Bulb	17462
Class	II
Cable	2.5m

Tatawin Metal S Circular


Adolfo Abejón

110V Check p. 30



20343-140-5L	**Structure** Satin Black **Shade** Gloss White
20343-141-5L	**Structure** Satin Black **Shade** Gloss Black
20343-142-5L	**Structure** Satin Black **Shade** Gloss Grayish Blue
20343-143-5L	**Structure** Satin Black **Shade** Gloss Reddish Orange
20343-144-5L	**Structure** Satin Black **Shade** Gloss Green

Material	**Structure** Steel
	Shade Steel
Light Source	5 E27 LED G45 max. 15W
Bulb incl.	No
Recom. Bulb	17462
Class	II
Cable	2.5m





Tatawin Glass M Circular

Adolfo Abejón

110V Check p. 30



20343-119-5L	**Structure** Satin Black **Shade** Opal
20343-120-5L	**Structure** Satin Black **Shade** Gloss Black

Material	**Structure** Steel
	Shade Glass
Light Source	5 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	II
Cable	2.5m

Tatawin Metal M Circular

Adolfo Abejón

110V Check p. 30




20343-145-5L	**Structure** Satin Black **Shade** Gloss White
20343-146-5L	**Structure** Satin Black **Shade** Gloss Black
20343-147-5L	**Structure** Satin Black **Shade** Gloss Grayish Blue
20343-148-5L	**Structure** Satin Black **Shade** Gloss Reddish Orange
20343-149-5L	**Structure** Satin Black **Shade** Gloss Green

Material	**Structure** Steel
	Shade Steel
Light Source	5 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	II
Cable	2.5m

Table&Floor 82

Wall 334





Tatawin 20343-146-5L

Liggera Pendant

355º

110V Check p. 30



20079	**Structure** Matt Black


Material	**Structure** Steel
	Shade Steel
Light Source	6 G9 LED max. 6W
Bulb incl.	No
Recom. Bulb	17466
Class	II



Table&Floor
100



Wall
348



Retro Pendant 12L

Àlex & Manel Lluscà

110V Check p. 30




20047	**Structure** Matt Copper + Matt Black
20048	**Structure** Matt Black + Chrome
20051	**Structure** Matt Black + Satin Gold

Material	**Structure** Steel
	Shade Steel
Light Source	12 E14 LED max. 8W
Bulb incl.	No
Recom. Bulb	17461
Class	I
Cable	3m



Wall
360





Its soft and natural forms are inspired by ancient Japanese minimalism.

Liggera 20079

Mine Glass Pendant Space
Nahtrang

110V Check p. 30




Mine Glass Pendant Space

28375-1L	**Structure** Matt White **Diffuser** Opal
28376-1L	**Structure** Dark Grey **Diffuser** Opal

PC

28209-1L	**Structure** Matt White **Diffuser** Opal
28210-1L	**Structure** Dark Grey **Diffuser** Opal

Material	**Structure** Aluminium
Light Source	1 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	II
Cable	2m



Mine Glass Pendant Space 2L
Nahtrang

110V Check p. 30




Mine Glass Pendant Space

28375-2L	**Structure** Matt White **Diffuser** Opal
28376-2L	**Structure** Dark Grey **Diffuser** Opal

PC

28209-2L	**Structure** Matt White **Diffuser** Opal
28210-2L	**Structure** Dark Grey **Diffuser** Opal

Material	**Structure** Aluminium
Light Source	2 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	II
Cable	4m





BARRI Studio | Photo by José Sanchez Masterton
Mine 28375-2L

Mine Glass Pendant Space 3L
Nahtrang

110V Check p. 30




Mine Glass Pendant Space

28375-3L	**Structure** Matt White **Diffuser** Opal
28376-3L	**Structure** Dark Grey **Diffuser** Opal

PC

28209-3L	**Structure** Matt White **Diffuser** Opal
28210-3L	**Structure** Dark Grey **Diffuser** Opal

Material	**Structure** Aluminium
Light Source	3 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	II
Cable	6m



Mine Glass Pendant Space 4L
Nahtrang

110V Check p. 30




Mine Glass Pendant Space

28375-4L	**Structure** Matt White **Diffuser** Opal
28376-4L	**Structure** Dark Grey **Diffuser** Opal

PC

28209-4L	**Structure** Matt White **Diffuser** Opal
28210-4L	**Structure** Dark Grey **Diffuser** Opal

Material	**Structure** Aluminium
Light Source	4 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	II
Cable	8m






DOS architects Tavis Wright | Photo by Tomeu Canyellas
Mine 28376-3L

Mine Glass Pendant Space 5L

Nahtrang

110V Check p. 30



Mine Glass Pendant Space

28375-5L	**Structure** Matt White **Diffuser** Opal
28376-5L	**Structure** Dark Grey **Diffuser** Opal

PC

28209-5L	**Structure** Matt White **Diffuser** Opal
28210-5L	**Structure** Dark Grey **Diffuser** Opal


Material	**Structure** Aluminium
Light Source	5 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	II
Cable	10m

Table&Floor
52





Hook Accessory	
28373	Matt White
28374	Dark Grey
Material	**Structure** Steel + Wood



Custom version available upon request at customize@faro.es



Mine 28375-5L

Installation solutions

Recessed canopy



Multiple light composition



Custom version available upon request at customize@faro.es

Multiple light composition

	3 lights	5 lights	7 lights
Kombo			
	68591-3L 68592-3L	68591-5L 68592-5L	68591-7L 68592-7L
	68593-3L 68594-3L	68593-5L 68594-5L	68593-7L 68594-7L
	68595-3L 68596-3L 68597-3L	68595-5L 68596-5L 68597-5L	68595-7L 68596-7L 68597-7L
Mambo			
	64314-47-3L	64314-47-5L	64314-47-7L
	64314-48-3L	64314-48-5L	64314-48-7L
	64314-49-3L	64314-49-5L	64314-49-7L

Conga



3 lights



64314-54-3L
64314-55-3L
64314-56-3L

5 lights



64314-54-5L
64314-55-5L
64314-56-5L

7 lights



64314-54-7L
64314-55-7L
64314-56-7L

Samba





64314-44-3L
64314-45-3L
64314-46-3L



64314-44-5L
64314-45-5L
64314-46-5L



64314-44-7L
64314-45-7L
64314-46-7L

3 lights

Samba 700





64332-154

Windsor





64332-132
64332-153

Retro





20050-3L



20050-5L



20050-7L

		3 lights	5 lights	7 lights
Plat				
		68145-3L 68146-3L	68145-5L 68146-5L	68145-7L 68146-7L
Art				
		64135-3L 64137-3L	64135-5L 64137-5L	64135-7L 64137-7L
Marlin				
		64133-3L	64133-5L	64133-7L
Claire				
		62802-3L 62803-3L	62802-5L 62803-5L	62802-7L 62803-7L

		3 lights	5 lights	7 lights
Whizz				
		20160-3L 20161-3L	20160-5L 20161-5L	20160-7L 20161-7L
Tatawin S				
		20340-116-3L 20340-117-3L	20340-116-5L 20340-117-5L	20340-116-7L 20340-117-7L
Tatawin M				
		20340-119-3L 20340-120-3L	20340-119-5L 20340-120-5L	20340-119-7L 20340-120-7L
Tatawin Metal S				
		20340-140-3L 20340-141-3L 20340-142-3L 20340-143-3L 20340-144-3L	20340-140-5L 20340-141-5L 20340-142-5L 20340-143-5L 20340-144-5L	20340-140-7L 20340-141-7L 20340-142-7L 20340-143-7L 20340-144-7L

	3 lights	5 lights	7 lights

Tatawin Metal M









20340-145-3L	20340-145-5L	20340-145-7L
20340-146-3L	20340-146-5L	20340-146-7L
20340-147-3L	20340-147-5L	20340-147-7L
20340-148-3L	20340-148-5L	20340-148-7L
20340-149-3L	20340-149-5L	20340-149-7L

Venice 160









64255-115-3L	64255-115-5L	64255-115-7L
64255-111-3L	64255-111-5L	64255-111-7L
64255-112-3L	64255-112-5L	64255-112-7L
64255-113-3L	64255-113-5L	64255-113-7L
64255-114-3L	64255-114-5L	64255-114-7L

Venice 200









64255-124-3L	64255-124-5L	64255-124-7L
64255-125-3L	64255-125-5L	64255-125-7L
64255-126-3L	64255-126-5L	64255-126-7L
64255-128-3L	64255-128-5L	64255-128-7L
64255-127-3L	64255-127-5L	64255-127-7L

Suspended 5 Mt. cable with plug (hook incl.)

Conga



68604-54



68604-55



68604-56

Samba



68604-44



68604-45



68604-46

Samba 700



64331-154

Windsor



64331-132
64331-153

Kombo



68604-62
68604-63



68604-64
68604-65



68604-66
68604-67
68604-68

Mambo



68604-47



68604-48




68604-49

Canopy recessed accessory

With frame




64231



Trimless



64232



Compatible with the following configurations

✓ Electrical wire+Turnbuckle	✓ Canopy with lamp holder **E14 | E27**	✗ Canopy with turnbuckle	✗ Canopy with driver

Other solutions

Hook



68602



Track connector for suspension*

Track



01997001 White
01997002 Black


*Accessories compatible with all pendants with bulb and without turnbuckle.






CEILING

Stan Slim



110V Check p. 30



43814	**Structure** White + Matt Black
43815	**Structure** Black + Matt Black
43816	**Structure** Bronze + Matt Black
43817	**Structure** Brushed Aluminium + Matt Black

Material	**Structure** Aluminium + ABS
Light Source	1 GU10 LED MR11 max. 3W
Bulb incl.	No
Recom. Bulb	17537
Class	I



Stan Slim Ring Accessory

43824	Matt White
43825	Matt Gold

Material	**Structure** ABS



Stan Slim Honeycomb Accessory

43826	Black

Material	**Structure** Aluminium




Recessed
294



Surface
358




Track
294






Stan LED






43726 2700K 1016lm	**Structure** Matt White + Matt Black **Diffuser** Transparent
43727 2700K 1016lm	**Structure** Matt Black + Matt Black **Diffuser** Transparent
43773 3000K 942lm	**Structure** Matt Black + Matt Black **Diffuser** Transparent
43772 3000K 942lm	**Structure** Matt White + Matt Black **Diffuser** Transparent

Material	**Structure** Aluminium + ABS
	Diffuser PC
Power	12W
Light Source	COB LED
Class	I
CRI	>90
Voltage	220V-240V/50/60Hz
Beam angle	36º



Stan GU10




110V Check p. 30



43722	**Structure** Matt White + Matt Black
43723	**Structure** Matt Black + Matt Black
43762	**Structure** Satin Gold + Matt Black
43763	**Structure** Terracotta + Matt Black
43777	**Structure** Brushed Aluminium + Matt Black

Material	**Structure** Aluminium + ABS
Light Source	1 GU10 LED max. 5W
Bulb incl.	No
Recom. Bulb	17334
Class	I





Surface
358

Suspended
236



Recessed
294



Track
602



Wall
472




De la Villa Studio I Photo by Erlantz Biderbost
Stan 43726

Stan Slim Recessed

90º
355º


110V Check p. 30



43810	**Structure** White + Matt Black
43811	**Structure** Black + Matt Black

Material	**Structure** Aluminium + ABS
Light Source	1 GU10 LED MR11 max. 3W
Bulb incl.	No
Recom. Bulb	17537
Class	II
Cut out	ø38mm

Ceiling 290 **Surface** 358 **Track** 294



*Stan Slim accessories page 290

Stan Recessed

90º
355º

110V Check p. 30



43752	**Structure** Matt White + Matt Black
43753	**Structure** Matt Black + Matt Black
43761	**Structure** Satin Gold + Matt Black

Material	**Structure** Aluminium + ABS
Light Source	1 GU10 LED max. 5W
Bulb incl.	No
Recom. Bulb	17334
Class	I
Cut out	ø50mm



Stan Ring Accessory

43728	Matt White
43729	Matt Gold
Material	**Structure** ABS



Stan Honeycomb Accessory


43730	Black
Material	**Structure** Aluminium

Stan Lens Accessory

43731	Transparent
Material	**Structure** Glass

Stan Eliptical Lens Accessory

43732	Transparent
Material	**Structure** Glass






Recessed 294 **Surface** 358 **Suspended** 236 **Track** 602 **Wall** 472



Leo Ceiling
Estudi Ribaudí







43790	**Structure** Matt White
43791	**Structure** Matt Black

Material	**Structure** Aluminium
Power	7W
Lumen Output	590lm
Light Source	COB LED 2700K
Class	II
CRI	≥90
Voltage	220V-240V/50/60Hz
Cut out	85mm




Leo Recessed Accessory

43800	Satin Stainless
Material	**Structure** Steel


Track
604


Wall
356

Table&Floor
92





Link 1L
Estudi Ribaudí

355º 90º 90º

110V Check p. 30



29877	**Structure** Matt White
29878	**Structure** Matt Black

Material	**Structure** Steel
Light Source	1 GU10 LED max. 8W
Bulb incl.	No
Recom. Bulb	17334
Class	I

Orleans Wall
Nahtrang

90º 355º

110V Check p. 30



43531	**Structure** Chrome + Matt Black

Material	**Structure** Steel
Light Source	1 GU10 LED max. 8W
Bulb incl.	No
Recom. Bulb	17334
Class	I

Orleans Wall 2L
Nahtrang

90º 355º

110V Check p. 30



43534	**Structure** Chrome + Matt Black

Material	**Structure** Steel
Light Source	2 GU10 LED max. 8W
Bulb incl.	No
Recom. Bulb	17334
Class	I



Spot
454





Table&Floor
102


Wall
454



Spot
458









Link 29877

Stan

110V Check p. 30


NEW FINISH




43746	**Structure** Matt White + Matt Black
43747	**Structure** Matt Black + Matt Black
43758	**Structure** Satin Gold + Matt Black
43764	**Structure** Terracotta + Matt Black
43776	**Structure** Brushed Aluminium + Matt Black

Material	**Structure** Aluminium + ABS
Light Source	1 GU10 LED max. 5W
Bulb incl.	No
Recom. Bulb	17334
Class	II







Surface 358

Suspended 236

Recessed 294

Track 602

Wall 472

Fox

incl.

NEW



44501	**Structure** Black **Diffuser** Transparent
44500	**Structure** White **Diffuser** Transparent

Material	**Structure** Aluminium
	Diffuser Glass
Power	5W
Lumen Output	298lm
Light Source	COB LED 2700K
Class	I
CRI	90
Voltage	220V-240V/50/60Hz
Beam angle	30º






Rol 9W

incl.



68619	**Structure** Matt White
68620	**Structure** Matt Black

Material	**Structure** Aluminium + ABS
Power	9W
Lumen Output	537lm
Light Source	COB LED 2700K
Class	II
CRI	≥90
Voltage	220V-240V/50/60Hz
Beam angle	60º




Rol 15W

incl.



68621	**Structure** Matt White
68622	**Structure** Matt Black

Material	**Structure** Aluminium + ABS
Power	15W
Lumen Output	968lm
Light Source	COB LED 2700K
Class	II
CRI	≥90
Voltage	220V-240V/50/60Hz
Beam angle	60º




Rol 30W

incl.



68623	**Structure** Matt White
68624	**Structure** Matt Black

Material	**Structure** Aluminium + ABS
Power	30W
Lumen Output	1965lm
Light Source	COB LED 2700K
Class	II
CRI	≥90
Voltage	220V-240V/50/60Hz
Beam angle	60º





Rol 68619


Sven R

110V Check p. 30



63268 **Structure** Matt White

Material	**Structure** Plaster
Light Source	1 GU10 LED max. 8W
Bulb incl.	No
Recom. Bulb	17333
Class	I




Sven SQ

110V Check p. 30



63269 **Structure** Matt White

Material	**Structure** Plaster
Light Source	1 GU10 LED max. 8W
Bulb incl.	No
Recom. Bulb	17333
Class	I





Sven 63268


Mizu 90

incl.



68615	**Structure** Matt White **Diffuser** Opal
68616	**Structure** Matt Black **Diffuser** Prism

Material	**Structure** Aluminium
	Diffuser PMMA
Power	8W
Lumen Output	420lm
Light Source	SMD LED 2700K
Class	II
CRI	≥90
Voltage	220V-240V/50/60Hz
Beam angle	80º




Mizu 140

incl.



68617	**Structure** Matt White **Diffuser** Opal
68618	**Structure** Matt Black **Diffuser** Opal

Material	**Structure** Aluminium
	Diffuser PMMA
Power	15W
Lumen Output	831lm
Light Source	SMD LED 2700K
Class	II
CRI	≥90
Voltage	220V-240V/50/60Hz
Beam angle	80º





With prismatic diffuser




Janet

110V Check p. 30



65137	**Structure** White + Satin Gold

Material	**Structure** Steel
Light Source	1 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17462
Class	I




Tecto 1L

110V Check p. 30



63270	**Structure** Matt White
63271	**Structure** Matt Black

Material	**Structure** Aluminium
Light Source	1 GU10 LED max. 8W
Bulb incl.	No
Recom. Bulb	17320
Class	I



Tecto 1L AR111


no incl.

110V Check p. 30



63275	**Structure** Matt Black

Material	**Structure** Aluminium
Light Source	1 GX53 LED AR111 max. 15W
Bulb incl.	No
Recom. Bulb	97411
Class	III





Jimenez Linares | Photo by David Zarzoso
Tecto 63270

Amelia
Héctor Serrano

IP44

110V Check p. 30




68610	**Structure** Matt White **Diffuser** Opal
68611	**Structure** Matt Black **Diffuser** Opal

Material	**Structure** Steel
	Diffuser Glass
Light Source	1 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17528
Class	II



Table&Floor
48



Brume
Àlex & Manel Lluscà

IP44 incl.



40077	**Structure** Anthracite **Diffuser** Opal


Material	**Structure** Steel
	Diffuser Glass
Power	3W
Lumen Output	168lm
Light Source	SMD LED 2700K
Class	II
CRI	>80
Voltage	220V-240V/50/60Hz



Suspended
228



Wall
534





A calm lamp that blends into the space and at the same time delicately enriches it.

Amelia 68610


Tender
Nahtrang


incl.



20094	**Structure** Matt Black + Oak **Diffuser** Opal
20095	**Structure** Matt White + Oak **Diffuser** Opal

Material	**Structure** Steel + Wood
	Diffuser PC
Power	24W
Lumen Output	1800lm
Light Source	SMD LED 3000K
Class	II
CRI	>90
Voltage	220V-240V/50/60Hz





Double position


Tender
Nahtrang

incl.



20092	**Structure** Light Grey **Diffuser** Opal
20093	**Structure** Matt Black **Diffuser** Opal

Material	**Structure** Steel
	Diffuser PC
Power	24W
Lumen Output	1714lm
Light Source	SMD LED 2700K
Class	II
CRI	>90
Voltage	220V-240V/50/60Hz





Double position



Shoku 350
Ernest Perera Studio


incl. DIM TRIAC

110V Check p. 30



64277 2700K 1213lm	**Structure** White + White **Diffuser** Opal
64278 2700K 773lm	**Structure** White + Black **Diffuser** Opal
64279 2700K 773lm	**Structure** Black + Black **Diffuser** Opal
64280 2700K 1213lm	**Structure** Light Grey + White **Diffuser** Opal

Material	**Structure** Aluminium
	Diffuser PMMA
Power	24W
Light Source	SMD LED
Class	II
CRI	>90
Voltage	220V-240V/50/60Hz




Double position

Shoku 600
Ernest Perera Studio


incl. DIM TRIAC

110V Check p. 30



64281 2700K 2441lm	**Structure** White + White **Diffuser** Opal
64282 2700K 1980lm	**Structure** Black + Black **Diffuser** Opal

Material	**Structure** Aluminium
	Diffuser PMMA
Power	40W
Light Source	SMD LED
Class	II
CRI	>90
Voltage	220V-240V/50/60Hz




Double position


JEAN PROUVÉ
JEAN PROUVÉ

Side 200
Àlex & Manel Lluscà

110V Check p. 30



62132	**Structure** Matt White **Diffuser** Opal
62133	**Structure** Matt White + Satin Nickel **Diffuser** Opal
62134	**Structure** Matt Black + Satin Gold **Diffuser** Opal
62135	**Structure** Matt Black + Satin Copper **Diffuser** Opal

Material	**Structure** Steel
	Diffuser Glass
Light Source	1 G9 LED max. 6W
Bulb incl.	No
Recom. Bulb	17443
Class	I

Side 390
Àlex & Manel Lluscà

incl.

110V Check p. 30



62140	**Structure** Matt White **Diffuser** Opal
62142	**Structure** Matt Black + Satin Gold **Diffuser** Opal
62143	**Structure** Matt Black + Satin Copper **Diffuser** Opal

Material	**Structure** Steel
	Diffuser Glass
Power	15W
Lumen Output	736lm
Light Source	SMD LED 3000K
Class	I
CRI	>80
Voltage	220V-240V/50/60Hz

Side 450
Àlex & Manel Lluscà

incl.

110V Check p. 30





62145	**Structure** Matt White + Satin Nickel **Diffuser** Opal
62144	**Structure** Matt White **Diffuser** Opal
62146	**Structure** Matt Black + Satin Gold **Diffuser** Opal


Material	**Structure** Steel
	Diffuser Glass
Power	20W
Lumen Output	1741lm
Light Source	SMD LED 3000K
Class	I
CRI	>80
Voltage	220V-240V/50/60Hz



Suspended
220









Double position



Dolme
Xjer Studio


incl.



64096	**Structure** Matt Black **Diffuser** Opal
64097	**Structure** Matt White **Diffuser** Opal

Material	**Structure** Steel
	Diffuser PMMA
Power	24W
Lumen Output	1260lm
Light Source	SMD LED 3000K
Class	I
CRI	>80
Voltage	220V-240V/50/60Hz

Suspended
238



Cocotte 430
Jordi Llopis

incl.


110V Check p. 30



64250	**Structure** Gloss White **Diffuser** Opal
64251	**Structure** Gloss Black **Diffuser** Opal

Material	**Structure** Aluminium
	Diffuser PMMA
Power	30W
Lumen Output	2072lm
Light Source	SMD LED 3000K
Class	I
CRI	>80
Voltage	220V-240V/50/60Hz

Suspended
238






Mega
Jordi Llopis

incl. DIM TRIAC

63410

Structure Matt White
Diffuser Opal

Material	**Structure** Aluminium
	Diffuser PMMA
Power	52W
Lumen Output	3516lm
Light Source	SMD LED 2700K
Class	I
CRI	>80
Voltage	220V-240V/50/60Hz



Bic


incl. DIM TRIAC



63408

Structure Matt White
Diffuser Opal

Material	**Structure** Aluminium
	Diffuser PMMA
Power	60W
Lumen Output	4632lm
Light Source	SMD LED 3000K
Class	I
CRI	>80
Voltage	220V-240V/50/60Hz





Edite Transforma | Photo by David Ballester
Mega 63410


Seven 400

110V Check p. 30



68298	**Structure** Matt White **Shade** White **Diffuser** White

Material	**Structure** Steel
	Shade Textile
	Diffuser Textile
Light Source	2 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	I



Seven 500

110V Check p. 30




68317	**Structure** Matt White **Shade** White **Diffuser** White

Material	**Structure** Steel
	Shade Textile
	Diffuser Textile
Light Source	3 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	I



Suspended
256





Seven 68298


Aris 210

incl.



68625	**Structure** White **Diffuser** Opal
68626	**Structure** Black **Diffuser** Opal

Material	**Structure** Aluminium
	Diffuser PC
Power	20W
Lumen Output	1528lm
Light Source	SMD LED 2700K
Class	II
CRI	≥90
Voltage	220V-240V/50/60Hz
Beam angle	110º




Aris 250

incl.



68627	**Structure** White **Diffuser** Opal
68628	**Structure** Black **Diffuser** Opal

Material	**Structure** Aluminium
	Diffuser PC
Power	30W
Lumen Output	2797lm
Light Source	SMD LED 2700K
Class	II
CRI	≥90
Voltage	220V-240V/50/60Hz
Beam angle	110º






Zon

IP54 incl. DIM TRIAC

63291	**Structure** Matt White **Diffuser** Opal

Material	**Structure** Steel
	Diffuser PMMA
Power	18W
Lumen Output	1626lm
Light Source	SMD LED 3000K
Class	II
CRI	85
Voltage	220V-240V/50Hz




Vuk

IP44 incl.



64188	**Structure** Matt White **Diffuser** Opal
64188N	**Structure** Matt Black **Diffuser** Opal

Material	**Structure** Steel
	Diffuser PMMA
Power	40W
Lumen Output	2404lm
Light Source	SMD LED 2700K
Class	II
CRI	>80
Voltage	220V-240V/50/60Hz




Foro

IP44 incl.



63404	**Structure** Matt White **Diffuser** Opal

Material	**Structure** Aluminium
	Diffuser PMMA
Power	24W
Lumen Output	1900lm
Light Source	SMD LED 3000K
Class	II
CRI	>80
Voltage	220V-240V/50/60Hz





Vuk 64188

Logos 270


IP44

110V Check p. 30



62980	**Structure** Satin Nickel **Diffuser** Opal

Material	**Structure** Aluminium
	Diffuser PC
Light Source	1 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17437
Class	II



Logos 350 2L


IP44

110V Check p. 30



62966	**Structure** Matt White **Diffuser** Opal
62981	**Structure** Satin Nickel **Diffuser** Opal

Material	**Structure** Aluminium
	Diffuser PC
Light Source	2 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17437
Class	II



Tola 270


IP44

110V Check p. 30



62983	**Structure** Satin Nickel **Diffuser** Opal

Material	**Structure** Aluminium
	Diffuser PC
Light Source	1 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17437
Class	II



Tola 320


IP44

110V Check p. 30



62969	**Structure** Matt White **Diffuser** Opal

Material	**Structure** Aluminium
	Diffuser PC
Light Source	2 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17437
Class	II







WALL

Matilda Wall
Faro Lab


360º

110V Check p. 30



20500	**Structure** Beige
20501	**Structure** Black
20502	**Structure** Garnet

Material	**Structure** Steel
	Shade Steel
Light Source	1 E14 LED G45 max. 15W
Bulb incl.	No
Recom. Bulb	17461
Class	II



Matilda Wall Linear
Faro Lab


360º

110V Check p. 30



20508-136	**Structure** Beige
20509-137	**Structure** Black
20510-138	**Structure** Garnet

Material	**Structure** Steel
	Shade Steel
Light Source	1 E14 LED G45 max. 15W
Bulb incl.	No
Recom. Bulb	17461
Class	II
Cable	2.5m





Table&Floor
75



Its rotating shade system and height adjustment offer a wide variety of lighting effects, making it a multifunctional collection.

Matilda 20508-136

Tatawin Wall Glass
Adolfo Abejón

110V Check p. 30



20335-116	**Structure** Satin Black **Shade** Opal
20335-117	**Structure** Satin Black **Shade** Gloss Black

Material	**Structure** Aluminium
	Shade Glass
Light Source	1 E27 LED G45 max. 15W
Bulb incl.	No
Recom. Bulb	17462
Class	II

Tatawin Wall Metal
Adolfo Abejón

110V Check p. 30



20335-140	**Structure** Satin Black **Shade** Gloss White
20335-141	**Structure** Satin Black **Shade** Gloss Black
20335-142	**Structure** Satin Black **Shade** Gloss Grayish Blue
20335-143	**Structure** Satin Black **Shade** Gloss Reddish Orange
20335-144	**Structure** Satin Black **Shade** Gloss Green


Material	**Structure** Aluminium
	Shade Steel
Light Source	1 E27 LED G45 max. 15W
Bulb incl.	No
Recom. Bulb	17462
Class	II



Suspended 198



Table&Floor 78



The shape of the lampshade is reminiscent of the upper part of the characteristic houses of Tataouine, a city located in the South-East of Tunisia.



Venice Wall

Adolfo Abejón

110V Check p. 30





64270	**Structure** Gloss Black **Shade** Gloss White
64271	**Structure** Gloss Black **Shade** Gloss Black
64272	**Structure** Gloss Black **Shade** Gloss Pink
64273	**Structure** Gloss Black **Shade** White & Gloss Black
64274	**Structure** Gloss Black **Shade** Gloss Blue


Material	**Structure** Aluminium
	Shade Ceramic
Light Source	1 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	II



Suspended
212



Table&Floor
84




BASELITZ
Jana Schröder Spontacts and Kinkrustations

Studio Wall
Nahtrang

355°

110V Check p. 30





28257	**Structure** Matt Black **Shade** Matt Black
28258	**Structure** Matt Black **Shade** Matt White
28259	**Structure** Matt Black **Shade** Matt Green
28274	**Structure** Matt Black **Shade** Matt Blue
28275	**Structure** Matt Black **Shade** Matt Pink

Material	**Structure** Steel
	Shade Steel
Light Source	1 E14 LED max. 8W
Bulb incl.	No
Recom. Bulb	17461
Class	II

Clear Code Architecture




Table&Floor
96



Suspended
206



Clip-on
166




Moi,
J'veux
crever
la main
sur le
cœur


Dominica Wall
Faro Lab

110V Check p. 30



20031-122	**Structure** Beige
20031-123	**Structure** Black

Material	**Structure** Steel
	Shade Steel
Light Source	1 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	II



Dominica Wall Reader
Faro Lab


incl. x2

110V Check p. 30



20032-122	**Structure** Beige
20032-123	**Structure** Black

Material	**Structure** Steel
	Shade Steel
Light Source	1 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17463
Reader	1W 3000K 106lm 36º
Class	II





Table&Floor
88



Dominica 20031-123


Guadalupe Wall
Faro Lab

110V Check p. 30



20031-80	**Structure** Black **Shade** Beige
20031-81	**Structure** Black **Shade** Green

Material	**Structure** Steel
	Shade Steel
Light Source	1 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	II



Guadalupe Wall Reader
Faro Lab


incl. 360º x2

110V Check p. 30



20032-80	**Structure** Black **Shade** Beige
20032-81	**Structure** Black **Shade** Green

Material	**Structure** Steel
	Shade Steel
Light Source	1 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17463
Reader	1W 3000K 106lm 36º
Class	II





Table&Floor
98



Guadalupe 20031-80

Tila

Estudi Ribaudí


45º
355º

110V Check p. 30



62360	**Structure** White
62361	**Structure** Black

Material	**Structure** Steel
	Shade Steel
Light Source	1 E27 LED G45 max. 15W
Bulb incl.	No
Recom. Bulb	17462
Class	II





2 Installation Modes



Inviting Wall
Bohman And Folenius

180º 90º 90º DIM

110V Check p. 30



57300	**Structure** Matt White **Diffuser** Transparent
57301	**Structure** Matt Black **Diffuser** Transparent

Material	**Structure** Aluminium
	Diffuser PMMA
Power	6W
Lumen Output	586lm
Light Source	SMD LED 2700-4800K
Class	II
CRI	>80
Voltage	100V-240V/50/60Hz
Cable	1.9m

Clear Code Architecture


reddot award 2019 winner

DESIGN AWARD 2019

GERMAN DESIGN AWARD SPECIAL 2019

Table 150

Clip 164





Colour temperature and intensity can be adjusted.

Academy Wall
Nahtrang

incl. 355º DIM


110V Check p. 30



28200	**Structure** Chrome **Diffuser** Opal


Material	**Structure** Steel
	Diffuser PMMA
Power	4W
Lumen Output	350lm
Light Source	SMD LED 3000K
Class	I
CRI	>80
Voltage	100V-240V/50/60Hz

Table 150





Liggera Wall



110V Check p. 30




20077	**Structure** Matt Black **Shade** Matt Black

Material	**Structure** Steel
	Shade Steel
Light Source	1 G9 LED max. 6W
Bulb incl.	No
Recom. Bulb	17466
Class	II





Suspended 272 **Table&Floor** 100






Its soft and natural forms are inspired by ancient Japanese minimalism.

Liggera 20077


Aurea
Estudi Ribaudí






62115	**Structure** Matt White **Diffuser** Opal

Material	**Structure** Steel **Diffuser** PC
Power	8W
Lumen Output	297lm
Light Source	SMD LED 2700K
Class	I
CRI	>80
Voltage	220V-240V/50/60Hz



Le Petit
Àlex & Manel Lluscà




110V Check p. 30



62161	**Structure** Matt White
62162	**Structure** Matt Black
62163	**Structure** Satin Gold
62164	**Structure** Bronze

Material	**Structure** Steel
Power	4W
Lumen Output	88lm
Light Source	SMD LED 3000K
Class	II
CRI	>80
Voltage	100V-240V/50/60Hz





Well Induction


incl.

110V Check p. 30



64030	**Structure** Matt White **Diffuser** Opal

Material	**Structure** Aluminium + PP **Diffuser** PMMA
Power	7W
Lumen Output	248lm
Light Source	SMD LED 2700K
Class	I
CRI	≥90
Voltage	100V-240V/50Hz





Induction charger and USB type A

Corb

60º

110V Check p. 30




USB Type A charger

40135	**Structure** Matt White

USB Type C charger

40136N	**Structure** Matt Black

Material	**Structure** Aluminium
Light Source	1 GU10 LED max. 8W
Bulb incl.	No
Recom. Bulb	17316
Class	I





USB A or C charger



Noon
Alegre Design

45º 355º

110V Check p. 30


NEW FINISH



62355	**Structure** Matt White
62356	**Structure** Moss grey

Material	**Structure** Steel
	Shade Steel
Light Source	1 E27 LED G45 max. 15W
Bulb incl.	No
Recom. Bulb	17462
Class	II







Orientable shade

Smile
Jordi Busquets


90º 355º

110V Check p. 30



62130	**Structure** Matt White
62131	**Structure** Matt Black

Material	**Structure** Steel
Light Source	1 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	II





Orientable shade



Noon 62356

Leo Wall
Estudi Ribaudí





43792	**Structure** Matt White
43793	**Structure** Matt Black

Material	**Structure** Aluminium
Power	3,5W
Lumen Output	299lm
Light Source	COB LED 2700K
Class	II
CRI	≥90
Voltage	220V-240V/50/60Hz
Beam angle	36º
Cut out	85mm





Leo Recessed Accessory

43800	Satin Stainless
Material	**Structure** Steel




Track
604

Table&Floor
92



Ceiling
296





The perfect combination of versatility and design. With its focal light, Leo highlights any detail, providing precision and style.

Stan Slim Switch

90º 355º


110V Check p. 30



43822	**Structure** White + Matt White
43823	**Structure** Black + Matt Black

Material	**Structure** Aluminium + ABS
Light Source	1 GU10 LED MR11 max. 3W
Bulb incl.	No
Recom. Bulb	17537
Class	I

Ceiling 290 **Recessed** 294 **Track** 294





Honey Comb accessory included

Stan Switch

90º 355º


110V Check p. 30



43767	**Structure** White + Matt White
43768	**Structure** Black + Matt Black

Material	**Structure** Aluminium + ABS
Light Source	1 GU10 LED max. 5W
Bulb incl.	No
Recom. Bulb	17334
Class	I

Suspended 236 **Track** 602 **Ceiling** 300 **Recessed** 294 **Wall** 472





Honey Comb accessory included



Retro Wall
Àlex & Manel Lluscà


90º 355º

110V Check p. 30



20049	**Structure** Matt Black + Chrome

Material	**Structure** Steel
Light Source	1 E14 LED max. 8W
Bulb incl.	No
Recom. Bulb	17461
Class	I



Snap
Faro Lab


90º 355º

110V Check p. 30



57402	**Structure** Cream White + Grey
57403	**Structure** Dark Grey


Material	**Structure** Steel
Light Source	1 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	II





Suspended
230


Lao Wall
Nahtrang






29039	**Structure** Matt Black + Gloss Black **Diffuser** Opal
29040	**Structure** Matt White + Gloss White **Diffuser** Opal

Material	**Structure** Aluminium + ABS
	Diffuser PMMA
Power	4W
Lumen Output	367lm
Light Source	SMD LED 3000K
Class	I
CRI	>80
Voltage	220V-240V/50/60Hz



Orleans Wall
Nahtrang




110V Check p. 30



43521	**Structure** Matt Black
43522	**Structure** Chrome + Matt Black

Material	**Structure** Steel
Light Source	1 GU10 LED max. 8W
Bulb incl.	No
Recom. Bulb	17334
Class	I



Table&Floor
104

Ceiling
298

Maya
Faro Lab

incl. DIM






40102	**Structure** Matt Black + Gloss Black **Diffuser** Opal
40103	**Structure** Matt White + Beige **Diffuser** Opal
40104	**Structure** Matt Black + Terracotta **Diffuser** Opal

Material	**Structure** Aluminium + Steel
	Diffuser Glass
Power	8W
Lumen Output	586lm
Light Source	SMD LED 2700K
Class	II
CRI	>90
Voltage	220V-240V/50/60Hz
Cable	1.5m

reddot winner 2023




2 Installation Modes



Maya 40104

Niko Glass Left
Nahtrang

incl. USB DIM

110V Check p. 30



Mine Glass Pendant Space

01014A


Structure Matt White + Wood
Diffuser Opal

Mine PC Pendant Space

01026A

Structure Matt White + Wood
Diffuser Opal

Material	**Structure** Aluminium + Wood
Power	7W
Lumen Output	500lm
Light Source	SMD LED 3000K
Dimmable W/lm	1/80-4/250-7/500
Class	II
CRI	>80
Voltage	100V-240V/50/60Hz





Induction charger
and USB charger, type A

Niko Glass Right
Nahtrang

incl. USB DIM

110V Check p. 30



Mine Glass Pendant Space

01009A


Structure Matt White + Wood
Diffuser Opal

Mine PC Pendant Space

01027A

Structure Matt White + Wood
Diffuser Opal

Material	**Structure** Aluminium + Wood
Power	7W
Lumen Output	500lm
Light Source	SMD LED 3000K
Dimmable W/lm	1/80-4/250-7/500
Class	II
CRI	>80
Voltage	100V-240V/50/60Hz





Induction charger
and USB charger, type A

Table
50



Niko 01027A


Nit Left
Goula / Figuera

110V Check p. 30



01004	**Structure** Matt Black

Material	**Structure** Steel
Light Source	1 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17464
Class	II
Cable	1.7m





Double position


Nit Right
Goula / Figuera


110V Check p. 30



01006	**Structure** Matt Black

Material	**Structure** Steel
Light Source	1 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17464
Class	II
Cable	1.7m





Double position



Tatawin Wall Arm Glass
Adolfo Abejón

150º

110V Check p. 30



20342-116	**Structure** Satin Black **Shade** Opal
20342-117	**Structure** Satin Black **Shade** Gloss Black

Material	**Structure** Steel
	Shade Glass
Light Source	1 E27 LED G45 max. 15W
Bulb incl.	No
Recom. Bulb	17462
Class	II

Tatawin Wall Arm Metal
Adolfo Abejón

150º


110V Check p. 30



20342-140	**Structure** Satin Black **Shade** Gloss White
20342-141	**Structure** Satin Black **Shade** Gloss Black
20342-142	**Structure** Satin Black **Shade** Gloss Grayish Blue
20342-143	**Structure** Satin Black **Shade** Gloss Reddish Orange
20342-144	**Structure** Satin Black **Shade** Gloss Green

Material	**Structure** Steel
	Shade Steel
Light Source	1 E27 LED G45 max. 15W
Bulb incl.	No
Recom. Bulb	17462
Class	II

Suspended 198 **Table&Floor** 78




MOI,
J'VEUX
CREVER
LA MAIN
SUR LE
COEUR

Martinica Wall Arm S
Faro Lab


160º

110V Check p. 30



20042-133	**Structure** Black **Shade** Black
20042-134	**Structure** Black **Shade** Blue
20042-135	**Structure** Black **Shade** Beige

Material	**Structure** Steel
	Shade Steel
Light Source	1 E27 LED ST64 max. 15W
Bulb incl.	No
Recom. Bulb	17428
Class	II
Cable	2.5m



Martinica Wall Arm XL
Faro Lab


160º

110V Check p. 30



20040-133	**Structure** Black **Shade** Black
20040-134	**Structure** Black **Shade** Blue
20040-135	**Structure** Black **Shade** Beige

Material	**Structure** Steel
	Shade Steel
Light Source	1 E27 LED ST64 max. 15W
Bulb incl.	No
Recom. Bulb	17428
Class	II
Cable	2.5m





Table&Floor
90



Break away from more rigid structures with Martinica. Like a sheet that melts and wraps around the lamp, its lampshade encourages us to play with light.

Martinica 20040-134

Dominica Wall Arm S
Faro Lab


160º

110V Check p. 30



20042-122	**Structure** Beige
20042-123	**Structure** Black

Material	**Structure** Steel
	Shade Steel
Light Source	1 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	II
Cable	2.5m



Dominica Wall Arm XL
Faro Lab

160º

110V Check p. 30




20040-122	**Structure** Beige
20040-123	**Structure** Black

Material	**Structure** Steel
	Shade Steel
Light Source	1 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	II
Cable	2.5m

Clear Code Architecture



Table&Floor
88





Inviting Arm Wall
Bohman And Folenius

180º 90º 90º DIM

110V Check p. 30



57318	**Structure** Matt White **Diffuser** Transparent
57319	**Structure** Matt Black **Diffuser** Transparent
57320	**Structure** Yellow **Diffuser** Transparent

Material	**Structure** Aluminium
	Diffuser PMMA
Power	6W
Lumen Output	586lm
Light Source	SMD LED 2700-4800K
Class	II
CRI	>80
Voltage	100V-240V/50/60Hz
Cable	1.9m

reddot award 2019
winner

DESIGN AWARD 2019

GERMAN DESIGN AWARD SPECIAL 2019




Table
150

Clip
164


Celia

110V Check p. 30



40070	**Structure** Matt Black + Satin Nickel **Shade** Matt Black

Material	**Structure** Steel
	Shade Steel
Light Source	1 E14 LED max. 8W
Bulb incl.	No
Recom. Bulb	17461
Class	II
Cable	1.8m




1000 LIGHTS

Loop Wall Articulated
Estudi Ribaudí

incl. 150º 355º DIM




29396	**Structure** Matt Black **Shade** Ash Wood **Diffuser** Translucent
29566	**Structure** Matt Black **Shade** Cherry Wood **Diffuser** Translucent

Material	**Structure** Steel
	Shade Wood
	Diffuser PMMA
Power	6W
Lumen Output	221lm
Light Source	SMD LED 2700K
Class	II
CRI	>80
Voltage	220V-240V/50/60Hz



Table&Floor Suspended
112 242





Touch dimmer


Pure
Nahtrang

incl.



24528	**Structure** Matt Black **Diffuser** Transparent

Material	**Structure** Steel
	Diffuser PMMA
Power	6W
Lumen Output	154lm
Light Source	SMD LED 3000K
Class	I
CRI	>80
Voltage	220V-240V/50/60Hz





La finca roja | Photography Jorge Peiró
Pure 24528

Whizz Wall Extendable
Christoph Friedrich Wagner


180°

110V Check p. 30



20167	**Structure** Black **Shade** Black + Satin Gold
20168	**Structure** Black **Shade** Satin Gold + Black

Material	**Structure** Steel
	Shade Steel
Light Source	1 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17496
Class	II
Cable	2m



Whizz Wall
Christoph Friedrich Wagner

ETL 110V Check p. 30




20165-95	**Structure** Black + Satin Gold **Shade** Black + Satin Gold
20165-96	**Structure** Satin Gold + Black **Shade** Satin Gold + Black

Material	**Structure** Steel
	Shade Steel
Light Source	1 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17496
Class	II
Cable	3.4m




Table&Floor 62 **Suspended** 214






Dante Reader
Faro Lab

incl. 60º 355º




62730	**Structure** Matt White
62731	**Structure** Matt Black
62732	**Structure** Satin Gold

Material	**Structure** Aluminium + Steel
Power	3W
Lumen Output	116lm
Light Source	SMD LED 2700K
Reader	3W 2700K 116lm
Class	II
CRI	>95
Voltage	220V-240V/50/60Hz
Beam angle	33º




Dante Indirect Light and Reader
Faro Lab

incl. 60º 355º x2



62734	**Structure** Matt White **Diffuser** Opal
62735	**Structure** Matt Black **Diffuser** Opal
62736	**Structure** Satin Gold **Diffuser** Opal

Material	**Structure** Aluminium + Steel
	Diffuser PC
Power	5W
Lumen Output	187lm
Light Source	COB LED 2700K
Reader	3W 2700K 116lm 33º
Class	II
CRI	97
Voltage	220V-240V/50/60Hz
Beam angle	53º





A collection designed to offer precise, comfortable reading light. Available in two versions—reader only or reader with with indirect light—it combines visual comfort with a clean, understated aesthetic.

Dante 62734

Cronos
Faro Lab

incl. 90º 355º

110V Check p. 30

NEW FINISH








62750	**Structure** Matt White + Textured Black
62751	**Structure** Matt Black + Textured Black
62752	**Structure** Bronze + Textured Black
62765	**Structure** Brushed Aluminium + Textured Black

Material	**Structure** Steel + Aluminium
Power	4W
Lumen Output	394lm
Light Source	HIGH POWER LED 2700K
Class	II
CRI	90
Voltage	220V-240V/50/60Hz
Beam angle	34º






Comfortable and reliable. Its reader lights up when lifted, so there's no need to press any switch, making reading moments easier and more enjoyable.

Cronos 62751

Timit
Faro Lab




110V Check p. 30




62762	**Structure** Matt White + Textured Black
62763	**Structure** Matt Black + Textured Black

Material	**Structure** Steel + Aluminium
Power	4W
Lumen Output	357lm
Light Source	HIGH POWER LED 2700K
Class	II
CRI	90
Voltage	220V-240V/50/60Hz
Beam angle	34º




Recessed and Surface

Timit USB
Faro Lab




110V Check p. 30



USB Type C charger

62760	**Structure** Matt White + Textured Black
62761	**Structure** Matt Black + Textured Black

Material	**Structure** Steel + Aluminium
Power	4W
Lumen Output	357lm
Light Source	HIGH POWER LED 2700K
Class	II
CRI	90
Voltage	220V-240V/50/60Hz
Beam angle	34º




USB-C charger



One reader, two installation options: Timit can be installed recessed or surface-mounted. Its circular shape breaks away from the straight lines found in most spaces.

Gabo
Faro Lab


incl. 90º 355º

110V Check p. 30




62753	**Structure** Matt White + Textured Black
62754	**Structure** Matt Black + Textured Black
62755	**Structure** Bronze + Textured Black

Material	**Structure** Steel + Aluminium
Power	4W
Lumen Output	394lm
Light Source	HIGH POWER LED 2700K
Class	II
CRI	90
Voltage	220V-240V/50/60Hz
Beam angle	34º




Recessed and Surface



Gabo USB
Faro Lab

incl. 90º 355º

110V Check p. 30



USB Type C charger

62756	**Structure** Matt White + Textured Black
62757	**Structure** Matt Black + Textured Black
62758	**Structure** Bronze + Textured Black


Material	**Structure** Steel + Aluminium
Power	4W
Lumen Output	394lm
Light Source	HIGH POWER LED 2700K
Class	II
CRI	90
Voltage	220V-240V/50/60Hz
Beam angle	34º


USB-C charger



Gabo 62753

Duas USB C
Faro Lab






USB Type C charger

68467N	**Structure** Matt White + Gloss White
68468N	**Structure** Matt Black + Gloss Black


Material	**Structure** Steel
Power	3W
Lumen Output	98lm
Light Source	COB LED 2700K
Class	II
CRI	≥80
Voltage	100V-240V/50/60Hz
Beam angle	18º





USB C charger

Click Recessed




110V Check p. 30



43600	**Structure** Matt White **Diffuser** Transparent
43601	**Structure** Matt Black **Diffuser** Transparent


Material	**Structure** Aluminium
	Diffuser PC
Power	3,2W
Lumen Output	196lm
Light Source	SMD LED 2700K
Class	II
CRI	85
Voltage	100V-240V/50/60Hz
Cut out	ø80mm





Duas 68468N

Suau USB
Nahtrang






USB Type A charger

62116	**Structure** Matt Black
62117	**Structure** Matt White

USB Type C charger

62116N	**Structure** Matt Black
62117N	**Structure** Matt White


Material	**Structure** Aluminium + Steel
Power	4,5W
Lumen Output	190lm
Light Source	HIGH POWER LED 3000K
Class	I
CRI	>80
Voltage	100V-240V/50/60Hz
Beam angle	30º





USB A or C charger

Suau
Nahtrang




110V Check p. 30



62104	**Structure** Bronze
62118	**Structure** Matt Black
62120	**Structure** Matt White
62121	**Structure** Matt Silver


Material	**Structure** Aluminium + Steel
Power	4,5W
Lumen Output	193lm
Light Source	HIGH POWER LED 3000K
Class	I
CRI	>80
Voltage	100V-240V/50/60Hz
Beam angle	30º





Suau 62104

Suau Tray Right
Nahtrang



110V Check p. 30




USB Type A charger

62122	**Structure** Matt White
62123	**Structure** Matt Silver

Material	**Structure** Aluminium + Steel
Power	3W
Lumen Output	190lm
Light Source	HIGH POWER LED 3000K
Class	I
CRI	>80
Voltage	100V-240V/50/60Hz
Beam angle	30º


Clear Code Architecture





USB-A charger

Suau Recessed
Nahtrang




110V Check p. 30



62111	**Structure** Bronze
62114	**Structure** Satin Gold
62126	**Structure** Satin Nickel
62128	**Structure** Matt Black
62129	**Structure** Matt White

Material	**Structure** Aluminium + Steel
Power	4,5W
Lumen Output	193lm
Light Source	HIGH POWER LED 3000K
Class	I
CRI	>80
Voltage	100V-240V/50/60Hz
Beam angle	30º
Cut out	80x155mm





Press
Jordi Blasi


incl. 90º 355º




62350	**Structure** Gloss White + Matt Black
62351	**Structure** Gloss Black + Matt Black
62353	**Structure** Gloss Yellow + Matt Black

Material	**Structure** Aluminium
Power	3W
Lumen Output	253lm
Light Source	SMD LED 3000K
Class	II
CRI	>80
Voltage	220V-240V/50/60Hz
Beam angle	24º







Rob Wall Reader

incl. 90º 355º

110V Check p. 30



68497	**Structure** Bronze
68499	**Structure** Satin Nickel
68508	**Structure** Matt White
68509	**Structure** Matt Black

Material	**Structure** Steel + Aluminium
Power	3W
Lumen Output	230lm
Light Source	HIGH POWER LED 3000K
Class	II
CRI	>80
Voltage	100V-240V/50/60Hz
Beam angle	36º










Wall
448



Boc

incl. 90º 355º

110V Check p. 30




62707	**Structure** Matt White
62708	**Structure** Matt Black
62710	**Structure** Chrome
62711	**Structure** Bronze

Material	**Structure** Steel
Power	3W
Lumen Output	95lm
Light Source	HIGH POWER LED 3000K
Class	II
CRI	>80
Voltage	220V-240V/50/60Hz
Beam angle	21º












Dario Fernandez and Corso Estudio | Photo by Juan de los Mares
Rob 68499


Klee Left
Isaac Piñeiro






20066	**Structure** Textured Grey + Black **Diffuser** Opal
20059	**Structure** Textured Black + Black **Diffuser** Opal

Material	**Structure** Steel + Melamine
	Diffuser PMMA
Power	10W
Lumen Output	143lm
Light Source	COB LED 2700K
Dimmable W/lm	6/690-10/1021
Reader	3W 2700K 139lm 36º
Class	II
CRI	≥90
Voltage	220V-240V/50/60Hz




Klee Right
Isaac Piñeiro





20065	**Structure** Textured Grey + Black **Diffuser** Opal
20058	**Structure** Textured Black + Black **Diffuser** Opal


Material	**Structure** Steel + Melamine
	Diffuser PMMA
Power	10W
Lumen Output	143lm
Light Source	COB LED 2700K
Dimmable W/lm	6/690-10/1021
Reader	3W 2700K 139lm 36º
Class	II
CRI	≥90
Voltage	220V-240V/50/60Hz






Klee 20059

Mood SQ Reader
Nahtrang



20060	**Structure** Oak + Black
20064	**Structure** Black + Black

Material	**Structure** Wood + Acier
Power	2W
Lumen Output	69lm
Light Source	SMD LED 3000K
Class	II
CRI	>80
Voltage	220V-240V/50/60Hz
Beam angle	24º




Mood RCT Reader
Nahtrang



20062	**Structure** Oak + Black **Diffuser** Opal
20063	**Structure** Black + Black **Diffuser** Opal

Material	**Structure** Wood + Acier
	Diffuser PMMA
Power	6W
Lumen Output	79lm
Light Source	SMD LED 3000K
Reader	2W 3000K 69lm 24º
Class	II
CRI	>80
Voltage	220V-240V/50/60Hz




100 GETAWAYS AROUND THE WORLD
TASCHEN

Pixie
Nahtrang


incl. 360º

110V Check p. 30



24015	**Structure** Matt White
24016	**Structure** Matt Black

Material	**Structure** Aluminium
Power	4W
Lumen Output	107lm
Light Source	HIGH POWER LED 2700K
Reader	30º
Class	II
CRI	>80
Voltage	100V-240V/50/60Hz
Beam angle	45º



Loke Reader


incl. 355º

110V Check p. 30



40994	**Structure** Chrome
41019	**Structure** Matt White
41020	**Structure** Matt Black

Material	**Structure** Aluminium + Steel
Power	3W
Lumen Output	110lm
Light Source	HIGH POWER LED 3000K
Class	II
CRI	>80
Voltage	220V-240V/50/60Hz
Beam angle	30º



Loke Recessed


incl. 355º

110V Check p. 30



40996	**Structure** Chrome

Material	**Structure** Aluminium + Steel
Power	3W
Lumen Output	110lm
Light Source	HIGH POWER LED 3000K
Class	II
CRI	>80
Voltage	220V-240V/50/60Hz
Beam angle	30º
Cut out	ø60mm





Loke 41019

Juliet USB C

incl.


110V Check p. 30



USB Type C charger

41025NA	**Structure** Chrome

Material	**Structure** Aluminium + Steel
Power	3W
Lumen Output	117lm
Light Source	SMD LED 3000K
Class	II
CRI	>80
Voltage	100V-240V/50/60Hz
Beam angle	36º





USB-C charger

Flin


incl. 355º

110V Check p. 30



64318	**Structure** Matt White
64319	**Structure** Matt Black

Material	**Structure** Steel + Aluminium
Power	3W
Lumen Output	153lm
Light Source	HIGH POWER LED 3000K
Class	I
CRI	>80
Voltage	100V-240V/50/60Hz
Beam angle	45º





Estudio Além | Photo by Salva López
Juliet 41025NA


Bel

incl.



41029	**Structure** Matt White
41030	**Structure** Matt Black

Material	**Structure** Aluminium + Steel
Power	3W
Lumen Output	133lm
Light Source	HIGH POWER LED 3000K
Class	II
CRI	>80
Voltage	220V-240V/50/60Hz
Beam angle	30º




Boken

incl.



41031	**Structure** Matt White
41032	**Structure** Matt Black

Material	**Structure** Aluminium + Steel
Power	3W
Lumen Output	102lm
Light Source	HIGH POWER LED 3000K
Class	II
CRI	>80
Voltage	220V-240V/50/60Hz
Beam angle	30º





Beti Guasch | Photo by Sara Adroer
Bel 41029

Leser


incl.

110V Check p. 30



41026 **Structure** Matt Nickel + Matt Black

Material	**Structure** Aluminium + Steel
Power	5W
Lumen Output	389lm
Light Source	COB LED 3000K
Class	II
CRI	>80
Voltage	100V-240V/50/60Hz
Beam angle	36º




Kale

incl. 355º



62703 **Structure** Matt Black

Material	**Structure** Aluminium + Steel
Power	3W
Lumen Output	117lm
Light Source	HIGH POWER LED 3000K
Class	II
CRI	>80
Voltage	220V-240V/50/60Hz
Beam angle	24º



Lead


incl. 355º

110V Check p. 30



62704 **Structure** Old Gold + Brown

Material	**Structure** Aluminium + Leather
Power	3W
Lumen Output	144lm
Light Source	COB LED 3000K
Class	II
CRI	>80
Voltage	220V-240V/50/60Hz
Beam angle	30º







Cata

Designed by Marina Milá

Created by Marina Milá, Cata combines refined lines and warm materials to bring serenity and style to any environment. Its timeless aesthetic and balance between the natural and the modern make it both a decorative and functional must-have piece.



Cata 20328


Cata 20328

Cata Wall 180
Marina Milá

incl.


110V Check p. 30


NEW



20327	**Structure** Walnut **Shade** Beige

Material	**Structure** Walnut Wood
	Shade Papyrus
Power	2,5W
Lumen Output	45,3lm
Light Source	SMD LED 2700K
Class	II
CRI	>80
Voltage	100V-240V/50/60Hz
Cable	1.5m





2 Installation Modes

Cata Wall 360
Marina Milá

incl.

110V Check p. 30

NEW




20328	**Structure** Walnut **Shade** Beige

Material	**Structure** Walnut Wood
	Shade Papyrus
Power	5W
Lumen Output	229lm
Light Source	SMD LED 2700K
Class	II
CRI	>80
Voltage	100V-240V/50/60Hz
Cable	1.5m



Table&Floor 42 **Suspended** 188





2 Installation Modes




Made with FSC-certified ash wood, Cata reflects a deep respect for the environment. Its flat pack design not only optimizes storage and transport but also reduces the ecological footprint, aligning with current sustainability values.

Cata 20328


Dome Wall
Faro Lab

110V Check p. 30




29910	**Structure** Satin Black **Shade** Gloss White


Material	**Structure** Aluminium
	Shade PMMA
Light Source	1 E27 LED G45 max. 15W
Bulb incl.	No
Recom. Bulb	17524
Class	II



Dome Wall Reader
Faro Lab




110V Check p. 30



29911	**Structure** Satin Black **Shade** Gloss White

Material	**Structure** Aluminium
	Shade PMMA
Light Source	1 E27 LED G45 max. 15W
Bulb incl.	No
Recom. Bulb	17524
Reader	3W 2700K 213lm 34º
Class	II






Dome is a complete family featuring a table version in two sizes, a floor lamp, a wall light and a pendant. A versatile collection designed to bring visual continuity and harmony to both contract and residential spaces.

Dome Wall Arm
Faro Lab

180°

110V Check p. 30

NEW




29912	**Structure** Satin Black **Shade** Gloss White

Material	**Structure** Steel
	Shade PMMA
Light Source	1 E27 LED G45 max. 15W
Bulb incl.	No
Recom. Bulb	17524
Class	II



Table&Floor 70 **Suspended** 192






Windsor Wall
Faro Lab

110V Check p. 30



20221-129	**Structure** Matt Black **Shade** Grey **Diffuser** Grey
20221-150	**Structure** Matt Black **Shade** Off White **Diffuser** Off White
20222-150	**Structure** Matt White **Shade** Off White **Diffuser** Off White

Material	**Structure** Steel
	Shade Textile
	Diffuser Textile
Light Source	1 E27 LED A60 max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	II






Textile diffuser

Windsor Wall Reader
Faro Lab


110V Check p. 30





20223-129	**Structure** Matt Black **Shade** Grey **Diffuser** Grey
20223-150	**Structure** Matt Black **Shade** Off White **Diffuser** Off White
20224-150	**Structure** Matt White **Shade** Off White **Diffuser** Off White

Material	**Structure** Steel
	Shade Textile
	Diffuser Textile
Light Source	1 E27 LED A60 max. 15W
Bulb incl.	No
Recom. Bulb	17463
Reader	3W 3000K 177lm 24º
Class	II





Textile diffuser



Table&Floor Suspended
120 262



Extra-large lampshades for a great presence. Windsor can create ambient lighting for large spaces, such as hotels and restaurants.


Samba Wall
Faro Lab

110V Check p. 30



64306-35	**Structure** Matt White **Shade** Beige
64306-36	**Structure** Matt White **Shade** Yellow
64306-37	**Structure** Matt White **Shade** Green
64307-35	**Structure** Matt Black **Shade** Beige
64307-36	**Structure** Matt Black **Shade** Yellow
64307-37	**Structure** Matt Black **Shade** Green

Material	**Structure** Steel
	Shade Textile
Light Source	1 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	I



Samba Wall Reader
Faro Lab

incl. x2

110V Check p. 30




64308-35	**Structure** Matt White **Shade** Beige
64308-36	**Structure** Matt White **Shade** Yellow
64308-37	**Structure** Matt White **Shade** Green
64309-35	**Structure** Matt Black **Shade** Beige
64309-36	**Structure** Matt Black **Shade** Yellow
64309-37	**Structure** Matt Black **Shade** Green

Material	**Structure** Steel
	Shade Textile
Light Source	1 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17463
Reader	3W 3000K 191lm 45º
Class	I



Suspended 260 **Table&Floor** 124





Samba 64308-35

Savoy Wall
Isaac Piñeiro


110V Check p. 30



20300-92	**Structure** Matt White **Shade** White
20301-93	**Structure** Matt Black **Shade** Black
20301-94	**Structure** Matt Black **Shade** Green

Material	**Structure** Steel
	Shade Textile
Light Source	1 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	II

Clear Code Architecture



Savoy Wall Reader
Isaac Piñeiro

incl. x2

110V Check p. 30



20302-92	**Structure** Matt White **Shade** White
20303-93	**Structure** Matt Black **Shade** Black
20303-94	**Structure** Matt Black **Shade** Green


Material	**Structure** Steel
	Shade Textile
Light Source	1 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17463
Reader	3W 3000K 177lm 24º
Class	II



Suspended 254



Table&Floor 130





Savoy 20301-94


Conga Wall
Faro Lab

110V Check p. 30



64306-01	**Structure** Matt White **Shade** White
64306-02	**Structure** Matt White **Shade** Beige
64307-03	**Structure** Matt Black **Shade** Black

Material	**Structure** Steel
	Shade Textile
Light Source	1 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	I



Conga Wall Reader
Faro Lab

incl. x2

110V Check p. 30




64308-01	**Structure** Matt White **Shade** White
64308-02	**Structure** Matt White **Shade** Beige
64309-03	**Structure** Matt Black **Shade** Black

Material	**Structure** Steel
	Shade Textile
Light Source	1 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17463
Reader	3W 3000K 191lm 45º
Class	I



Suspended 258 **Table&Floor** 126





Conga 64309-03

Sumba Wall
Faro Lab


no incl. x2

110V Check p. 30



64307-71	**Structure** Matt Black **Shade** Rattan

Material	**Structure** Steel
	Shade Rattan
Light Source	1 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17426
Class	I



Sumba Wall Reader
Faro Lab


incl. x2

110V Check p. 30



64309-71	**Structure** Matt Black **Shade** Rattan

Material	**Structure** Steel
	Shade Rattan
Light Source	1 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17426
Reader	3W 3000K 191lm 45º
Class	I





Suspended
248

Table
54



Sumba 64309-71


Mambo Wall
Faro Lab

110V Check p. 30



64307-47	**Structure** Matt Black **Shade** Rattan

Material	**Structure** Steel
	Shade Rattan
Light Source	1 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	I



Mambo Wall Reader
Faro Lab


incl. x2

110V Check p. 30



64309-47	**Structure** Matt Black **Shade** Rattan

Material	**Structure** Steel
	Shade Rattan
Light Source	1 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17463
Reader	3W 3000K 191lm 45º
Class	I





Suspended 286 **Table&Floor** 116



Mambo 64309-47

Luang Wall
Faro Lab

110V Check p. 30




23004-57	**Structure** Black **Shade** Beige
23004-58	**Structure** Black **Shade** Camel

Material	**Structure** Steel
	Shade Parchment
Light Source	1 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17462
Class	I



Table&Floor
108



Loop Wall
Estudi Ribaudí

incl. 355º DIM



29395	**Structure** Matt Black **Shade** Ash Wood **Diffuser** Translucent
29565	**Structure** Matt Black **Shade** Cherry Wood **Diffuser** Translucent


Material	**Structure** Steel
	Shade Wood
	Diffuser PMMA
Power	6W
Lumen Output	221lm
Light Source	SMD LED 2700K
Class	II
CRI	>80
Voltage	220V-240V/50/60Hz



Suspended
242



Table&Floor
112





Touch dimmer


AMALFI COAST


Lupe Wall
Jordi Busquets

110V Check p. 30



20031-88	**Structure** Black **Shade** Beige

Material	**Structure** Steel
	Shade Textile
Light Source	1 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	I



Lupe Wall Reader
Jordi Busquets


incl. 360º x2

110V Check p. 30



20032-88	**Structure** Black **Shade** Beige

Material	**Structure** Steel
	Shade Textile
Light Source	1 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17463
Reader	1W 3000K 106lm 36º
Class	I



Ron
Pepe Llaudet


160º

110V Check p. 30



64400-10	**Structure** Dark Grey **Shade** White
64400-11	**Structure** Dark Grey **Shade** Beige
64400-12	**Structure** Dark Grey **Shade** Black

Material	**Structure** Steel
	Shade Textile
Light Source	1 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	I





Table&Floor
142




Eterna
Lucid Product Design

110V Check p. 30



24005-10	**Structure** Chrome **Shade** White
24005-11	**Structure** Chrome **Shade** Beige
24005-12	**Structure** Chrome **Shade** Black

Material	**Structure** Steel
	Shade Textile
Light Source	1 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	II



Eterna Reader Right
Lucid Product Design


incl.

110V Check p. 30



24006-10	**Structure** Chrome **Shade** White
24006-11	**Structure** Chrome **Shade** Beige
24006-12	**Structure** Chrome **Shade** Black

Material	**Structure** Steel
	Shade Textile
Light Source	1 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17463
Reader	1W 2700K 82lm 18º
Class	II



Eterna Reader Left
Lucid Product Design


incl.

110V Check p. 30



24007-10	**Structure** Chrome **Shade** White
24007-11	**Structure** Chrome **Shade** Beige
24007-12	**Structure** Chrome **Shade** Black

Material	**Structure** Steel
	Shade Textile
Light Source	1 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17463
Reader	1W 2700K 82lm 18º
Class	II





Eterna 24006-11


Rem Wall
Àlex & Manel Lluscà

110V Check p. 30



29680-19	**Structure** Matt Nickel **Shade** White
29680-20	**Structure** Matt Nickel **Shade** Beige
29680-21	**Structure** Matt Nickel **Shade** Black
29681-19	**Structure** Old Gold **Shade** White
29681-20	**Structure** Old Gold **Shade** Beige
29681-21	**Structure** Old Gold **Shade** Black

Material	**Structure** Steel
	Shade Textile
Light Source	1 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	I



Rem Wall Reader
Àlex & Manel Lluscà


incl. x2

110V Check p. 30



29683-19	**Structure** Old Gold **Shade** White
29683-20	**Structure** Old Gold **Shade** Beige
29683-21	**Structure** Old Gold **Shade** Black

Material	**Structure** Steel
	Shade Textile
Light Source	1 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17463
Reader	4W 3000K 148lm 36º
Class	I





Table&Floor
132




Frame
Nahtrang

110V Check p. 30



20170-01	**Structure** Matt Nickel **Shade** White
20170-02	**Structure** Matt Nickel **Shade** Beige
20170-03	**Structure** Matt Nickel **Shade** Black
20171-01	**Structure** Old Gold **Shade** White
20171-02	**Structure** Old Gold **Shade** Beige
20171-03	**Structure** Old Gold **Shade** Black

Material	**Structure** Steel
	Shade Textile
Light Source	1 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	I



Frame Reader
Nahtrang


incl. 360º x2

110V Check p. 30



20173-01	**Structure** Old Gold **Shade** White
20173-02	**Structure** Old Gold **Shade** Beige
20173-03	**Structure** Old Gold **Shade** Black

Material	**Structure** Steel
	Shade Textile
Light Source	1 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17463
Reader	3W 3000K 101lm 36º
Class	I






Fold
Nutcreatives

110V Check p. 30



64303	**Structure** Matt Black **Shade** Black

Material	**Structure** Steel
	Shade Textile
Light Source	1 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	I



Fold Reader
Nutcreatives


incl. x2

110V Check p. 30



64304	**Structure** Matt White **Shade** White
64305	**Structure** Matt Black **Shade** Black

Material	**Structure** Steel
	Shade Textile
Light Source	1 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17463
Reader	3W 3000K 196lm 36º
Class	I




ILUMINACIÓN
ESSENTIAL TIPS
ILUMINACIÓN


Room
Àlex & Manel Lluscà

110V Check p. 30



29974	**Structure** Satin Nickel **Shade** White
29975	**Structure** Satin Nickel **Shade** Black

Material	**Structure** Steel
	Shade Textile
Light Source	1 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	I



Room Reader
Àlex & Manel Lluscà


incl. x2

110V Check p. 30



29976	**Structure** Satin Nickel **Shade** White

Material	**Structure** Steel
	Shade Textile
Light Source	1 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17463
Reader	3W 3000K 198lm 18º
Class	II





Room 29975


Vesper Wall
Nahtrang

110V Check p. 30



29980	**Structure** Matt White **Shade** Beige
29981	**Structure** Brown **Shade** Beige

Material	**Structure** Steel
	Shade Textile
Light Source	1 E14 LED max. 8W
Bulb incl.	No
Recom. Bulb	17461
Class	I



Vesper Wall Reader
Nahtrang


incl. x2

110V Check p. 30



29982	**Structure** Matt White **Shade** Beige
29983	**Structure** Brown **Shade** Beige

Material	**Structure** Steel
	Shade Textile
Light Source	1 E14 LED max. 8W
Bulb incl.	No
Recom. Bulb	17461
Reader	1W 3000K 93lm 30º
Class	I





Suspended 258 **Table&Floor** 138



Vesper 29982


Handy
Jordi Blasi

110V Check p. 30



28413	**Structure** Matt White **Shade** White

Material	**Structure** Steel
	Shade Textile
Light Source	1 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	I




Berni
Nahtrang

110V Check p. 30



29326	**Structure** Matt White **Shade** White
29328	**Structure** Satin Nickel **Shade** White

Material	**Structure** Steel
	Shade Textile
Light Source	1 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	I



Berni Reader
Nahtrang


incl. x2

110V Check p. 30



29329	**Structure** Matt White **Shade** White
29330	**Structure** Matt Black **Shade** Black
29331	**Structure** Satin Nickel **Shade** White

Material	**Structure** Steel
	Shade Textile
Light Source	1 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17463
Reader	3W 3000K 141lm 24º
Class	I



Table&Floor
146



Elena Castells Poch
Berni 29330


Nila Wall

110V Check p. 30



20052	**Structure** Matt Black **Shade** Off White

Material	**Structure** Steel
	Shade Textile
Light Source	1 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	I



Nila Wall Reader


incl. x2

110V Check p. 30



20053	**Structure** Matt Black **Shade** Off White

Material	**Structure** Steel
	Shade Textile
Light Source	1 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17463
Reader	3W 3000K 106lm 36º
Class	I





Table&Floor
136


Carmen Mola
La Xarxa Porpra
Carmen Mola
La nena

Montreal Reader
Nahtrang

incl. x2


110V Check p. 30



24033-01	**Structure** Chrome **Shade** White
24033-02	**Structure** Chrome **Shade** Beige
24033-03	**Structure** Chrome **Shade** Black

Material	**Structure** Steel
	Shade Textile
Light Source	1 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17463
Reader	3W 2700K 122lm 34º
Class	II

Table&Floor
128



Artis Reader
Àlex & Manel Lluscà

incl. x2


110V Check p. 30



68493-01	**Structure** Chrome **Shade** White
68493-02	**Structure** Chrome **Shade** Beige
68493-03	**Structure** Chrome **Shade** Black

Material	**Structure** Steel
	Shade Textile
Light Source	1 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17463
Reader	1W 3000K 75lm 18º
Class	I

Table&Floor
134



Rob Wall Shade

incl. 90º 355º x2


110V Check p. 30



68496	**Structure** Bronze **Shade** Opal
68498	**Structure** Satin Nickel **Shade** Opal

Material	**Structure** Steel + Aluminium
	Shade PMMA
Light Source	1 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17463
Reader	3W 3000K 121lm 18º
Class	I

Wall
394





Rob 68498


Sahara

110V Check p. 30



62706	**Structure** Chrome **Shade** White

Material	**Structure** Steel
	Shade Textile
Light Source	1 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	I




Roda

110V Check p. 30



62988	**Structure** Satin Nickel **Shade** White

Material	**Structure** Steel
	Shade Textile
Light Source	1 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	I





Sahara 62706

Stan 1L


90º 355º

110V Check p. 30



43740	**Structure** Matt White + Matt Black
43741	**Structure** Matt Black + Matt Black

Material	**Structure** Aluminium + ABS
Light Source	1 GU10 LED max. 5W
Bulb incl.	No
Recom. Bulb	17334
Class	I



Stan 2L


90º 355º

110V Check p. 30



43742	**Structure** Matt White + Matt Black
43743	**Structure** Matt Black + Matt Black

Material	**Structure** Aluminium + ABS
Light Source	2 GU10 LED max. 5W
Bulb incl.	No
Recom. Bulb	17334
Class	I



Stan 3L


90º 355º

110V Check p. 30



43744	**Structure** Matt White + Matt Black
43745	**Structure** Matt Black + Matt Black

Material	**Structure** Aluminium + ABS
Light Source	3 GU10 LED max. 5W
Bulb incl.	No
Recom. Bulb	17334
Class	I





Surface 358 | **Ceiling** 300 | **Recessed** 294

Suspended 236 | **Track** 602 | **Wall** 472



Stan 43740

Link
Estudi Ribaudí


355º 90º 90º

110V Check p. 30



29873	**Structure** Matt White
29874	**Structure** Matt Black
29897	**Structure** Bronze

Material	**Structure** Steel
Light Source	1 GU10 LED max. 8W
Bulb incl.	No
Recom. Bulb	17334
Class	I



Link 2L
Estudi Ribaudí


355º 90º 90º

110V Check p. 30



29875	**Structure** Matt White
29876	**Structure** Matt Black

Material	**Structure** Steel
Light Source	2 GU10 LED max. 8W
Bulb incl.	No
Recom. Bulb	17334
Class	I





Ceiling
298



Table&Floor
102



Estudio Além | Photo by Salva López
Link 29897

Coco 1L
Faro Lab


45º 355º

110V Check p. 30



40660	**Structure** Matt White
40661	**Structure** Matt Black
40663	**Structure** Matt Black + Terracotta

Material	**Structure** ABS + Steel
Light Source	1 GU10 LED max. 8W
Bulb incl.	No
Recom. Bulb	17333
Class	I



Coco 2L
Faro Lab


45º 355º

110V Check p. 30



40664	**Structure** Matt White

Material	**Structure** ABS + Steel
Light Source	2 GU10 LED max. 8W
Bulb incl.	No
Recom. Bulb	17333
Class	I



Coco 3L
Faro Lab


45º 355º

110V Check p. 30



40667	**Structure** Matt Black

Material	**Structure** ABS + Steel
Light Source	3 GU10 LED max. 8W
Bulb incl.	No
Recom. Bulb	17334
Class	I



Stone 1L
Àlex & Manel Lluscà


90º 355º

110V Check p. 30



43500	**Structure** Grey + Matt Black

Material	**Structure** Concrete + Steel
Light Source	1 GU10 LED max. 8W
Bulb incl.	No
Recom. Bulb	17334
Class	I



Stone 3L
Àlex & Manel Lluscà


90º 355º

110V Check p. 30



43502	**Structure** Grey + Matt Black

Material	**Structure** Concrete + Steel
Light Source	3 GU10 LED max. 8W
Bulb incl.	No
Recom. Bulb	17334
Class	I



Lao Wall 3L
Nahtrang


incl. 90º 355º

110V Check p. 30



29043	**Structure** Matt Black + Gloss Black **Diffuser** Opal

Material	**Structure** Aluminium + ABS
	Diffuser PMMA
Power	3x4W
Lumen Output	3x367lm
Light Source	SMD LED 3000K
Class	I
CRI	>80
Voltage	220V-240V/50/60Hz



Orleans Wall 2L
Nahtrang


90º
355º

110V Check p. 30



43525	**Structure** Chrome + Matt Black

Material	**Structure** Steel
Light Source	2 GU10 LED max. 8W
Bulb incl.	No
Recom. Bulb	17334
Class	I



Orleans Wall 3L
Nahtrang


90º
355º

110V Check p. 30



43527	**Structure** Matt Black
43528	**Structure** Chrome + Matt Black

Material	**Structure** Steel
Light Source	3 GU10 LED max. 8W
Bulb incl.	No
Recom. Bulb	17334
Class	I






Novo 250
Faro Lab



62716	**Structure** Beige
62717	**Structure** Matt Black
62718	**Structure** Terracotta

Material	**Structure** Steel
Power	5W
Lumen Output	344lm
Light Source	SMD LED 2700K
Class	II
CRI	≥90
Voltage	220V-240V/50/60Hz






Double position

Novo 500
Faro Lab



62724	**Structure** Beige
62725	**Structure** Matt Black
62726	**Structure** Terracotta

Material	**Structure** Steel
Power	12W
Lumen Output	610lm
Light Source	SMD LED 2700K
Class	II
CRI	≥90
Voltage	220V-240V/50/60Hz





Double position



Novo 62718


Eres
Àlex & Manel Lluscà

110V Check p. 30



64026 **Structure** Matt White

Material	**Structure** Steel
Light Source	1 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	I



Homs


40º

110V Check p. 30



63167 **Structure** Matt White

Material	**Structure** Steel
Light Source	1 R7S LED 78mm max. 8W
Bulb incl.	No
Recom. Bulb	17499
Class	I





Salto Proyectos | Fotografía: Architectural Matter
Eres 64026

Ovo 190

40º


Estudi Ribaudí

110V Check p. 30



62105	**Structure** Matt White

Material	**Structure** Steel
Light Source	1 R7S LED 78mm max. 8W
Bulb incl.	No
Recom. Bulb	17499
Class	I



Ovo 240

40º


Estudi Ribaudí

110V Check p. 30



62108	**Structure** Matt White

Material	**Structure** Steel
Light Source	1 R7S LED 118mm max. 15W
Bulb incl.	No
Recom. Bulb	17497
Class	I





Ovo 62108



Lune 40532

Sole & Lune

A great combination of functionality and design in a compact format, perfect for hallways and other small spaces.





A square and sophisticated design, perfect for hallways and passageways.

Lune 40568


Sole 1L

110V Check p. 30



40522	**Structure** White + White
40523	**Structure** Black + Black
40524	**Structure** Grey + White
40525	**Structure** Terracotta + Black

Material	**Structure** Aluminium + Steel
Light Source	1 GU10 LED max. 8W
Bulb incl.	No
Recom. Bulb	17316
Class	I




Sole 2L

110V Check p. 30



40538	**Structure** White + White
40539	**Structure** Black + Black
40540	**Structure** Grey + White
40541	**Structure** Terracotta + Black

Material	**Structure** Aluminium + Steel
Light Source	2 GU10 LED max. 8W
Bulb incl.	No
Recom. Bulb	17316
Class	I




Sole 1L Ribbed

110V Check p. 30



40526	**Structure** White + White
40527	**Structure** Black + Black
40528	**Structure** Grey + White
40529	**Structure** Terracotta + Black

Material	**Structure** Aluminium + Steel
Light Source	1 GU10 LED max. 8W
Bulb incl.	No
Recom. Bulb	17316
Class	I



Sole 2L Ribbed

110V Check p. 30



40542	**Structure** White + White
40543	**Structure** Black + Black
40544	**Structure** Grey + White
40545	**Structure** Terracotta + Black

Material	**Structure** Aluminium + Steel
Light Source	2 GU10 LED max. 8W
Bulb incl.	No
Recom. Bulb	17316
Class	I




Lune 1L

110V Check p. 30



40530	**Structure** White + White
40531	**Structure** Black + Black
40533	**Structure** Terracotta + Black
40532	**Structure** Grey + White

Material	**Structure** Aluminium + Steel
Light Source	1 GU10 LED max. 8W
Bulb incl.	No
Recom. Bulb	17316
Class	I




Lune 2L

110V Check p. 30



40546	**Structure** White + White
40547	**Structure** Black + Black
40548	**Structure** Grey + White
40549	**Structure** Terracotta + Black

Material	**Structure** Aluminium + Steel
Light Source	2 GU10 LED max. 8W
Bulb incl.	No
Recom. Bulb	17316
Class	I




Lune 1L Ribbed

110V Check p. 30



40534	**Structure** White + White
40535	**Structure** Black + Black
40536	**Structure** Grey + White
40537	**Structure** Terracotta + Black

Material	**Structure** Aluminium + Steel
Light Source	1 GU10 LED max. 8W
Bulb incl.	No
Recom. Bulb	17316
Class	I




Lune 2L Ribbed

110V Check p. 30



40565	**Structure** White + White
40566	**Structure** Black + Black
40567	**Structure** Grey + White
40568	**Structure** Terracotta + Black

Material	**Structure** Aluminium + Steel
Light Source	2 GU10 LED max. 8W
Bulb incl.	No
Recom. Bulb	17316
Class	I



Stan 1L


110V Check p. 30

NEW FINISH



43748	**Structure** Matt White + Matt Black
43749	**Structure** Matt Black + Matt Black
43759	**Structure** Satin Gold + Matt Black
43765	**Structure** Terracotta + Matt Black
43778 NEW	**Structure** Brushed Aluminium + Matt Black

Material	**Structure** Aluminium + ABS
Light Source	1 GU10 LED max. 5W
Bulb incl.	No
Recom. Bulb	17334
Class	I



Stan 2L


110V Check p. 30

NEW FINISH



43750	**Structure** Matt White + Matt Black
43751	**Structure** Matt Black + Matt Black
43760	**Structure** Satin Gold + Matt Black
43766	**Structure** Terracotta + Matt Black
43779 NEW	**Structure** Brushed Aluminium + Matt Black

Material	**Structure** Aluminium + ABS
Light Source	2 GU10 LED max. 5W
Bulb incl.	No
Recom. Bulb	17334
Class	I





Suspended 236 | **Track** 602 | **Ceiling** 300 | **Recessed** 294 | **Wall** 358




Nash 210

incl.



62819	**Structure** Matt White **Diffuser** Opal
62821	**Structure** Matt Black **Diffuser** Opal

Material	**Structure** Aluminium
	Diffuser PC
Power	8W
Lumen Output	509lm
Light Source	SMD LED 3000K
Class	I
CRI	>80
Voltage	220V-240V/50/60Hz




Nash 370

incl.



62820	**Structure** Matt White **Diffuser** Opal
62822	**Structure** Matt Black **Diffuser** Opal

Material	**Structure** Aluminium
	Diffuser PC
Power	16W
Lumen Output	1360lm
Light Source	SMD LED 3000K
Class	I
CRI	>80
Voltage	220V-240V/50/60Hz







Kappu 63428

Kappu

Designed by Faro Lab

Kappu (‘cup’ in Japanese) is an allegory to the object that contains light. Its simple, minimalist geometry also allows it to be easily painted to adapt to the needs of any space.



Kappu 63428


Kappu 158
Faro Lab

110V Check p. 30



63428	**Structure** White

Material	**Structure** Plaster
Light Source	1 E14 LED G45 max. 7W
Bulb incl.	No
Recom. Bulb	17461
Class	II




Kappu 250
Faro Lab

110V Check p. 30



63429	**Structure** White

Material	**Structure** Plaster
Light Source	1 E14 LED G45 max. 7W
Bulb incl.	No
Recom. Bulb	17461
Class	II




Kappu 300
Faro Lab

110V Check p. 30




63430	**Structure** White

Material	**Structure** Plaster
Light Source	2 E14 LED G45 max. 7W
Bulb incl.	No
Recom. Bulb	17461
Class	II






Trama 63435

Trama

Designed by Faro Lab

Textures are back! Its linear patterns create compositions that break monotony, adding a touch of sophistication and modern style.



Trama 63435

Trama 180
Faro Lab

110V Check p. 30



63435	**Structure** White

Material	**Structure** Plaster
Light Source	1 E14 LED G45 max. 7W
Bulb incl.	No
Recom. Bulb	17461
Class	II




Trama 320
Faro Lab

110V Check p. 30



63436	**Structure** White

Material	**Structure** Plaster
Light Source	2 E14 LED G45 max. 7W
Bulb incl.	No
Recom. Bulb	17461
Class	II






Milo 280
Faro Lab

110V Check p. 30



63420	**Structure** White **Diffuser** Opal

Material	**Structure** Plaster
	Diffuser PC
Light Source	1 E14 LED C35 max. 7W
Bulb incl.	No
Recom. Bulb	17460
Class	II





Unidirectional accessory included


Milo 400
Faro Lab

110V Check p. 30



63421	**Structure** White **Diffuser** Opal

Material	**Structure** Plaster
	Diffuser PC
Light Source	2 E14 LED C35 max. 7W
Bulb incl.	No
Recom. Bulb	17460
Class	II




Milo 500
Faro Lab

110V Check p. 30



63422	**Structure** White **Diffuser** Opal

Material	**Structure** Plaster
	Diffuser PC
Light Source	2 E14 LED C35 max. 7W
Bulb incl.	No
Recom. Bulb	17460
Class	II





Milo 63421


Oslo

110V Check p. 30



63284	**Structure** Matt White

Material	**Structure** Plaster
Light Source	1 G9 LED max. 6W
Bulb incl.	No
Recom. Bulb	17466
Class	I




Olaf

110V Check p. 30



63278	**Structure** Matt White **Diffuser** Opal

Material	**Structure** Plaster
	Diffuser PC
Light Source	2 E14 LED max. 8W
Bulb incl.	No
Recom. Bulb	17461
Class	I





Studio Arte | Photo by Ruben Guerreiro
Oslo 63284


Cheras 2

110V Check p. 30



63173	**Structure** Matt White **Diffuser** Opal

Material	**Structure** Plaster
	Diffuser Glass
Light Source	1 R7S LED 78mm max. 8W
Bulb incl.	No
Recom. Bulb	17499
Class	I




Cheras 3

110V Check p. 30



63174	**Structure** Matt White **Diffuser** Opal

Material	**Structure** Plaster
	Diffuser Glass
Light Source	1 G9 LED max. 6W
Bulb incl.	No
Recom. Bulb	17466
Class	I




Cheras 4

110V Check p. 30



63175	**Structure** Matt White **Diffuser** Opal

Material	**Structure** Plaster
	Diffuser Glass
Light Source	1 R7S LED 78mm max. 8W
Bulb incl.	No
Recom. Bulb	17499
Class	I






Eaco 1

110V Check p. 30



63176 **Structure** Matt White

Material	**Structure** Plaster
Light Source	1 G9 LED max. 6W
Bulb incl.	No
Recom. Bulb	17466
Class	I




Eaco 2

110V Check p. 30



63177 **Structure** Matt White

Material	**Structure** Plaster
Light Source	2 G9 LED max. 6W
Bulb incl.	No
Recom. Bulb	17466
Class	I






Snow

110V Check p. 30



63285	**Structure** Matt White

Material	**Structure** Plaster
Light Source	1 E14 LED max. 8W
Bulb incl.	No
Recom. Bulb	17461
Class	I




Elsa

incl.

110V Check p. 30

63279	**Structure** Matt White **Diffuser** Opal

Material	**Structure** Plaster
	Diffuser PC
Power	8W
Lumen Output	405lm
Light Source	SMD LED 3000K
Class	II
CRI	>80
Voltage	220V-240V/50/60Hz




Cove

incl.



63480	**Structure** White

Material	**Structure** Plaster
Power	4W
Lumen Output	187lm
Light Source	SMD LED 3000K
Class	I
CRI	>80
Voltage	220V-240V/50/60Hz






Tera

incl.

63184	**Structure** Matt White

Material	**Structure** Plaster
Power	6W
Lumen Output	491lm
Light Source	SMD LED 2700K
Class	II
CRI	>80
Voltage	220V-240V/50/60Hz



Luna


incl.

110V Check p. 30



63225	**Structure** Matt White **Diffuser** Opal

Material	**Structure** Plaster
	Diffuser PMMA
Power	5W
Lumen Output	356lm
Light Source	SMD LED 2700K
Class	II
CRI	>80
Voltage	220V-240V/50/60Hz




Kamen

110V Check p. 30



63311	**Structure** Beige
63312	**Structure** Grey

Material	**Structure** Concrete
Light Source	1 G9 LED max. 6W
Bulb incl.	No
Recom. Bulb	17466
Class	I





BSB Alfombras
Luna 63225


Otton RCT Vertical

110V Check p. 30



66400-97	**Structure** Matt White **Shade** Beige	Linen
66400-98	**Structure** Matt White **Shade** Brown	Jute

Material	**Structure** Steel
	Shade Textile
Light Source	1 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	I




Otton R Vertical

110V Check p. 30



66400-101	**Structure** Matt White **Shade** Beige	Linen
66400-102	**Structure** Matt White **Shade** Brown	Jute

Material	**Structure** Steel
	Shade Textile
Light Source	1 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	I




Otton SQ 200

110V Check p. 30



66400-105	**Structure** Matt White **Shade** Beige	Linen
66400-106	**Structure** Matt White **Shade** Brown	Jute

Material	**Structure** Steel
	Shade Textile
Light Source	1 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	I






Otton RCT Vertical 2L

110V Check p. 30



66401-99	**Structure** Matt White **Shade** Beige Linen
66401-100	**Structure** Matt White **Shade** Brown Jute

Material	**Structure** Steel
	Shade Textile
Light Source	2 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	I




Otton R Vertical 2L

110V Check p. 30



66401-103	**Structure** Matt White **Shade** Beige Linen
66401-104	**Structure** Matt White **Shade** Brown Jute

Material	**Structure** Steel
	Shade Textile
Light Source	2 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	I




Otton RCT Horizontal 2L

110V Check p. 30



66401-107	**Structure** Matt White **Shade** Beige Linen
66401-108	**Structure** Matt White **Shade** Brown Jute

Material	**Structure** Steel
	Shade Textile
Light Source	2 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	I




Otton R Horizontal 2L

110V Check p. 30



66401-109	**Structure** Matt White **Shade** Beige Linen
66401-110	**Structure** Matt White **Shade** Brown Jute

Material	**Structure** Steel
	Shade Textile
Light Source	2 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	I




Cotton RCT Vertical 2L

110V Check p. 30



66405	**Structure** Matt White **Shade** Beige
66406	**Structure** Matt White **Shade** Black

Material	**Structure** Steel
	Shade Textile
Light Source	2 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	I




Cotton R Vertical

110V Check p. 30



66407	**Structure** Matt White **Shade** Beige
66408	**Structure** Matt White **Shade** Black

Material	**Structure** Steel
	Shade Textile
Light Source	1 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	I




Cotton R Vertical 2L

110V Check p. 30



66409	**Structure** Matt White **Shade** Beige
66410	**Structure** Matt White **Shade** Black

Material	**Structure** Steel
	Shade Textile
Light Source	2 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	I





Cotton 66405


Cotton RCT Vertical

110V Check p. 30



66403	**Structure** Matt White **Shade** Beige
66404	**Structure** Matt White **Shade** Black

Material	**Structure** Steel
	Shade Textile
Light Source	1 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	I




Cotton SQ 200

110V Check p. 30



66411	**Structure** Matt White **Shade** Beige
66412	**Structure** Matt White **Shade** Black

Material	**Structure** Steel
	Shade Textile
Light Source	1 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	I




Cotton RCT Horizontal 2L

110V Check p. 30



66413	**Structure** Matt White **Shade** Beige
66414	**Structure** Matt White **Shade** Black

Material	**Structure** Steel
	Shade Textile
Light Source	2 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	I




Cotton R Horizontal 2L

110V Check p. 30



66415	**Structure** Matt White **Shade** Beige
66416	**Structure** Matt White **Shade** Black

Material	**Structure** Steel
	Shade Textile
Light Source	2 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	I



Stood Wall

Lucid Product Design

20º

110V Check p. 30



29844	**Structure** Matt Black **Shade** Cherry Wood


Material	**Structure** Steel
	Shade Cherry Wood
Light Source	1 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17462
Class	II



Suspended 266



Table&Floor 114



Linda Wall

Estudi Ribaudí

110V Check p. 30



29306	**Structure** Matt White **Shade** Beige
29310	**Structure** Matt Black **Shade** Beige


Material	**Structure** Steel
	Shade Textile
Light Source	2 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	I



Suspended 254



Table&Floor 140





Stood 29844


Diula 2L

110V Check p. 30



62986	**Structure** Satin Nickel **Diffuser** Opal

Material	**Structure** Steel
	Diffuser Glass
Light Source	2 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	I




Diula 1L

110V Check p. 30



62987	**Structure** Satin Nickel **Diffuser** Opal

Material	**Structure** Steel
	Diffuser Glass
Light Source	1 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	I





Diula 62987

Confetti 300 H70
Nutcreatives

110V Check p. 30



62173-50	**Structure** Matt Black **Shade** White & Black
62174-50	**Structure** Matt Black **Shade** White & Black

Material	**Structure** Aluminium
	Shade Recycled PET
Light Source	1 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17463
Class	II

Confetti 450 H70
Nutcreatives


110V Check p. 30




62173-51	**Structure** Matt Black **Shade** White & Black
62174-51	**Structure** Matt Black **Shade** White & Black

Material	**Structure** Aluminium
	Shade Recycled PET
Light Source	1 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17464
Class	II

Suspended
244




62173-50




62174-50



Double position



62173-51



62174-51



Double position



Locally produced, made from recycled plastic from bottle caps.


Costas 400 H70
Àlex & Manel Lluscà

110V Check p. 30




62173-78	**Structure** Matt Black **Shade** Rattan
62174-78	**Structure** Matt Black **Shade** Rattan

Material	**Structure** Aluminium
	Shade Rattan
Light Source	1 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17071
Class	II



62173-78



62174-78



Double position

Costas 600 H70
Àlex & Manel Lluscà

110V Check p. 30




62173-69	**Structure** Matt Black **Shade** Rattan
62174-69	**Structure** Matt Black **Shade** Rattan


Material	**Structure** Aluminium
	Shade Rattan
Light Source	1 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17072E
Class	II



Suspended
246



62173-69



62174-69



Double position



It brings a Mediterranean touch to the space where you place it.

Isabelle 150
Héctor Serrano

IP44 incl.






28299	**Structure** Matt White **Diffuser** Opal

Material	**Structure** Aluminium
	Diffuser Glass
Power	7,8W
Lumen Output	362lm
Light Source	SMD LED 2700K
Class	II
CRI	90
Voltage	220V-240V/50/60Hz
Beam angle	135º



Suspended
196





May
Faro Lab

IP44 incl.


110V Check p. 30





40095	**Structure** White **Diffuser** Opal
40096	**Structure** Black **Diffuser** Opal
40097	**Structure** Blue **Diffuser** Opal
40098	**Structure** Coral **Diffuser** Opal
40099	**Structure** Green **Diffuser** Opal

Material	**Structure** Steel
	Diffuser Glass
Power	4W
Lumen Output	238lm
Light Source	COB LED 2700K
Class	II
Voltage	100V-240V/50/60Hz





Moy
Nahtrang

IP44 incl.


110V Check p. 30



40090	**Structure** Satin Gold **Diffuser** Opal
40091	**Structure** Chrome **Diffuser** Opal
40092	**Structure** Bronze **Diffuser** Opal
40093	**Structure** Matt Black **Diffuser** Opal

Material	**Structure** Steel
	Diffuser Glass
Power	4W
Lumen Output	260lm
Light Source	SMD LED 3000K
Class	II
CRI	>80
Voltage	100V-240V/50/60Hz

Table&Floor
48



Le Vita Wall
Nahtrang

incl.




29690	**Structure** Gloss Gold **Diffuser** Opal
29695	**Structure** Matt Black **Diffuser** Opal

Material	**Structure** Steel
	Diffuser Glass
Power	7W
Lumen Output	694lm
Light Source	SMD LED 2700K
Class	I
CRI	>80
Voltage	100V-240V/50/60Hz

Suspended
224

Table&Floor
106






Ten 140 Wall
Faro Lab

110V Check p. 30



62170	**Structure** Matt White
62171	**Structure** Matt Black
62172	**Structure** Old Gold

Material	**Structure** Aluminium
Light Source	1 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17464
Class	II



Ten 70 Wall
Faro Lab

110V Check p. 30



62150	**Structure** Matt White
62151	**Structure** Matt Black
62152	**Structure** Old Gold
62153	**Structure** Satin Gold
62154	**Structure** Gloss Copper
62155	**Structure** Satin Nickel

Material	**Structure** Aluminium
Light Source	1 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17464
Class	II






Table
52



Loca Studio | Photo by Pol Viladoms
Ten 62150

Joy
Nahtrang


incl.

110V Check p. 30



64027	**Structure** Matt Black **Diffuser** Opal

Material	**Structure** Aluminium
	Diffuser Glass
Power	3W
Lumen Output	276lm
Light Source	SMD LED 3000K
Class	I
CRI	>80
Voltage	100V-240V/50/60Hz




Kera

110V Check p. 30



62300	**Structure** Gloss White
62301	**Structure** Gloss Black

Material	**Structure** Ceramic
Light Source	1 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17464
Class	II




Sera

110V Check p. 30



62302	**Structure** Gloss White
62303	**Structure** Gloss Black

Material	**Structure** Ceramic
Light Source	1 E27 LED max. 15W
Bulb incl.	No
Recom. Bulb	17464
Class	II





Joy 64027

Board 350


incl.

110V Check p. 30



01040	**Structure** Blackboard **Diffuser** Opal

Material	**Structure** Steel
	Diffuser PMMA
Power	8W
Lumen Output	191lm
Light Source	SMD LED 2700K
Class	I
CRI	>80
Voltage	220V-240V/50/60Hz



Board 450

incl.




01041	**Structure** Blackboard **Diffuser** Opal

Material	**Structure** Steel
	Diffuser PMMA
Power	12W
Lumen Output	386lm
Light Source	SMD LED 2700K
Class	I
CRI	>80
Voltage	220V-240V/50/60Hz



Blackboard






Han

Goula / Figuera


incl.

110V Check p. 30




01001	**Structure** Matt Black **Diffuser** Opal

Material	**Structure** Steel
	Diffuser PMMA
Power	7W
Lumen Output	258lm
Light Source	SMD LED 2700K
Class	I
CRI	>80
Voltage	220V-240V/50/60Hz






Magritte 300






61080	**Structure** Satin Nickel **Diffuser** Opal
61083	**Structure** Old Gold **Diffuser** Opal
61086	**Structure** Matt Black **Diffuser** Opal

Material	**Structure** Aluminium + Steel
	Diffuser PMMA
Power	6W
Lumen Output	325lm
Light Source	SMD LED 3000K
Class	II
CRI	>80
Voltage	220V-240V/50/60Hz



Magritte 450




110V Check p. 30




61081	**Structure** Satin Nickel **Diffuser** Opal
61084	**Structure** Old Gold **Diffuser** Opal
61087	**Structure** Matt Black **Diffuser** Opal

Material	**Structure** Aluminium + Steel
	Diffuser PMMA
Power	8W
Lumen Output	402lm
Light Source	SMD LED 3000K
Class	II
CRI	>80
Voltage	220V-240V/50/60Hz



Magritte 600




110V Check p. 30



61082	**Structure** Satin Nickel **Diffuser** Opal
61085	**Structure** Old Gold **Diffuser** Opal
61088	**Structure** Matt Black **Diffuser** Opal

Material	**Structure** Aluminium + Steel
	Diffuser PMMA
Power	12W
Lumen Output	727lm
Light Source	SMD LED 3000K
Class	II
CRI	>80
Voltage	220V-240V/50/60Hz






Nubo 120

IP44 incl.



60006	**Structure** Matt White **Diffuser** Opal
60007	**Structure** Matt Black **Diffuser** Opal

Material	**Structure** Aluminium
	Diffuser Glass
Power	7,8W
Lumen Output	362lm
Light Source	SMD LED 2700K
Class	II
CRI	90
Voltage	220V-240V/50/60Hz




Nubo 150

IP44 incl.



60008	**Structure** Matt White **Diffuser** Opal
60009	**Structure** Matt Black **Diffuser** Opal

Material	**Structure** Aluminium
	Diffuser Glass
Power	9,7W
Lumen Output	821lm
Light Source	SMD LED 2700K
Class	II
CRI	90
Voltage	220V-240V/50/60Hz






Ideal for bathrooms, Nubo's opal diffuser softens the light, creating a comfortable, glare-free illumination. Its smooth, flowing shapes add an elegant and calming touch to any space.

Nubo 60006

Mabe


IP44 incl.


NEW FINISH



62830	**Structure** Matt Black **Diffuser** Opal
62831	**Structure** Matt Nickel **Diffuser** Opal

Material	**Structure** Stainless Steel
	Diffuser Glass
Power	6W
Lumen Output	503lm
Light Source	SMD LED 3000K
Class	II
CRI	>80
Voltage	220V-240V/50/60Hz





Perla

Àlex & Manel Lluscà

IP44

110V Check p. 30



40085	**Structure** Old Gold **Diffuser** Opal
40086	**Structure** Chrome **Diffuser** Opal
40087	**Structure** Bronze **Diffuser** Opal
40088	**Structure** Black **Diffuser** Opal

Material	**Structure** Steel
	Diffuser Glass
Light Source	1 G9 LED max. 6W
Bulb incl.	No
Recom. Bulb	17443
Class	II





Lago


IP44

110V Check p. 30



63503	**Structure** Chrome **Diffuser** Opal

Material	**Structure** Aluminium
	Diffuser Glass
Light Source	1 G9 LED max. 6W
Bulb incl.	No
Recom. Bulb	17495
Class	II




Ping

IP44 incl.



60010	**Structure** Matt White **Diffuser** Opal
60011	**Structure** Matt Black **Diffuser** Opal

Material	**Structure** Aluminium
	Diffuser Glass
Power	7,8W
Lumen Output	756lm
Light Source	SMD LED 3000K
Class	II
CRI	90
Voltage	220V-240V/50/60Hz





Gala


IP44

110V Check p. 30



63504	**Structure** Chrome **Diffuser** Opal
63505	**Structure** Satin Gold **Diffuser** Opal
63506	**Structure** Matt Black **Diffuser** Opal

Material	**Structure** Aluminium
	Diffuser Glass
Light Source	1 G9 LED max. 6W
Bulb incl.	No
Recom. Bulb	17495
Class	II



Bianca

Àlex & Manel Lluscà


IP44

110V Check p. 30



63510	**Structure** Chrome **Diffuser** Opal

Material	**Structure** Aluminium
	Diffuser Glass
Light Source	1 G9 LED max. 6W
Bulb incl.	No
Recom. Bulb	17443
Class	II



Brume Wall

Àlex & Manel Lluscà


IP44 incl.

110V Check p. 30



40076	**Structure** Anthracite **Diffuser** Opal

Material	**Structure** Steel
	Diffuser Glass
Power	3W
Lumen Output	168lm
Light Source	SMD LED 2700K
Class	II
CRI	>80
Voltage	100V-240V/50/60Hz





Ceiling
310



Suspended
228




Calma 300

IP44



63546	**Structure** White + Opal
63547	**Structure** Black + Opal
63548	**Structure** Brushed Gold + Opal
63549	**Structure** Yellow + Opal
63550	**Structure** Blue + Opal
63551	**Structure** Terracotta + Opal
63558	**Structure** Wood + Opal

Material	**Structure** Glass
Power	5W
Lumen Output	430lm
Light Source	S14D LED 2700K
Class	II
CRI	>80
Voltage	220V-240V/50/60Hz




Calma 500

IP44



63552	**Structure** White + Opal
63553	**Structure** Black + Opal
63554	**Structure** Brushed Gold + Opal
63555	**Structure** Yellow + Opal
63556	**Structure** Blue + Opal
63557	**Structure** Terracotta + Opal
63559	**Structure** Wood + Opal

Material	**Structure** Glass
Power	7W
Lumen Output	608lm
Light Source	S14D LED 2700K
Class	II
CRI	>80
Voltage	220V-240V/50/60Hz






Tide 300

IP44 incl.



63520	**Structure** Matt Black **Diffuser** Opal
63521	**Structure** Chrome **Diffuser** Opal

Material	**Structure** Aluminium
	Diffuser PMMA
Power	6W
Lumen Output	628lm
Light Source	SMD LED 3000K
Class	II
CRI	≥80
Voltage	220V-240V/50/60Hz




Tide 600

IP44 incl.



63522	**Structure** Matt Black **Diffuser** Opal
63523	**Structure** Chrome **Diffuser** Opal

Material	**Structure** Aluminium
	Diffuser PMMA
Power	9W
Lumen Output	1049lm
Light Source	SMD LED 3000K
Class	II
CRI	≥80
Voltage	220V-240V/50/60Hz





Volga 310


IP44 incl.

110V Check p. 30



63507	**Structure** Chrome **Diffuser** Opal
63512	**Structure** Matt Black **Diffuser** Opal

Material	**Structure** Aluminium
	Diffuser PMMA
Power	5W
Lumen Output	469lm
Light Source	SMD LED 3000K
Class	II
CRI	>80
Voltage	100V-240V/50/60Hz



Volga 600


IP44 incl.

110V Check p. 30



63508	**Structure** Chrome **Diffuser** Opal
63513	**Structure** Matt Black **Diffuser** Opal

Material	**Structure** Aluminium
	Diffuser PMMA
Power	12W
Lumen Output	1231lm
Light Source	SMD LED 3000K
Class	II
CRI	>80
Voltage	100V-240V/50/60Hz



Volga 900


IP44 incl.

110V Check p. 30



63509	**Structure** Chrome **Diffuser** Opal
63514	**Structure** Matt Black **Diffuser** Opal

Material	**Structure** Aluminium
	Diffuser PMMA
Power	18W
Lumen Output	1930lm
Light Source	SMD LED 3000K
Class	II
CRI	>80
Voltage	100V-240V/50/60Hz





Volga 63512


Kiva 600

IP44 incl.



62832 3000K 1103lm	**Structure** Chrome **Shade** Translucent
62833 2700K 1068lm	**Structure** Matt Black **Shade** Translucent

Material	**Structure** Stainless Steel **Shade** PMMA
Power	10W
Light Source	SMD LED
Class	II
CRI	>80
Voltage (V/Hz)	220V-240V/50/60Hz




Kiva 900

IP44 incl.



62834 3000K 1581lm	**Structure** Chrome **Shade** Translucent
62835 2700K 1530lm	**Structure** Matt Black **Shade** Translucent

Material	**Structure** Stainless Steel **Shade** PMMA
Power	14W
Light Source	SMD LED
Class	II
CRI	>80
Voltage (V/Hz)	220V-240V/50/60Hz




Kiva 1200

IP44 incl.



62836 3000K 1852lm	**Structure** Chrome **Shade** Translucent
62837 2700K 1792lm	**Structure** Matt Black **Shade** Translucent

Material	**Structure** Stainless Steel **Shade** PMMA
Power	18W
Light Source	SMD LED
Class	II
CRI	>80
Voltage (V/Hz)	220V-240V/50/60Hz





Kiva 62836


Danubio 285

IP44 incl.



63600	**Structure** Chrome **Diffuser** Opal
63603	**Structure** Bronze **Diffuser** Opal

Material	**Structure** Aluminium
	Diffuser Glass
Power	9W
Lumen Output	579lm
Light Source	SMD LED 2700K
Class	II
CRI	>80
Voltage	220V-240V/50/60Hz




Danubio 395

IP44 incl.



63601	**Structure** Chrome **Diffuser** Opal
63604	**Structure** Bronze **Diffuser** Opal

Material	**Structure** Aluminium
	Diffuser Glass
Power	12W
Lumen Output	780lm
Light Source	SMD LED 2700K
Class	II
CRI	>80
Voltage	220V-240V/50/60Hz




Danubio 575

IP44 incl.



63602	**Structure** Chrome **Diffuser** Opal
63605	**Structure** Bronze **Diffuser** Opal

Material	**Structure** Aluminium
	Diffuser Glass
Power	18W
Lumen Output	1368lm
Light Source	SMD LED 2700K
Class	II
CRI	>80
Voltage	220V-240V/50/60Hz





Nilo 600


IP44 incl.

110V Check p. 30



63316	**Structure** Matt Black **Diffuser** Opal
63318	**Structure** Chrome **Diffuser** Opal

Material	**Structure** Aluminium
	Diffuser PMMA
Power	12W
Lumen Output	845lm
Light Source	SMD LED 3000K
Class	II
CRI	>80
Voltage	100V-240V/50/60Hz



Nilo 900


IP44 incl.

110V Check p. 30



63317	**Structure** Matt Black **Diffuser** Opal
63319	**Structure** Chrome **Diffuser** Opal

Material	**Structure** Aluminium
	Diffuser PMMA
Power	18W
Lumen Output	1351lm
Light Source	SMD LED 3000K
Class	II
CRI	>80
Voltage	100V-240V/50/60Hz





Nilo 63319





RECESSED

Lox


no incl. 40º DIM



43880 2700K 473lm	**Structure** White
43881 2700K 473lm	**Structure** Black
43882 3000K 487lm	**Structure** White
43883 3000K 487lm	**Structure** Black

Material	**Structure** Aluminium + PC
Power	9W
Light Source	COB LED
Class	III
CRI	80
Voltage	36V/50/60Hz
Beam angle	36º
Cut out	ø55mm





*Drivers info on page 614

Lox Trimless

no incl. 40º DIM



43884 2700K 473lm	**Structure** White
43885 2700K 473lm	**Structure** Black
43886 3000K 487lm	**Structure** White
43887 3000K 487lm	**Structure** Black

Material	**Structure** Aluminium + PC
Power	9W
Light Source	COB LED
Class	III
CRI	80
Voltage	36V/50/60Hz
Beam angle	36º
Cut out	ø55mm





*Drivers info on page 614


EL MERCAT

Fox 40


no incl. DIM

110V Check p. 30



02101001	**Structure** Matt White **Diffuser** Transparent
02101002	**Structure** Matt Black **Diffuser** Transparent

Material	**Structure** Aluminium
	Diffuser Glass
Power	5W
Lumen Output	242lm
Light Source	COB LED 2700K
Class	III
CRI	90
Beam angle	25º
Cut out	ø35mm



*Drivers info on page 614

Fox Trimless


no incl. DIM

110V Check p. 30



02101101	**Structure** Matt White **Diffuser** Transparent
02101102	**Structure** Matt Black **Diffuser** Transparent

Material	**Structure** Aluminium
	Diffuser Glass
Power	5W
Lumen Output	301lm
Light Source	COB LED 2700K
Class	III
CRI	90
Beam angle	25º
Cut out	ø45mm



*Drivers info on page 614



Anna Brotons & AB Interior Design | Photo by Estudio Ampersand
Fox 02101002

Fox 50 Orientable


no incl. 20º DIM

110V Check p. 30



02101301	**Structure** Matt White **Diffuser** Transparent
02101302	**Structure** Matt Black **Diffuser** Transparent

Material	**Structure** Aluminium
	Diffuser Glass
Power	5W
Lumen Output	344lm
Light Source	COB LED 2700K
Class	III
CRI	>80
Beam angle	25º
Cut out	ø45mm



*Drivers info on page 614

Fox 50


no incl. DIM

110V Check p. 30



02101501	**Structure** Matt White **Diffuser** Transparent

Material	**Structure** Aluminium
	Diffuser Glass
Power	7W
Lumen Output	479lm
Light Source	COB LED 2700K
Class	III
CRI	>80
Beam angle	36º
Cut out	ø40mm



*Drivers info on page 614

Fox 65


no incl. DIM

110V Check p. 30



02101601	**Structure** Matt White **Diffuser** Transparent

Material	**Structure** Aluminium
	Diffuser Glass
Power	10W
Lumen Output	777lm
Light Source	COB LED 2700K
Class	III
CRI	>80
Beam angle	36º
Cut out	ø55mm



*Drivers info on page 614



Rez Estudio | Photo by Carla Capdevila
Fox 02101601


Tast R

IP65 incl.



44001	**Structure** Matt White

Material	**Structure** Aluminium
Power	5W
Lumen Output	350lm
Light Source	COB LED 2700K
Class	II
CRI	≥90
Voltage	220V-240V/50/60Hz
Beam angle	40º
Cut out	ø45mm




Tast SQ

IP65 incl.



44002	**Structure** Matt White

Material	**Structure** Aluminium
Power	5W
Lumen Output	350lm
Light Source	COB LED 2700K
Class	II
CRI	≥90
Voltage	220V-240V/50/60Hz
Beam angle	40º
Cut out	ø45mm






Kivi 52 Orientable

IP44 incl. 60º 355º DIM TRIAC



43901 2700K 260lm	**Structure** White **Diffuser** Transparent
43902 2700K 231lm	**Structure** Black **Diffuser** Transparent
43905 3000K 310lm	**Structure** White **Diffuser** Transparent
43906 3000K 307lm	**Structure** Black **Diffuser** Transparent

Material	**Structure** Aluminium
	Diffuser PC
Power	5W
Light Source	COB LED
Class	II
CRI	90
Voltage	220V-240V/50/60Hz
Beam angle	36º
Cut out	50mm





Without Honeycomb


Kivi 52 Orientable

IP44 incl. 60º 355º DIM TRIAC



43903 2700K 310lm	**Structure** White **Diffuser** Transparent
43904 2700K 307lm	**Structure** Black **Diffuser** Transparent
43907 3000K 319lm	**Structure** White **Diffuser** Transparent
43908 3000K 316lm	**Structure** Black **Diffuser** Transparent

Material	**Structure** Aluminium
	Diffuser PC
Power	7W
Light Source	COB LED
Class	II
CRI	90
Voltage	220V-240V/50/60Hz
Beam angle	36º
Cut out	60mm





Without Honeycomb



Nais Orientable


IP23 25º no incl.

110V Check p. 30



02111001	**Structure** White **Diffuser** Transparent
02111002	**Structure** Black **Diffuser** Transparent

Material	**Structure** Aluminium + Steel
	Diffuser PMMA
Power	7W
Lumen Output	559lm
Light Source	COB LED 2700K
Class	III
CRI	≥90
Beam angle	36º
Cut out	ø76mm



*Drivers info on page 614

Nais


IP23 no incl.

110V Check p. 30



02121001	**Structure** White **Diffuser** Transparent
02121002	**Structure** Black **Diffuser** Transparent

Material	**Structure** Aluminium + Steel
	Diffuser PMMA
Power	7W
Lumen Output	534lm
Light Source	COB LED 2700K
Class	III
CRI	≥90
Beam angle	36º
Cut out	ø60mm



*Drivers info on page 614



Flic Orientable


25º
360º


110V Check p. 30



44108	**Structure** White
44109	**Structure** Black

Material	**Structure** Aluminium
Light Source	1 GU10 LED MR11 max. 3W
Bulb incl.	No
Recom. Bulb	17537
Class	II
Cut out	50mm





Flic Orientable Trimless


25º
360º


110V Check p. 30



44110	**Structure** White
44111	**Structure** Black

Material	**Structure** Aluminium
Light Source	1 GU10 LED MR11 max. 3W
Bulb incl.	No
Recom. Bulb	17537
Class	II
Cut out	60mm





Flic Orientable Trimless 2L


25º
360º

110V Check p. 30



44112	**Structure** White
44113	**Structure** Black


Material	**Structure** Aluminium
Light Source	1 GU10 LED MR11 max. 3W
Bulb incl.	No
Recom. Bulb	17537
Class	II
Cut out	100x52mm



Flic Orientable Trimless 3L


25º
360º

110V Check p. 30



44114	**Structure** White
44115	**Structure** Black

Material	**Structure** Aluminium
Light Source	1 GU10 LED MR11 max. 3W
Bulb incl.	No
Recom. Bulb	17537
Class	II
Cut out	158x52mm



Flac


25º
360º


110V Check p. 30



44100	**Structure** White
44101	**Structure** Black

Material	**Structure** Aluminium
Light Source	1 GU10 LED MR11 max. 3W
Bulb incl.	No
Recom. Bulb	17537
Class	II
Cut out	60mm





Flac IP65


IP65
25º
360º


110V Check p. 30



44102	**Structure** White **Diffuser** Transparent
44103	**Structure** Black **Diffuser** Transparent

Material	**Structure** Aluminium
	Diffuser Glass
Light Source	1 GU10 LED MR11 max. 3W
Bulb incl.	No
Recom. Bulb	17537
Class	II
Cut out	60mm





Flac Trimless


25º 360º


110V Check p. 30



44104	**Structure** White
44105	**Structure** Black

Material	**Structure** Aluminium
Light Source	1 GU10 LED MR11 max. 3W
Bulb incl.	No
Recom. Bulb	17537
Class	II
Cut out	50mm





Flac Trimless IP44


IP 25º 360º


110V Check p. 30



44106	**Structure** White **Diffuser** Transparent
44107	**Structure** Black **Diffuser** Transparent

Material	**Structure** Aluminium
	Diffuser Glass
Light Source	1 GU10 LED MR11 max. 3W
Bulb incl.	No
Recom. Bulb	17537
Class	II
Cut out	50mm





Fresh IP44


IP44

110V Check p. 30



02200501	**Structure** Matt White **Diffuser** Transparent
02200502	**Structure** Matt Black **Diffuser** Transparent
02200503	**Structure** Matt Gold **Diffuser** Transparent

Material	**Structure** Aluminium
	Diffuser Glass
Light Source	1 GU10 LED max. 8W
Bulb incl.	No
Recom. Bulb	17316
Class	II
Cut out	ø83mm




Fresh

110V Check p. 30



02100501	**Structure** Matt White
02100502	**Structure** Matt Black
02100503	**Structure** Matt Gold

Material	**Structure** Aluminium
Light Source	1 GU10 LED max. 8W
Bulb incl.	No
Recom. Bulb	17316
Class	II
Cut out	ø83mm





RODES arquitectura&diseno | Photo by German Cabo
Fresh 02100502


Fresh Trimless

110V Check p. 30



02100701	**Structure** Matt White
02100702	**Structure** Matt Black

Material	**Structure** Aluminium
Light Source	1 GU10 LED max. 8W
Bulb incl.	No
Recom. Bulb	17316
Class	II
Cut out	ø90mm




Fresh E27 Trimless

110V Check p. 30



02300101	**Structure** White

Material	**Structure** Aluminium
Light Source	1 E27 LED G95 max. 8W
Bulb incl.	No
Recom. Bulb	17465
Class	I
Cut out	ø74mm






Fresh Wall Washer

110V Check p. 30



02100601	**Structure** Matt White
02100602	**Structure** Matt Black
02100603	**Structure** Matt Gold

Material	**Structure** Aluminium
Light Source	1 GU10 LED max. 8W
Bulb incl.	No
Recom. Bulb	17316
Class	II
Cut out	ø83mm



Fresh IP65


IP65

110V Check p. 30



02101401	**Structure** Matt White **Diffuser** Transparent
02101402	**Structure** Matt Black **Diffuser** Transparent

Material	**Structure** Aluminium
	Diffuser Glass
Light Source	1 GU10 LED max. 8W
Bulb incl.	No
Recom. Bulb	17316
Class	I
Cut out	ø83mm



Fresh IP65 Trimlees


IP65

110V Check p. 30



02400102	**Structure** Matt Black **Diffuser** Transparent
02400101N	**Structure** Matt White **Diffuser** Transparent

Material	**Structure** Aluminium
	Diffuser Glass
Light Source	1 GU10 LED max. 8W
Bulb incl.	No
Recom. Bulb	17316
Class	I
Cut out	Black finish ø100mm
	White finish ø90mm





Fresh 02101401

Hyde R Orientable


60º

110V Check p. 30



40118	**Structure** Matt White
40119	**Structure** Matt Black

Material	**Structure** Steel
Light Source	1 GU10 LED max. 8W
Bulb incl.	No
Recom. Bulb	17316
Class	II
Recom.Socket	GU10 BULB SOCKET for recesseds
Cut out	ø83mm



Hyde R


IP44

110V Check p. 30



40114	**Structure** Matt White
40115	**Structure** Matt Black

Material	**Structure** Steel
Light Source	1 GU10 LED max. 8W
Bulb incl.	No
Recom. Bulb	17316
Class	II
Recom.Socket	GU10 BULB SOCKET for recesseds
Cut out	ø83mm



Hyde R Orientable Trimless


60º

110V Check p. 30



40110	**Structure** Matt White
40111	**Structure** Matt Black

Material	**Structure** Steel
Light Source	1 GU10 LED max. 8W
Bulb incl.	No
Recom. Bulb	17316
Class	II
Recom.Socket	GU10 BULB SOCKET for recesseds
Cut out	ø104mm





Limes Architetti I Photo by Angelo Talia
Hyde 40110

Hyde SQ Orientable


60º

110V Check p. 30



40120	**Structure** Matt White
40121	**Structure** Matt Black

Material	**Structure** Steel
Light Source	1 GU10 LED max. 8W
Bulb incl.	No
Recom. Bulb	17316
Class	II
Recom.Socket	GU10 BULB SOCKET for recesseds
Cut out	83x83mm



Hyde SQ


IP44

110V Check p. 30



40116	**Structure** Matt White
40117	**Structure** Matt Black

Material	**Structure** Steel
Light Source	1 GU10 LED max. 8W
Bulb incl.	No
Recom. Bulb	17316
Class	II
Recom.Socket	GU10 BULB SOCKET for recesseds
Cut out	83x83mm



Hyde SQ Orientable Trimless


60º

110V Check p. 30



40112	**Structure** Matt White
40113	**Structure** Matt Black

Material	**Structure** Steel
Light Source	1 GU10 LED max. 8W
Bulb incl.	No
Recom. Bulb	17316
Class	II
Recom.Socket	GU10 BULB SOCKET for recesseds
Cut out	102x93mm



Hyde SQ Orientable 2L


60º

110V Check p. 30



40126	**Structure** Matt White
40127	**Structure** Matt Black

Material	**Structure** Steel
Light Source	2 GU10 LED max. 8W
Bulb incl.	No
Recom. Bulb	17316
Class	II
Recom.Socket	GU10 BULB SOCKET for recesseds
Cut out	83x165mm



Hyde SQ 2L


IP44

110V Check p. 30



40124	**Structure** Matt White
40125	**Structure** Matt Black


Material	**Structure** Steel
Light Source	2 GU10 LED max. 8W
Bulb incl.	No
Recom. Bulb	17316
Class	II
Recom.Socket	GU10 BULB SOCKET for recesseds
Cut out	83x165mm



Hyde SQ Orientable Trimless 2


60º

110V Check p. 30



40122	**Structure** Matt White
40123	**Structure** Matt Black

Material	**Structure** Steel
Light Source	2 GU10 LED max. 8W
Bulb incl.	No
Recom. Bulb	17316
Class	II
Recom.Socket	GU10 BULB SOCKET for recesseds
Cut out	182x93mm



Radon R


60º

110V Check p. 30



43398		**Structure** Matt White
43408		**Structure** Matt Black

Material	**Structure** Aluminium
Light Source	1 GU10 LED max. 8W
Bulb incl.	No
Recom. Bulb	17316
Class	II
Cut out	ø80mm



Radon SQ


60º

110V Check p. 30



43396		**Structure** Matt White
43406		**Structure** Matt Black

Material	**Structure** Aluminium
Light Source	1 GU10 LED max. 8W
Bulb incl.	No
Recom. Bulb	17316
Class	II
Cut out	ø80mm



Radon RCT


60º

110V Check p. 30



43397		**Structure** Matt White
43407		**Structure** Matt Black

Material	**Structure** Aluminium
Light Source	2 GU10 LED max. 8W
Bulb incl.	No
Recom. Bulb	17316
Class	II
Cut out	80x170mm





Rodes Arquitectura&Diseño | Photo by German Cabo
Radón 43398

Argon R


60º

110V Check p. 30



43401	**Structure** Matt White
43411	**Structure** Matt Black

Material	**Structure** Aluminium
Light Source	1 GU10 LED max. 8W
Bulb incl.	No
Recom. Bulb	17316
Class	II
Cut out	ø100mm



Argon SQ


60º

110V Check p. 30



43402	**Structure** Matt White
43412	**Structure** Matt Black

Material	**Structure** Aluminium
Light Source	1 GU10 LED max. 8W
Bulb incl.	No
Recom. Bulb	17316
Class	II
Cut out	100x100mm



Argon RCT


60º

110V Check p. 30



43403	**Structure** Matt White
43413	**Structure** Matt Black

Material	**Structure** Aluminium
Light Source	2 GU10 LED max. 8W
Bulb incl.	No
Recom. Bulb	17316
Class	II
Cut out	220x102mm






Neon SQ

110V Check p. 30



43400	**Structure** Matt White
43410	**Structure** Matt Black

Material	**Structure** Aluminium
Light Source	1 GU10 LED max. 8W
Bulb incl.	No
Recom. Bulb	17316
Class	II
Cut out	70x70mm




Neon R

110V Check p. 30



43399	**Structure** Matt White
43409	**Structure** Matt Black

Material	**Structure** Aluminium
Light Source	1 GU10 LED max. 8W
Bulb incl.	No
Recom. Bulb	17316
Class	II
Cut out	ø65mm





Rez Estudio | Photo by Carla Capdevila
Neon 43399

Wet


IP44

110V Check p. 30



02100801	**Structure** Matt White **Diffuser** Transparent

Material	**Structure** Steel
	Diffuser Glass
Light Source	1 GU10 LED max. 8W
Bulb incl.	No
Recom. Bulb	17316
Class	II
Cut out	ø65mm



Moist


IP44

110V Check p. 30



02100901	**Structure** Matt White **Diffuser** Transparent

Material	**Structure** Steel
	Diffuser Glass
Light Source	1 GU10 LED max. 8W
Bulb incl.	No
Recom. Bulb	17316
Class	II
Cut out	78x78mm





Moist 02100901


Niva Pinhole

110V Check p. 30



43425	**Structure** White
43426	**Structure** Black

Material	**Structure** Aluminium
Light Source	1 GU10 LED max. 10W
Bulb incl.	No
Recom. Bulb	17316
Class	II
Cut out	72mm



Niva Pinhole Directional


DIM

110V Check p. 30



43427	**Structure** White
43428	**Structure** Black

Material	**Structure** Aluminium
Light Source	1 GU10 LED max. 10W
Bulb incl.	No
Recom. Bulb	17316
Class	II
Cut out	72mm





Niva 43426


Niva Pinhole IP65

IP65 30º



43429	**Structure** White **Diffuser** Transparent
43430	**Structure** Black **Diffuser** Transparent

Material	**Structure** Aluminium
	Diffuser Glass
Light Source	1 GU10 LED max. 10W
Bulb incl.	No
Recom. Bulb	17316
Class	II
Cut out	72mm




Niva Pinhole Directional IP65

IP65 DIM 30º



43431	**Structure** White **Diffuser** Transparent
43432	**Structure** Black **Diffuser** Transparent

Material	**Structure** Aluminium
	Diffuser Glass
Light Source	1 GU10 LED MR16 max. 10W
Bulb incl.	No
Recom. Bulb	17316
Class	I
Cut out	72mm






Gas R

110V Check p. 30



43404	**Structure** Matt White
43405	**Structure** Matt Black

Material	**Structure** Aluminium
Light Source	1 GU10 LED max. 8W
Bulb incl.	No
Recom. Bulb	17316
Class	II
Cut out	ø76mm



Gas RCT


no incl.

110V Check p. 30



43420	**Structure** Matt White
43421	**Structure** Matt Black

Material	**Structure** Aluminium
Light Source	2 GU10 LED max. 8W
Bulb incl.	No
Recom. Bulb	17316
Class	II
Cut out	168x78mm



Neu


60º

110V Check p. 30



63286	**Structure** Matt White

Material	**Structure** Plaster
Light Source	1 GU5.3 LED MR16 max. 8W
Bulb incl.	No
Recom. Bulb	97686327
Class	III
Cut out	ø160mm





La Villa Studio | Photo by Erlantz Biderbost
Neu 63286


Dop 83

IP54 incl.



44003 2700K 676lm	**Structure** White **Diffuser** Opal
44004 3000K 712lm	**Structure** White **Diffuser** Opal

Material	**Structure** Aluminium
	Diffuser PC
Power	8W
Light Source	SMD LED
Class	II
CRI	≥90
Voltage	220V-240V/50/60Hz
Beam angle	85º
Cut out	ø75mm




Dop 105

IP54 incl.



44005 2700K 1268lm	**Structure** White **Diffuser** Opal
44006 3000K 1335lm	**Structure** White **Diffuser** Opal

Material	**Structure** Aluminium
	Diffuser PC
Power	15W
Light Source	SMD LED
Class	II
CRI	≥90
Voltage	220V-240V/50/60Hz
Beam angle	85º
Cut out	ø95mm




Dop 158

IP54 incl.



44007 2700K 2565lm	**Structure** White **Diffuser** Opal
44008 3000K 2700lm	**Structure** White **Diffuser** Opal

Material	**Structure** Aluminium
	Diffuser PC
Power	33W
Light Source	SMD LED
Class	II
CRI	≥90
Voltage	220V-240V/50/60Hz
Beam angle	85º
Cut out	ø145mm






Luan

IP44 incl.



42931	**Structure** Matt White **Diffuser** Opal

Material	**Structure** Aluminium
	Diffuser PMMA
Power	40W
Lumen Output	3011lm
Light Source	SMD LED 3000K
Class	II
CRI	>80
Voltage	100V-240V/50/60Hz
Cut out	ø375mm




Ebba

IP44 incl.



42919	**Structure** Satin Nickel **Diffuser** Opal

Material	**Structure** Aluminium
	Diffuser PMMA
Power	4W
Lumen Output	458lm
Light Source	SMD LED 3000K
Class	II
CRI	>80
Voltage	220V-240V/50/60Hz
Cut out	ø63mm





Navi


incl.

110V Check p. 30



63481 **Structure** White

Material	**Structure** Plaster
Power	10W
Lumen Output	500lm
Light Source	SMD LED 2700K
Class	II
CRI	>80
Voltage	100V-240V/50/60Hz
Cut out	273x273mm




Tuk

incl.



63425 **Structure** White

Material	**Structure** Plaster + Aluminium
Power	2W
Lumen Output	97lm
Light Source	SMD LED 2700K
Class	II
CRI	90
Voltage	220V-240V
Beam angle	35º
Cut out	103x103mm



Plas RCT

incl.


110V Check p. 30



63490 3000K 153lm **Structure** White

63491 2700K 150lm **Structure** White

Material	**Structure** Plaster
Power	3W
Light Source	HIGH POWER LED
Class	II
CRI	>80
Voltage	100V-240V/50/60Hz
Cut out	248x113mm






Navi 63481

Plas Oval


no incl. DIM

110V Check p. 30



63281 **Structure** Matt White

Material	**Structure** Plaster
Power	1W
Lumen Output	63lm
Light Source	HIGH POWER LED 3000K
Class	III
CRI	>80
Cut out	175x110mm




*Drivers info on page 614

Plas Linear


no incl. DIM

110V Check p. 30



63282 **Structure** Matt White

Material	**Structure** Plaster
Power	1W
Lumen Output	22lm
Light Source	HIGH POWER LED 3000K
Class	III
CRI	>80
Cut out	231x85mm



Plas SQ


no incl. DIM

110V Check p. 30



63283 **Structure** Matt White

Material	**Structure** Plaster
Power	1W
Lumen Output	65lm
Light Source	HIGH POWER LED 3000K
Class	III
CRI	>80
Cut out	155x110mm










TRACK

Stan Slim



110V Check p. 30




43806	**Structure** White + Matt Black
43807	**Structure** Black + Matt Black

Material	**Structure** Aluminium + ABS
Light Source	1 GU10 LED MR11 max. 3W
Bulb incl.	No
Recom. Bulb	17537
Class	I



Ceiling 290 **Recessed** 294 **Surface** 358




*Stan Slim accessories page 290



Stan Slim 43806


Stan LED






43724 2700K 1016lm	**Structure** Matt White + Matt Black **Diffuser** Transparent
43725 2700K 1016lm	**Structure** Matt Black + Matt Black **Diffuser** Transparent
43770 3000K 942lm	**Structure** Matt Black + Matt Black **Diffuser** Transparent
43771 3000K 942lm	**Structure** Matt White + Matt Black **Diffuser** Transparent

Material	**Structure** Aluminium + ABS
	Diffuser PC
Power	12W
Light Source	COB LED
Class	I
CRI	>80
Voltage	220V-240V/50/60Hz



Stan GU10





110V Check p. 30



43720	**Structure** Matt White + Matt Black
43721	**Structure** Matt Black + Matt Black
43757	**Structure** Satin Gold + Matt Black

Material	**Structure** Aluminium + ABS
Light Source	1 GU10 LED max. 5W
Bulb incl.	No
Recom. Bulb	17334
Class	I






Ceiling 300 | **Recessed** 294 | **Suspended** 236 | **Wall** 472 | **Surface** 358

*Accessories page 294



MAAF ESTUDIO | Photo by Alberto Amores
Stan 43720

Leo
Estudi Ribaudí





43794	**Structure** Matt White
43795	**Structure** Matt Black

Material	**Structure** Aluminium
Power	7W
Lumen Output	590lm
Light Source	COB LED 2700K
Class	II
CRI	≥90
Voltage	220V-240V/50/60Hz



Surface track 1mts


64210A	White
64212A	Black
64214A	Grey


Material	**Structure** Aluminium

Surface track 2mts

64211A	White
64213A	Black
64215A	Grey

Material	**Structure** Aluminium







Surface 356 **Table&Floor** 92 **Ceiling** 296


100 INTERIORS
AROUND THE WORLD
FRANK LLOYD WRIGHT
EARLY VISIONS

Leo 43794

BULBS

LED Module

no incl. | CASAMBI 98310538 | DALI 98310536

Ref.	Power	Flux	Color T°	CRI	Beam Angle	Useful life	Diffuser	Width	Height	IEE
	(W)	(Lm)	(K)		(º)	(H)		(mm/in)	(mm/in)	
18036	7/10W	564 lm 864 lm	2700K	90	36º	50.000h L70 B10	Transparent PMMA	ø50/2”	56/2.2”	F
18037	7/10W	586 lm 898 lm	3000K	90	36º	50.000h L70 B10	Transparent PMMA	ø50/2”	56/2.2”	F
18038	7/10W	610 lm 934 lm	4000K	90	36º	50.000h L70 B10	Transparent PMMA	ø50/2”	56/2.2”	F
18039	15W	1040lm	2700K	90	36º	50.000h L70 B10	Transparent PMMA	ø50/2”	56/2.2”	G
18040	15W	1072lm	3000K	90	36º	50.000h L70 B10	Transparent PMMA	ø50/2”	56/2.2”	G
18041	15W	1104lm	4000K	90	36º	50.000h L70 B10	Transparent PMMA	ø50/2”	56/2.2”	G

***Drivers info on page 620**

G9 LED

Ref.		Power	Flux	Color T°	CRI	Beam Angle	Dimm	Useful life	Diffuser	Width	Height	IEE
		(W)	(Lm)	(K)				(H)		(mm/in)	(mm/in)	
17443		3,5W	350lm	2700K	≥80	360º		15.000h	Transparent Glass	ø16/0.6”	50/2”	F
17468		3,5W	350lm	2700K	≥80	360º	DIM	15.000h	Transparent Glass	ø16/0.6”	50/2”	F
17444		3,5W	350lm	4000K	≥80	360º		15.000h	Transparent Glass	ø16/0.6”	50/2”	F
17495		4W	470lm	3000K	≥80	360º		15.000h	Transparent Glass	ø14/0.6”	65/2.6”	E
17466		4,5W	450lm	2700K	≥80	360º		15.000h	Transparent Glass	ø16/0.6”	60/2.4”	F

GU10 LED

Ref.		Power	Flux	Color T°	CRI	Beam Angle	Dimm	Useful life	Width	Height	IEE
		(W)	(Lm)	(K)				(H)	(mm/in)	(mm/in)	
17330		7W	500lm	3000K	≥80	38º		15.000h	ø50/2”	55/2.2”	E
17333		5W	440lm	2700K	≥80	60º		15.000h	ø50/2”	50/2”	F
17309		7W	545lm	3000K	≥90	40º		25.000h	ø50/2”	54/2.1”	G
17320		7,5W	604lm	2700K	≥80	60º		25.000h	ø50/2”	54/2.1”	G
17318		8W	563lm	2700K	≥80	38º	DIM	25.000h	ø50/2”	54/2.1”	G
17316		7W	632lm	2700K	≥80	38º		25.000h	ø50/2”	54/2.1”	F
17319		8W	560lm	4000K	≥80	38º	DIM	25.000h	ø50/2”	54/2.1”	G
17321		8W	662lm	4000K	≥80	60º		25.000h	ø50/2”	54/2.1”	F
17335 NEW		5W	450lm	2700K	≥90	38º		15.000h	ø50/2”	50/2”	E
17334		5W	440lm	2700K	≥80	60º		15.000h	ø50/2”	50/2”	F
17337 NEW		5W	450lm	3000K	≥90	38º		15.000h	ø50/2”	50/2”	E
17336 NEW		5W	450lm	3000K	≥90	60º		15.000h	ø50/2”	54/2.1”	E
17331		8W	560lm	2700K	≥80	60º	DIM	25.000h	ø50/2”	54/2.1”	G
17324		8W	629lm	2700K	≥80	60º		25.000h	ø50/2”	54/2.1”	F
17332		8,7W	671lm	4000K	≥80	60º	DIM	25.000h	ø50/2”	54/2.1”	G
17325		7W	610lm	4000K	≥80	25º		25.000h	ø50/2”	54/2.1”	F
17328		7W	560lm	2700K	≥80	120º		15.000h	ø50/2”	55/2.2”	F
17329		7W	560lm	4000K	≥80	120º		15.000h	ø50/2”	55/2.2”	F

MR11 GU10

Ref.		Power (W)	Flux (Lm)	Color T° (K)	CRI	Beam Angle	Dimm	Useful life (H)	Width (mm/in)	Height (mm/in)	IEE
17537 NEW	 MR11	3W	220lm	2700K	≥80	38º		15.000h	ø35/1.4”	47/1.9”	F
17538 NEW	 MR11	3W	230lm	3000K	≥80	38º		15.000h	ø35/1.4”	74/2.9”	F

E14

Ref.		Power (W)	Flux (Lm)	Color T° (K)	CRI	Beam Angle	Dimm	Useful life (H)	Diffuser	Width (mm/in)	Height (mm/in)	IEE
17427	 C35	2W	160lm	2200K	≥80	360º		15.000h	Transparent Glass	ø36/1.4”	100/3.9”	G
17533	 C35	4W	300lm	2200K	>90	360º		15.000h	Opal Glass	ø35/1.4”	100/3.9”	G
17460	 C35	4W	400lm	2700K	≥80	360º		15.000h	Opal Glass	ø35/1.4”	100/3.9”	F
17534	 C35	4W	400lm	3000K	≥90	360º		15.000h	Opal Glass	ø35/1.4”	100/3.9”	F
17413	 G45	2W	160lm	2200K	≥80	360º		15.000h	Amber Glass	ø45/1.8”	78/3.1”	G
17526	 G45	4W	300lm	2200K	≥90	360º		15.000h	Opal Glass	ø45/1.8”	78/3.1”	G
17461	 G45	4W	390lm	2700K	≥80	360º		15.000h	Opal Glass	ø45/1.8”	78/3.1”	F
17527	 G45	4W	400lm	3000K	≥90	360º		15.000h	Opal Glass	ø45/1.8”	78/3.1”	F
17519	 G45	4,5W	400lm	2700K	≥80	360º	DIM	15.000h	Opal Glass	ø45/1.8”	78/3.1”	F
17446	 T26	1W	120lm	2700K	≥80	360º		15.000h	Transparent Glass	ø25/1”	58/2.3”	E

E27 LED

Ref.			Power	Flux	Color T°	CRI	Beam Angle	Dimm	Useful life	Diffuser	Width	Height	IEE
			(W)	(Lm)	(K)				(H)		(mm/in)	(mm/in)	
17420		A60	4W	470lm	2700K	≥80	360º		15.000h	Transparent Glass	ø60/2.4”	102/4”	E
17498		A60	7W	806lm	2700K	≥80	360º	DIM	25.000h	Transparent Glass	ø60/2.4”	102/4”	F
17528		A60	8W	650lm	2200K	≥90	360º		15.000h	Opal Glass	ø60/2.4”	102/4”	G
17463		A60	8W	800lm	2700K	≥90	360º		15.000h	Opal Glass	ø60/2.4”	102/4”	F
17485		A60	8W	850lm	2700K	≥80	360º	DIM	15.000h	Opal Glass	ø60/2.4”	102/4”	F
17529		A60	8W	810lm	3000K	≥90	360º		15.000h	Opal Glass	ø60/2.4”	102/4”	F
17530		A60	8W	820lm	4000K	≥90	360º		15.000h	Opal Glass	ø60/2.4”	102/4”	F
17067		A60	9W	850lm	2700K	≥80	270º	DIM	15.000h	Opal PC	ø60/2.4”	120/4.7”	F
17070		A60	9W	820lm	2700K	≥80	270º		15.000h	Opal PC	ø60/2.4”	110/4.3”	F
17074		A60	9W	820lm	4000K	≥80	270º		15.000h	Opal PC	ø60/2.4”	110/4.3”	F
17426		A60	4W	400lm	2200K	≥80	360º		15.000h	Amber Glass	ø56/2.2”	102/4”	F
17432		A60	5W	440lm	2200K	≥80	360º	DIM	15.000h	Amber Glass	ø60/2.4”	102/4”	F
17496		A60	4W	450lm	2700K	≥80	360º		15.000h	Gloss Gold Glass	ø60/2.4”	102/4”	E
17071		A60	4W	400lm	2700K	≥80	360º	DIM	15.000h	Matt Black Glass	ø60/2.4”	102/4”	F
17073		A60	4W	400lm	2700K	≥80	360º	DIM	15.000h	Mirror Glass	ø60/2.4”	102/4”	F
17417		G45	2W	220lm	2700K	≥80	360º		15.000h	Transparent Glass	ø45/1.8”	75/3”	E
17524		G45	4W	300lm	2200K	≥90	360º		15.000h	Opal Glass	ø45/1.8”	75/3”	G
17541 NEW		G45	4W	280lm	2200K	≥90	360º	DIM	15.000h	Opal Glass	ø45/1.8”	75/3”	G

E27 LED

Ref.		Power	Flux	Color T°	CRI	Beam Angle	Dimm	Useful life	Diffuser	Width	Height	IEE
		(W)	(Lm)	(K)				(H)		(mm/in)	(mm/in)	
17462	 G45	4W	400lm	2700K	≥80	360º		15.000h	Opal Glass	ø45/1.8”	75/3”	F
17525	 G45	4W	400lm	3000K	≥90	360º		15.000h	Opal Glass	ø45/1.8”	75/3”	F
17518	 G45	4,5W	400lm	2700K	≥80	360º	DIM	15.000h	Opal Glass	ø45/1.8”	75/3”	F
17414	 G45	2W	160lm	2200K	≥80	360º		15.000h	Amber Glass	ø45/1.8”	75/3”	G
17493	 G45	4W	300lm	2200K	≥80	360º	DIM	15.000h	Amber Glass	ø45/1.8”	75/3”	G
17415	 G95	4W	470lm	2700K	≥80	360º		15.000h	Transparent Glass	ø95/3.7”	125/4.9”	E
17531	 G95	8W	650lm	2200K	≥90	360º		15.000h	Opal Glass	ø95/3.7”	141/5.6”	G
17464	 G95	8W	800lm	2700K	≥80	360º		15.000h	Opal Glass	ø95/3.7”	141/5.6”	F
17482	 G95	8W	900lm	2700K	≥80	360º	DIM	25.000h	Opal Glass	ø95/3.7”	130/5.1”	F
17532	 G95	8W	810lm	3000K	≥90	360º		15.000h	Opal Glass	ø95/3.7”	141/5.6”	F
17542 NEW	 G95	12W	1200lm	2200K	≥90	360º	DIM	15.000h	White Glass	ø95/3.7”	125/4.9”	F
17543 NEW	 G95	12W	1500lm	2700K	≥90	360º	DIM	15.000h	White Glass	ø95/3.7”	141/5.6”	E
17429	 G95	4W	400lm	2200K	≥80	360º		15.000h	Amber Glass	ø95/3.7”	125/4.9”	F
17072	 G95	4W	400lm	2700K	≥80	360º	DIM	15.000h	Matt Black Glass	ø95/3.7”	125/4.9”	F
17271	 G95	4W	450lm	2700K	≥80	360º		15.000h	Mirror Glass	ø95/3.7”	125/4.9”	E
17478	G120	18W	1850lm	2700K	≥80	270º		15.000h	Opal Glass	ø120/4.7”	158/6.2”	F
17479	G120	18W	1600lm	2700K	≥80	215º	DIM	25.000h	Opal Glass	ø120/4.7”	158/6.2”	F
17423	 G125	4W	470lm	2700K	≥80	360º		15.000h	Transparent Glass	ø125/4.9”	175/6.9”	E

E27 LED

Ref.		Power	Flux	Color T°	CRI	Beam Angle	Dimm	Useful life	Diffuser	Width	Height	IEE
		(W)	(Lm)	(K)				(H)		(mm/in)	(mm/in)	
17425	 G125	4W	400lm	2200K	≥80	360º		15.000h	Amber Glass	ø125/4.9”	175/6.9”	F
17434	 G125	5W	440lm	2200K	≥80	360º	DIM	15.000h	Amber Glass	ø125/4.9”	175/6.9”	F
17422	 ST64	4W	470lm	2700K	≥80	360º		15.000h	Transparent Glass	ø64/2.5”	146/5.7”	E
17428	 ST64	4W	400lm	2200K	≥80	360º		15.000h	Amber Glass	ø64/2.5”	146/5.7”	F
17433	 ST64	5W	440lm	2200K	≥80	360º	DIM	15.000h	Amber Glass	ø64/2.5”	146/5.7”	F
17424	 ST64	5W	612lm	2700K	≥90	360º		15.000h	Amber Glass	ø64/2.5”	146/5.7”	E
17409	 SP64	5W	380lm	2000K	≥80	360º	DIM	15.000h	Amber Glass	ø64/2.5”	146/5.7”	G
17400	 PAR38	10W	850lm	4000K	≥80	60º		30.000h	Opal Glass	ø120/4.7”	134/5.3”	F
17398	 PAR38	11W	1052lm	3000K	≥80	23º		25.000h	Transparent Glass	ø120/4.7”	134/5.3”	F
17477	 R80	12W	1050lm	2700K	≥80	120º		15.000h	Opal PC	ø80/3.1”	110/4.3”	E
17437	 T45	5W	550lm	3000K	≥80	360º		15.000h	Opal Glass	ø45/1.8”	112/4.4”	E

E27 LED SPECIALS

Ref.		Power	Flux	Color T°	CRI	Beam Angle	Dimm	Useful life	Diffuser	Width	Height	IEE
		(W)	(Lm)	(K)				(H)		(mm/in)	(mm/in)	
17445	T30	6W	550lm	2200K	≥80	360º		15.000h	Amber Glass	ø28/1.1”	300/11.8”	F
17447	A160	5W	280lm	2000K	≥80	360º	DIM	25.000h	Amber Glass	ø160/6.3”	300/11.8”	G
17449	BT180	8W	400lm	2000K	≥80	360º	DIM	25.000h	Amber Glass	ø160/6.3”	390/15.4”	G

G4

Ref.		Power	Flux	Color T°	CRI	Beam Angle	Dimm	Useful life	Diffuser	Width	Height	IEE
		(W)	(Lm)	(K)				(H)		(mm/in)	(mm/in)	
17487		1,5W	155lm	3000K	≥80	360º		15.000h	Transparent Glass	ø11/0.4”	41/1.6”	F
17494		1,5W	90lm	3000K	≥80	360º		25.000h	Transparent Glass	ø11/0.4”	33/1.3”	G

R7s LED

Ref.		Power	Flux	Color T°	CRI	Beam Angle	Dimm	Useful life	Diffuser	Width	Height	IEE
		(W)	(Lm)	(K)				(H)		(mm/in)	(mm/in)	
17499		4W	500lm	2700K	≥80	360º		15.000h	Transparent Glass	ø45/1.8”	45/1.8”	F
17503		4W	500lm	4000K	≥80	360º		15.000h	Transparent Glass	ø16/0.6”	78/3.1”	E
17488		5,5W	550lm	2700K	≥80	360º		15.000h	Transparent PC	ø23/0.9”	23/0.9”	F
17497		8W	850lm	2700K	≥80	360º		15.000h	Transparent Glass	ø16/0.6”	16/0.6”	F
17502		8W	850lm	4000K	≥80	360º		15.000h	Transparent Glass	ø16/0.6”	16/0.6”	F


LINESTRA

Ref.			Power	Flux	Color T°	CRI	Beam Angle	Dimm	Useful life	Diffuser	Width	Height	IEE
			(W)	(Lm)	(K)				(H)		(mm/in)	(mm/in)	
17535		L300	5W	430lm	2700K	≥80	270º		15.000h	Opal Glass	ø29/1.1”	29/1.1”	F
17536		L500	7W	608lm	2700K	≥80	270º		15.000h	Opal Glass	ø29/1.1”	29/1.1”	F

GX53

Ref.		Power	Flux	Color T°	CRI	Beam Angle	Dimm	Useful life	Diffuser	Width	Height	IEE
		(W)	(Lm)	(K)				(H)		(mm/in)	(mm/in)	
17340		6W	540lm	3000K	>80	120º		25.000h	Opal PC	ø30/1.2”	76/3”	F

*Items with special discount conditions

LED Bulb GU5.3 PARATHOM MR16		Socket	Power	CRI	Useful life	DIM	Beam	Flux	Color T°
	**97692327**	GU5.3	12W	95	35.000h	✓	8º	575lm	2700K
	97692330		12W	95	35.000h	✓	8º	620lm	3000K
	97692427		12W	95	35.000h	✓	36º	575lm	2700K
	97692430		12W	95	35.000h	✓	36º	620lm	3000K
	97686230		8W	92	40.000h	✓	24º	500lm	3000K
	97686327		8W	92	40.000h	✓	36º	485lm	2700K
	97686330		8W	92	40.000h	✓	36º	500lm	3000K

LED bulb GU10 MASTER LED Spot MV									
	**97685327**	SOCKET GU10	4W	80	15.000h	✓	36º	345lm	2700K
	97685330		5W	80	25.000h	✓	36º	365lm	3000K
	97264		4W	80	15.000h	✓	60º	355lm	2700K
	97404		5W	90	15.000h	✓	60º	375lm	3000K
	97273		5W	97	40.000h	✓	36º	355lm	2700K
	97402		5,5W	97	40.000h	✓	36º	375lm	3000K

LED bulb GU10 PARATHOM GU10									
	**97166**	SOCKET GU10	6W	≥80	15.000h		36º	575lm	2700K
	97291		6W	≥80	15.000h		36º	575lm	3000K
	97292		6W	≥80	15.000h		60º	575lm	3000K
	97403		6W	≥80	15.000h		60º	575lm	2700K

QR111 PARATHOM QR111									
	**97411**	SOCKET G53	15W	97	40.000h	✓	24º	800lm	2700K
	97412		15W	97	40.000h	✓	24º	800lm	3000K
	97413		15W	97	40.000h	✓	40º	800lm	2700K
	97414		15W	97	40.000h	✓	40º	800lm	3000K

PAR30 PARATHOM PAR30									
	97687127	E27	10W	≥80	25.000h	✓	36º	633lm	2700K

DRIVERS


		mA	P	V	units		
FOX 3W	**02101001** **02101002**	350mA	3W	220/240V	1-5 units	on/off	**98310136**
					2-3 units	triac	**98310110LC**
					1-5units	dali	**98310136D**
					2-5 units	casambi	**98310538**
FOX 5W	**02101001** **02101002**	500mA	5W	220/240V	1-4 units	on/off	**98310336**
					2-4 units	triac	**98310321LC**
					1-4 units	dali	**98310336D**
					1-5 units	casambi	**98310538**
FOX TRIMLESS 3W	**02101101** **02101102**	350mA	3W	220/240V	1-5 units	on/off	**98310136**
					2-3 units	triac	**98310110LC**
					1-5units	dali	**98310136D**
					2-5 units	casambi	**98310538**
FOX TRIMLESS 5W	**02101101** **02101102**	500mA	5W	220/240V	1-4 units	on/off	**98310336**
					2-4 units	triac	**98310321LC**
					1-4 units	dali	**98310336D**
					1-5 units	casambi	**98310538**
FOX ORIENTABLE 3W	**02101301** **02101302**	350mA	3W	220/240V	1-5 units	on/off	**98310136**
					2-3 units	triac	**98310110LC**
					1-5units	dali	**98310136D**
					2-5 units	casambi	**98310538**
FOX ORIENTABLE 5W	**02101301** **02101302**	500mA	5W	220/240V	1-4 units	on/off	**98310336**
					2-4 units	triac	**98310321LC**
					1-4 units	dali	**98310336D**
					1-5 units	casambi	**98310538**
FOX 7W	**02101501**	350mA	7W	220/240V	1-2 units	on/off	**98310136**
					1 units	triac	**98310110LC**
					1-2 units	dali	**98310136D**
					2 units	casambi	**98310538**
FOX 10W	**02101601**	500mA	10W	220/240V	1-2 units	on/off	**98310336**
					2 units	triac	**98310321LC**
					1-2 units	dali	**98310336D**
					2 units	casambi	**98310538**
CLEAR 7W	**02100301**	350mA	7W	220/240V	1-2 units	on/off	**98310136**
					1 units	triac	**98310110LC**
					1-2 units	dali	**98310136D**
					1-2 units	casambi	**98310538**
PLAS 1W	**63281** **63283** **63282**	350mA	1W	220/240V	only 1 unit	on/off	**98310103**
					2-3 units	triac	**98310110LC**
					5-15 units	dali	**98310136D**
					5-15 units	casambi	**98310538**
NAIS ORIENTABLE 7W	**02111001** **02111002**	350mA	7W	220/240V	1-2 units	on/off	**98310136**
					1 units	triac	**98310110LC**
					1-2 units	dali	**98310136D**
					2 units	casambi	**98310538**
NAIS 7W	**02121001** **02121002**	350mA	7W	220/240V	1-2 units	on/off	**98310136**
					1 units	triac	**98310110LC**
					1-2 units	dali	**98310136D**
					2 units	casambi	**98310538**
LOX 5W	**43880-43881** **43882-43883** **43884-43885** **43886-43887**	150mA	5W	220/240V	1 units	on/off	**98310637**
					NA	triac	**NA**
					1 units	dali	**98310636D**
					NA	casambi	**NA**
LOX 9W	**43880-43881** **43882-43883** **43884-43885** **43886-43887**	250mA	9W	220/240V	1 units	on/off	**98310512**
					1 units	triac	**98310510C**
					1 units	dali	**98310536D**
					NA	casambi	**NA**
MODULO FARO 7-10W	**18036** **18037** **18038**	150mA	7W	220/240V	1 units	on/off	**98310637**
					NA	triac	NA
					1 units	dali	98310636
					NA	casambi	NA
MODULO FARO 7-10W	**18036** **18037** **18038**	250mA	10W	220/240V	1 units	on/off	**98310512**
					1 units	triac	98310510C
					1 units	dali	98310536D
					NA	casambi	NA
MODULO FARO 15W	**18039** **18040** **18041**	350mA	15W	220/240V	1 units	on/off	**98310136**
					1 units	triac	98310118LC
					1 units	dali	98310136D
					1 units	casambi	98310538

Shades


Wall lamps



2P0111




2P0112






2P0113






2P0211






2P0212





2P0213





2P0411





2P0412






2P0413





2P0311






2P0312






2P0313






2P0615






2P0616






2P0617






2P0710





2P0763



Suspended



2P0141





2P0142





2P0143





2P0645





2P0646






2P0647






2P0710






2P0720






2P0730






2P0765






2P0766






2P0767






2P0768





2P0769





2P0764






Table lamps



2P0121




2P0122





2P0123





2P0221






2P0222






2P0223






2P0421






2P0422






2P0423






2P0311






2P0312






2P0313






2P0625






2P0626






2P0627






2P0720






2P0763



Floor lamps




2P0131






2P0132






2P0133






2P0231






2P0232






2P0233







2P0431






2P0432






2P0433






2P0635






2P0636





2P0637





2P0730





2P0730





2P0730



General terms of sale

EN

The technical information detailed in our catalogue can be modified in order to improve the features or design of our products.
Faro Barcelona keeps the right to cancel or modify any model without prior notice and without any cause for complaints.
The conditions, technical characteristics and prices of the products that appear in this catalogue are the effective ones in the date of impression of the catalogue except for typographical error and are subject to possible changes.
The catalogue prices are public prices.
RATES DO NOT INCLUDE VAT.
Returned goods shall only be accepted, after prior notice being given to LOREFAR, on the grounds of being defective and never on the basis of broken glass or missing parts. In such cases, please contact us so that we can send you the required parts as a matter of urgency.
Exchanges or returns of goods in good condition will not be accepted. In the event of express acceptance by LOREFAR, a 20% charge shall be incurred, on receipt and checking, for depreciation and classification of the goods.

ES

La información referente a nuestros productos puede ser modificada con el fin de mejorar las características técnicas o de diseño.
Faro Barcelona se reserva el derecho de anular o modificar cualquier modelo sin previo aviso y sin que sea motivo de reclamaciones.
Las condiciones, características y precios de los productos que aparecen en este catálogo son los vigentes en la fecha de impresión del catálogo salvo error tipográfico y están sujetos a posibles modificaciones, la versión digital siempre prevalece.
Los precios mostrados son precios de venta al público (PVP).
IVA NO INCLUIDO EN TARIFA
Previa comunicación a Lorefar sólo se aceptará la mercancía devuelta por defectuosa, nunca por cristales rotos o falta de algún componente. En estos casos rogamos se pongan en contacto con nosotros para enviarles urgentemente las piezas requeridas.
No se admitirán cambios ni devoluciones de mercancía en buen estado. En caso de aceptación explícita por parte de Lorefar, a su recepción y comprobación se emitirá un cargo del 20% en concepto de depreciación y clasificación de la mercancía.

FR

L'information qui se réfère à nos produits peut être modifiée afin d'améliorer les caractéristiques technique ou de design.
Faro Barcelona se réserve le droit d'annuler ou de modifier n'importe quel modèle sans préavis et sans que cela soit motif de réclamations.
Les conditions, caractéristiques et prix des produits qui apparaissent dans ce catalogue sont celles en vigueur à la date d'impression du catalogue sauf erreur typographique et sont susceptible d'être modifiées ultérieurement.
Les prix du catalogue son les prix de vente public .
IVA NON COMPRISE DANS LE TARIF.
Seule sera acceptée en retour la marchandise défectueuse, et ce après communication à LOREFAR. LOREFAR n'acceptera jamais de retour pour du verre brisé ou pour l'absence d'un composant quelconque. Dans ces derniers cas, nous vous prions de vous mettre en contact avec nous afin que nous vous fassions parvenir dans les plus brefs délais les pièces nécessaires. La marchandise en bon état ne sera ni reprise ni échangée. En cas d'acceptation explicite de sa part, LOREFAR retiendra 20% au titre de la dépréciation et de la classification du produit.

ITA

La informazione che si riferisce ai nostri articoli puó essere soggetta a modifiche con il fine du migliorare le caratteristiche, tecniche o di desgin, dei nostri prodotti. Faro Barcelona si reserva il diritto di annullare o modificare qualsiasi modello senza previo avviso e senza che sia motivo di reclami.
Le condizioni, caratteristiche e prezzi dei prodotti che compaiono in questo catalogo sono quelli vigenti alla data della stampa del catalogo ad eccezione di errori tipografici e sono soggetti a possibili modificazioni.
I prezzi indicati sono prezzi di vendita al pubblico.
IVA NON INCLUSA IN LISTINO.
LOREFAR accetta previa comunicazione, solo la merce restituita perché difettosa; in nessun caso accetterà la merce restituita per presenza di verti rotti o per mancanza di qualche componente. In questi casi vi preghiamo di contattarci per potervi mandare al più presto i pezzi richiesti.
Non si effettuano cambi né si ammettono restituzioni di merci in buono stato. In caso di accettazione esplicita da parte di LOREFAR, al momento del ricevimento e della verifica della merce si emetterà un addebito del 20% a titolo di deprezzamento e classificazione.

PT

A informação referente aos nossos produtos pode ser modificada com o fim de melhorar as características técnicas ou de desenho.
A Faro Barcelona reserva-se o direito de anular ou modificar qualquer modelo sem aviso prévio e sem que seja motivo de reclamações.
As condições, características e preços dos produtos que aparecem neste catálogo são os vigentes na data de impressão do catálogo salvo erro tipográfico e estão sujeitos a possíveis modificações. Os preços mostrados são preços de venda ao público (PVP).
IVA NÃO INCLUÍDO NA LISTA DE PREÇOS
Mediante comunicação prévia à Lorefar, apenas se aceitará a mercadoria devolvida por defeito, nunca por vidros partidos ou falta de algum componente. Nestes casos pedimos que entrem em contacto connosco para lhes enviarmos urgentemente as peças requeridas.
Não serão admitidas alterações nem devoluções de mercadoria em bom estado. Em caso de aceitação explícita por parte da Lorefar, na sua recepção e comprovação emitir-se-á um débito de 20% a título de depreciação e classificação da mercadoria.

GER

Die Information über unsere Produkte kann im Zusammenhang mit den Verbesserungen ihrer technischen Eigenschaften und ihres Designs jederzeit geändert werden.
Faro Barcelona behält sich das Recht vor, seine Modelle jederzeit und ohne vorherige Ankündigung vom Markt zu nehmen, ohne dass sich daraus ein Anrecht auf Beschwerden ableiten könnte.
Die Bedingungen, Eigenschaften und Preise der Produkte in diesem Katalog gelten zum Datum der Drucklegung des Katalogs vorbehaltlich Druckfehler und können jederzeit geändert werden. Diese Preise gelten für den Direktverkauf an den Kunden.
DIE MEHRWERTSTEUER IST NICHT IN DEN PREISEN EINGESCHLOSSEN
Nach vorheriger Kommunikation kann Lorefar die Rücklieferung von schadhafter Ware akzeptieren, jedoch niemals wegen beschädigten Glasteilen oder fehlenden Komponenten. In letzteren Fällen setzen Sie sich bitte zwecks schneller Zusendung der notwendigen Teile in Verbindung.
Wir tauschen keine Waren in gutem Zustand um oder nehmen sie zurück. Bei ausdrücklicher Annahme durch Lorefar nach Erhalt und Überprüfung stellen wir Ihnen 20% des Preises für Wertverminderung und Handhabung der Ware in Rechnung.

NL

De informatie over onze producten kan gewijzigd worden met als doel de technische eigenschappen of het design te verbeteren.
Faro Barcelona behoudt zich het recht voor onaangekondigd modellen te schrappen of te wijzigen en zonder dat dit aanleiding tot een klacht vormt.
De voorwaarden, eigenschappen en prijzen van de producten in deze catalogus zijn geldig op het moment van druk van de catalogus tenzij sprake is van een drukfout. Zij zijn onderhevig aan mogelijke wijzigingen. De getoonde prijzen betreffen verkoopprijzen.
Btw NIET BIJ DE PRIJS INBEGREPEN
Lorefar aanvaardt uitlsuitend defecte teruggezonden goederen nadat zij hierover van tevoren op de hoogte is gesteld. Dit geldt niet voor gebroken glas of het ontbreken van onderdelen. In deze gevallen wordt u verzocht met ons contact op te nemen zodat wij u zo snel mogelijk de gewenste onderdelen kunnen toezenden.
Ruilen of terugsturen van goederen in correcte staat is niet toegestaan. In geval van uitdrukkelijke aanvaarding door Lorefar wordt bij ontvangst en controle een heffing van 20% voor waardevermindering en classificatie van de goederen toegepast.

GRK

Οι πληροφορίες σχετικά με τα προϊόντα μας ενδέχεται να τροποποιηθούν με στόχο τη βελτίωση των τεχνικών χαρακτηριστικών ή του σχεδίου.
Η Faro Barcelona διατηρεί το δικαίωμα ακύρωσης ή τροποποίησης οποιουδήποτε μοντέλου χωρίς προηγούμενη προειδοποίηση και χωρίς αυτό να αποτελεί αιτία απαίτησης επιστροφής χρημάτων.
Οι όροι, τα χαρακτηριστικά και οι τιμές των προϊόντων που παρουσιάζονται σε αυτόν τον κατάλογο είναι αυτά που ισχύουν κατά την ημερομηνία της εκτύπωσης του καταλόγου, εκτός τυπογραφικών λαθών, και υπόκεινται σε αλλαγές.
Ο ΦΠΑ ΔΕΝ ΣΥΜΠΕΡΙΛΑΜΒΑΝΕΤΑΙ ΣΤΗΝ ΤΙΜΗ
Μετά από συνεννόηση με τη Lorefar, γίνονται αποδεκτές επιστροφές μόνο αν πρόκειται για ελαττωματικά εμπορεύματα και όχι για θραύση κρυστάλλων ή απουσία κάποιου στοιχείου. Στις περιπτώσεις αυτές, παρακαλούμε να έρθετε σε επαφή μαζί μας για να σας στείλουμε επειγόντως τα απαιτούμενα μέρη.

RUS

Информация относящаяся к нашей продукции может быть модифицирована с целью улучшить технические или внешние характеристики.
Faro Barcelona сохраняет за собой право аннулировать или модифицировать любую модель без предупреждения и без того что это послужит причиной для жалоб.
Условия, характеристики и цены на изделия, указанные в данном каталоге, действительны на дату его выпуска, за исключением опечаток в каталоге, и могут быть изменены. В каталоге указаны розничные цены.
БЕЗ УЧЕТА НДС
В соответствии с правилами, компания Lorefar принимает возврат изделий только при наличии дефектов, но ни в коем случае не при разбитии стекла или отсутствии какой-либо детали. В таком случае, пожалуйста, свяжитесь с нами, чтобы мы отправили вам необходимые детали. Товар в рабочем состоянии не подлежит обмену или возврату. В случае подтверждения компанией Lorefar наличия дефектов, после возврата и проверки, начисляется 20% стоимости с учетом амортизации и классификации товаров.

CZ

Technické informace uvedené v katalogu mohou být modifikovány za účelem zdokonalování vlastností svítidel nebo jejich designu.
Producent Faro Barcelona si vyhrazuje právo konstrukčních změn nabízených modelů bez předcházejícího oznámení a tato skutečnost nemůže být předmětem jakékoliv stížnosti či reklamace.
Podmínky, technické specifikace a ceny produktů uvedené v katalogu jsou platné ke dni vydání katalogu. Producent si vyhrazuje právo konstrukčních změn nabízených modelů, pokud tyto nepovedou k zásadním změnám charakteru výrobků. Informace z tohoto katalogu postrádají platnosti v den vydání katalogu nového.
VŠECHNY CENY JSOU UVEDENY BEZ DPH.,
Zboží může být vráceno pouze po předchozím souhlasu od sPOLEčnosti PAXI, na základě poruchy nebo vady ovšem nikdy na základě poškozeného skla nebo chybějícího dílu. V takových případech nás, prosím, kontaktujte, abychom
Vám mohli požadované části svítidel urgentně zaslat. Výměny nebo vracení zboží v dobrém technickém stavu je nepřijatelné.

BL

Техническата информация, представена в нашият каталог , може да бъде променяна с цел да подобри представянето или дизайна на продуктите.
Фаро Барселона си запазва правото да отменя или променя всеки модел без предварително осведомяване и без това да се счита причина за оплаквания.
Условията, техническите характеристики и цените на продуктите показани в този каталог са ефективни към датата на отпечатването на каталога, с изключение на грешки при отпечатване и са обект на възможни промени.
Цените в каталога са публичните цени.
ЦЕНИТЕ НЕ ВКЛЮЧВАТ ДДС.
Връщане на закупена стока ще да бъдат приета единствено след писмено осведомяване на ЛОРЕФАР на основание дефекти и в никакъв случай на основание счупено стъкло или липсващи части. В такива случаи моля свържете те с нас, за да ви изпратим липсващите части по спешност.
Размяна или връщане на стока в добро състояние няма да бъде извършвана. В случай на спешно приемане от ЛОРЕФАР 20 % такса ще бъде наложена за приемане и проверка, за обезценяване и класификация на продуктите.

PL

Informacje techniczne wyszczególnione w naszym katalogu mogą być modyfikowane w celu poprawienia właściwości lub wzornictwa produktów.
Faro Barcelona ma prawo do anulowania i modyfikowania każdego z modeli bez uprzedniego infomowania i nie przyjmuje skarg z tego tytułu.
Warunki, opis techniczny oraz ceny artykułów , które pojawiają się w katalogu są aktualne do czasu przedruku katalogu za wyjątkiem pomyłek w druku, które podlegają ewentualnej zmianie. Ceny w katalogu są cenami publicznymi.
CENY NIE ZAWIERAJĄ STAWKI VAT.
Ewentualne zwroty mogą być zaakceptowane po uprzedniej zgodzie przez Lorefar na podstawie stwierdzenia , że są wadliwe, nigdy nie przyjmowane są zwroty artykułów, z powodu stłuczenia szkła czy brakujących części, w tym przypadku prosimy o kontakt w celu wysłania potrzebnych części w trybie natychmiastowym.
Wymiany lub zwroty artykułów w dobrym stanie nie będą zaakceptowane. W przypadku wyraźnej akceptacji przez Lorefar, 20% opłaty może być poniesione na otrzymanie i sprawdzenie, w celu sklasyfikowania uszkodzenia artykułu.

Ref.	Pag.
01001	524
01004	366
01006	366
01007A	50
01009A	364
01014A	364
01016	38
01017	38
01025A	50
01026A	364
01027A	364
01040	522
01041	522
01046	64
02100501	566
02100502	566
02100503	566
02100601	570
02100602	570
02100603	570
02100701	568
02100702	568
02100801	582
02100901	582
02101001	552
02101002	552
02101101	552
02101102	552
02101301	554
02101302	554
02101401	570
02101402	570
02101501	554
02101601	554
02111001	560
02111002	560
02121001	560
02121002	560
02200501	566
02200502	566
02200503	566
02300101	568
02400101N	570
02400102	570
20026	148
20029	148
20030	148
20031-122	340
20031-123	340
20031-80	342
20031-81	342
20031-88	430
20032-122	340
20032-123	340
20032-80	342
20032-81	342
20032-88	430
20033-122	88
20033-123	88
20033-133	90
20033-134	90
20033-135	90
20033-80	98
20033-81	98
20034-122	88
20034-123	88
20034-133	90
20034-134	90
20034-135	90
20034-80	98
20034-81	98
20034-88	142
20040-122	372
20040-123	372
20040-133	370
20040-134	370
20040-135	370
20042-122	372
20042-123	372
20042-133	370
20042-134	370
20042-135	370
20047	272
20048	272
20049	360
20050	226
20050-3L	282
20050-5L	282
20050-7L	282
20051	272
20052	446
20053	446
20054	136
20055	136
20056	60
20057	60
20058	396
20059	396
20060	398
20062	398
20063	398
20064	398
20065	396
20066	396
20069	44
20075	100
20076	100
20077	348
20079	272
20092	312
20093	312
20094	312
20095	312
20116	264
20117	264
20118	264
20119	264
20120	264
20121	264
20122	264
20123	264
20124	264
20125	264
20126	264
20127	264
20128	264
20129	264
20130	264
20131	264
20160	214
20160-3L	284
20160-5L	284
20160-7L	284
20161	214
20161-3L	284
20161-5L	284
20161-7L	284
20164-95	62
20164-96	62
20165-95	378
20165-96	378
20166-95	214
20166-96	214
20167	378
20168	378
20169	214
20170-01	436
20170-02	436
20170-03	436
20171-01	436
20171-02	436
20171-03	436
20173-01	436
20173-02	436
20173-03	436
20208	34
20209	34
20210	34
20221-129	416
20221-150	416
20222-150	416
20223-129	416
20223-150	416
20224-150	416
20225-130	120
20225-151	120
20226-151	120
20227-131	120
20227-152	120
20228-152	120
20229-132	262
20229-153	262
20231-132	262
20231-153	262
20300-92	420
20301-93	420
20301-94	420
20302-92	420
20303-93	420
20303-94	420
20304-82	130
20305-83	130
20305-84	130
20306-85	130
20307-86	130
20307-87	130
20308-89	254
20309-90	254
20309-91	254
20325	42
20326	42
20327	408
20328	409
20329	188
20335-116	334
20335-117	334
20335-140	334
20335-141	334
20335-142	334
20335-143	334
20335-144	334
20336-119	82
20336-120	79
20336-145	82
20336-146	82
20336-147	82
20336-148	82
20336-149	82
20337-116	78
20337-117	80
20337-140	80
20337-141	80
20337-142	80
20337-143	80
20337-144	80
20338-116	202
20338-117	202
20338-119	204
20338-120	204
20338-140	202
20338-141	202
20338-142	202
20338-143	202
20338-144	202
20338-145	204
20338-146	204
20338-147	204
20338-148	204
20338-149	204
20339-116	198
20339-117	198
20339-119	200
20339-120	200
20339-140	198
20339-141	198
20339-142	198
20339-143	198
20339-144	198
20339-145	200
20339-146	200

Ref.	Pag.
20339-147	200
20339-148	200
20339-149	200
20340-116-3L	284
20340-116-5L	284
20340-116-7L	284
20340-117-3L	284
20340-117-5L	284
20340-117-7L	284
20340-119-3L	284
20340-119-5L	284
20340-119-7L	284
20340-120-3L	284
20340-120-5L	284
20340-120-7L	284
20340-140-3L	284
20340-140-5L	284
20340-140-7L	284
20340-141-3L	284
20340-141-5L	284
20340-141-7L	284
20340-142-3L	284
20340-142-5L	284
20340-142-7L	284
20340-143-3L	284
20340-143-5L	284
20340-143-7L	284
20340-144-3L	284
20340-144-5L	284
20340-144-7L	284
20340-145-3L	285
20340-145-5L	285
20340-145-7L	285
20340-146-3L	285
20340-146-5L	285
20340-146-7L	285
20340-147-3L	285
20340-147-5L	285
20340-147-7L	285
20340-148-3L	285
20340-148-5L	285
20340-148-7L	285
20340-149-3L	285
20340-149-5L	285
20340-149-7L	285
20342-116	368
20342-117	368
20342-140	368
20342-141	368
20342-142	368
20342-143	368
20342-144	368
20343-116-5L	268
20343-117-5L	268
20343-119-5L	270
20343-120-5L	270
20343-140-5L	268
20343-141-5L	268
20343-142-5L	268
20343-143-5L	268
20343-144-5L	268
20343-145-5L	270
20343-146-5L	270
20343-147-5L	270
20343-148-5L	270
20343-149-5L	270
20400	182
20401	182
20402	182
20403	184
20404	184
20405	184
20406	186
20407	186
20408	186
20500	332
20501	332
20502	332
20508-136	332
20509-137	332
20510-138	332
20512-136	75
20513-137	76
20514-138	76
20516-136	76
20517-137	74
20518-138	76
20546	158
22005	230
22006	230
22007	230
22008	230
22011	230
22012	230
22013	230
22014	230
22017	230
22018	230
22019	230
22020	230
22023	218
22024	218
22025	218
22028	232
22029	232
22032	232
22033	232
23001-57	108
23001-58	108
23002-57	108
23002-58	108
23003-59	110
23003-60	110
23004-57	428
23004-58	428
23065	108
23066	108
24005-10	432
24005-11	432
24005-12	432
24006-10	432
24006-11	432
24006-12	432
24007-10	432
24007-11	432
24007-12	432
24015	400
24016	400
24020-31	122
24020-32	122
24023-33	122
24023-34	122
24033-01	448
24033-02	448
24033-03	448
24034-04	128
24034-05	128
24037-07	128
24037-08	128
24037-09	128
24521	64
24528	376
24531	58
24536	58
28200	346
28202	150
28209	222
28209-1L	274
28209-2L	274
28209-3L	276
28209-4L	276
28209-5L	278
28210	222
28210-1L	274
28210-2L	274
28210-3L	276
28210-4L	276
28210-5L	278
28211	52
28212	52
28251	96
28252	95
28253	96
28254	96
28255	96
28256	96
28257	338
28258	338
28259	338
28260	206
28261	206
28262	206
28263	206
28264	206
28265	206
28266	208
28267	208
28268	208
28269	96
28270	96
28271	96
28272	94
28274	338
28275	338
28277	206
28278	206
28279	206
28280	206
28281	208
28282	208
28283	206
28284	206
28285	206
28286	206
28287	206
28299	512
28300	196
28301	196
28302	196
28350	46
28351	46
28352	46
28370	118
28371	118
28373	278
28374	278
28375	222
28375-1L	274
28375-2L	274
28375-3L	276
28375-4L	276
28375-5L	278
28376	222
28376-1L	274
28376-2L	274
28376-3L	276
28376-4L	276
28376-5L	278
28378	52
28379	52
28380	56
28382	56
28383	56
28385	56
28387	46
28388	46
28398	240
28399	240
28413	444
28430	48
28431	48
29039	361
29040	361
29043	457
29047	104
29049	104

Ref.	Pag.
29306	504
29309	254
29310	504
29311	140
29312	140
29313	254
29326	444
29328	444
29329	444
29330	444
29331	444
29332	146
29333	146
29335	146
29336	146
29395	428
29396	376
29397	242
29398	112
29399	112
29468	240
29565	428
29566	376
29567	242
29568	112
29569	112
29680-19	434
29680-20	434
29680-21	434
29681-19	434
29681-20	434
29681-21	434
29683-19	434
29683-20	434
29683-21	434
29685-04	132
29685-05	132
29685-06	132
29687-07	132
29687-08	132
29687-09	132
29690	516
29691	224
29692D	106
29693D	106
29694	224
29695	516
29696	224
29697	106
29698	106
29699	224
29764	66
29844	504
29846	114
29847	114
29848	266
29849	266
29864	254
29865	254
29866	144
29867	144
29868	144
29869	144
29873	454
29874	454
29875	454
29876	454
29877	298
29878	298
29881	102
29882	102
29883	102
29884	102
29897	454
29898	102
29899	102
29910	412
29911	412
29912	414
29913	70
29914	70
29915	72
29916	192
29917	192
29918	194
29974	440
29975	440
29976	440
29979	138
29980	442
29981	442
29982	442
29983	442
29984	138
29985	138
29986	258
29997	142
40065	48
40070	374
40076	534
40077	310
40078	228
40085	530
40086	530
40087	530
40088	530
40090	516
40091	516
40092	516
40093	516
40095	514
40096	514
40097	514
40098	514
40099	514
40102	362
40103	362
40104	362
40110	572
40111	572
40112	574
40113	574
40114	572
40115	572
40116	574
40117	574
40118	572
40119	572
40120	574
40121	574
40122	575
40123	575
40124	575
40125	575
40126	575
40127	575
40135	352
40136N	352
40522	468
40523	468
40524	468
40525	468
40526	469
40527	469
40528	469
40529	469
40530	470
40531	470
40532	466
40533	470
40534	471
40535	471
40536	471
40537	471
40538	468
40539	468
40540	468
40541	468
40542	469
40543	469
40544	469
40545	469
40546	470
40547	470
40548	470
40549	470
40565	471
40566	471
40567	471
40568	467
40660	456
40661	456
40663	456
40664	456
40667	456
40994	400
40996	400
41019	400
41020	400
41025NA	402
41026	406
41029	404
41030	404
41031	404
41032	404
42919	592
42931	592
43396	576
43397	576
43398	576
43399	580
43400	580
43401	578
43402	578
43403	578
43404	588
43405	588
43406	576
43407	576
43408	576
43409	580
43410	580
43411	578
43412	578
43413	578
43420	588
43421	588
43425	584
43426	584
43427	584
43428	584
43429	586
43430	586
43431	586
43432	586
43500	457
43502	457
43521	361
43522	361
43525	458
43527	458
43528	458
43531	298
43534	298
43600	388
43601	388
43720	602
43721	602
43722	292
43723	292
43724	602
43725	602
43726	292
43727	292
43728	294
43729	294
43730	294
43731	294
43732	294
43740	452

Ref.	Pag.
43741	452
43742	452
43743	452
43744	452
43745	452
43746	300
43747	300
43748	472
43749	472
43750	472
43751	472
43752	294
43753	294
43754	236
43755	236
43756	236
43757	602
43758	300
43759	472
43760	472
43761	294
43762	292
43763	292
43764	300
43765	472
43766	472
43767	358
43768	358
43770	602
43771	602
43772	292
43773	292
43776	300
43777	292
43778	472
43779	472
43790	296
43791	296
43792	356
43793	356
43794	604
43795	604
43796	92
43797	92
43798	92
43799	92
43800	296
43806	600
43807	600
43810	294
43811	294
43814	290
43815	290
43816	290
43817	290
43822	358
43823	358
43824	290
43825	290
43826	290
43880	550
43881	550
43882	550
43883	550
43884	550
43885	550
43886	550
43887	550
43901	558
43902	558
43903	558
43904	558
43905	558
43906	558
43907	558
43908	558
44001	556
44002	556
44003	590
44004	590
44005	590
44006	590
44007	590
44008	590
44100	564
44101	564
44102	564
44103	564
44104	565
44105	565
44106	565
44107	565
44108	562
44109	562
44110	562
44111	562
44112	563
44113	563
44114	563
44115	563
51129	166
51133	166
51135	166
51908	156
51909	156
51910	156
52057	154
52058	154
52059	166
52061	166
52064	154
52065	154
52071	156
53415	152
53416	152
56100	162
56101	162
56102	162
56103	162
57211-01	62
57211-03	62
57211-04	62
57300	346
57301	346
57312	150
57313	150
57314	150
57315	164
57316	164
57317	164
57318	374
57319	374
57320	374
57402	360
57403	360
60006	528
60007	528
60008	528
60009	528
60010	532
60011	532
60012	220
60013	220
61080	526
61081	526
61082	526
61083	526
61084	526
61085	526
61086	526
61087	526
61088	526
61101	210
61103	210
61104	210
61105	210
61117	210
62104	390
62105	464
62108	464
62111	392
62114	392
62115	350
62116	390
62116N	390
62117	390
62117N	390
62118	390
62120	390
62121	390
62122	392
62123	392
62126	392
62128	392
62129	392
62130	354
62131	354
62132	316
62133	316
62134	316
62135	316
62139	220
62140	316
62142	316
62143	316
62144	316
62145	316
62146	316
62150	518
62151	518
62152	518
62153	518
62154	518
62155	518
62156	52
62157	52
62161	350
62162	350
62163	350
62164	350
62168	52
62169	52
62170	518
62171	518
62172	518
62173-50	508
62173-51	508
62173-69	510
62173-78	510
62174-50	508
62174-51	508
62174-69	510
62174-78	510
62300	520
62301	520
62302	520
62303	520
62350	394
62351	394
62353	394
62355	354
62356	354
62360	344
62361	344
62703	406
62704	406
62706	450
62707	394
62708	394
62710	394
62711	394
62716	460
62717	460
62718	460
62724	460
62725	460
62726	460
62730	380
62731	380
62732	380

Ref.	Pag.
62734	380
62735	380
62736	380
62750	382
62751	382
62752	382
62753	386
62754	386
62755	386
62756	386
62757	386
62758	386
62760	384
62761	384
62762	384
62763	384
62765	382
62802	226
62802-3L	283
62802-5L	283
62802-7L	283
62803	226
62803-3L	283
62803-5L	283
62803-7L	283
62819	474
62820	474
62821	474
62822	474
62830	530
62831	530
62832	542
62833	542
62834	542
62835	542
62836	542
62837	542
62966	328
62969	329
62980	328
62981	328
62983	329
62986	506
62987	506
62988	450
63167	462
63173	488
63174	488
63175	488
63176	490
63177	490
63184	494
63225	494
63268	304
63269	304
63270	308
63271	308
63275	308
63278	486
63279	492
63281	596
63282	596
63283	596
63284	486
63285	492
63286	588
63291	326
63311	494
63312	494
63316	546
63317	546
63318	546
63319	546
63404	326
63408	320
63410	320
63420	484
63421	484
63422	484
63425	594
63428	476
63429	478
63430	478
63435	480
63436	482
63480	492
63481	594
63490	594
63491	594
63503	532
63504	534
63505	534
63506	534
63507	540
63508	540
63509	540
63510	534
63512	540
63513	540
63514	540
63520	538
63521	538
63522	538
63523	538
63546	536
63547	536
63548	536
63549	536
63550	536
63551	536
63552	536
63553	536
63554	536
63555	536
63556	536
63557	536
63558	536
63559	536
63600	544
63601	544
63602	544
63603	544
63604	544
63605	544
64026	462
64027	520
64030	352
64096	318
64097	318
64099	238
64133	226
64133-3L	283
64133-5L	283
64133-7L	283
64135-3L	283
64135-5L	283
64135-7L	283
64137	228
64137-3L	283
64137-5L	283
64137-7L	283
64160	234
64162	234
64169	166
64172	220
64174	256
64188	326
64188N	326
64210A	602
64211A	602
64212A	602
64213A	602
64214A	602
64215A	602
64223	236
64231	287
64232	287
64250	318
64251	318
64255	212
64255-111-3L	285
64255-111-5L	285
64255-111-7L	285
64255-112-3L	285
64255-112-5L	285
64255-112-7L	285
64255-113-3L	285
64255-113-5L	285
64255-113-7L	285
64255-114-3L	285
64255-114-5L	285
64255-114-7L	285
64255-115-3L	285
64255-115-5L	285
64255-115-7L	285
64255-124	212
64255-124-3L	285
64255-124-5L	285
64255-124-7L	285
64255-125	212
64255-125-3L	285
64255-125-5L	285
64255-125-7L	285
64255-126	212
64255-126-3L	285
64255-126-5L	285
64255-126-7L	285
64255-127	212
64255-127-3L	285
64255-127-5L	285
64255-127-7L	285
64255-128	212
64255-128-3L	285
64255-128-5L	285
64255-128-7L	285
64256	212
64257	212
64258	212
64259	212
64262	238
64263	238
64270	336
64271	336
64272	336
64273	336
64274	336
64275-111	84
64275-112	86
64275-113	86
64275-114	86
64275-115	86
64276-111	86
64276-112	86
64276-113	85
64276-114	86
64276-115	86
64277	314
64278	314
64279	314
64280	314
64281	314
64282	314
64303	438
64304	438
64305	438
64306-01	422
64306-02	422
64306-35	418
64306-36	418
64306-37	418
64307-03	422
64307-35	418
64307-36	418
64307-37	418
64307-47	426
64307-71	424
64308-01	422
64308-02	422
64308-35	418
64308-36	418
64308-37	418
64309-03	422
64309-35	418
64309-36	418

Ref.	Pag.
64309-37	418
64309-47	426
64309-71	424
64310-04	126
64310-05	126
64310-38	124
64310-39	124
64310-40	124
64311-06	126
64311-38	124
64311-39	124
64311-40	124
64311-48	116
64312-07	126
64312-08	126
64312-41	124
64312-42	124
64312-43	124
64313-09	126
64313-41	124
64313-42	124
64313-43	124
64313-49	116
64314-44	260
64314-44-3L	282
64314-44-5L	282
64314-44-7L	282
64314-45	260
64314-45-3L	282
64314-45-5L	282
64314-45-7L	282
64314-46	260
64314-46-3L	282
64314-46-5L	282
64314-46-7L	282
64314-47	252
64314-47-3L	281
64314-47-5L	281
64314-47-7L	281
64314-48	252
64314-48-3L	281
64314-48-5L	281
64314-48-7L	281
64314-49	252
64314-49-3L	281
64314-49-5L	281
64314-49-7L	281
64314-54	258
64314-54-3L	282
64314-54-5L	282
64314-54-7L	282
64314-55	258
64314-55-3L	282
64314-55-5L	282
64314-55-7L	282
64314-56	258
64314-56-3L	282
64314-56-5L	282
64314-56-7L	282
64315-44	260
64315-45	260
64315-46	260
64315-47	252
64315-48	252
64315-49	252
64315-54	258
64315-55	258
64315-56	258
64316-01	126
64316-02	126
64316-35	124
64316-36	124
64316-37	124
64317-03	126
64317-35	124
64317-36	124
64317-37	124
64317-47	116
64317-71	54
64318	402
64319	402
64329-154	260
64330-154	260
64331-132	286
64331-153	286
64331-154	286
64332-132	282
64332-153	282
64332-154	282
64400-10	430
64400-11	430
64400-12	430
64602-111	178
64701	170
65134	228
65134-72	248
65134-73	250
65134-74	250
65134-75	250
65134-76	248
65134-77	248
65137	308
66400-101	496
66400-102	496
66400-105	496
66400-106	496
66400-97	496
66400-98	496
66401-100	498
66401-103	498
66401-104	498
66401-107	499
66401-108	499
66401-109	499
66401-110	499
66401-99	498
66403	502
66404	502
66405	500
66406	500
66407	500
66408	500
66409	500
66410	500
66411	502
66412	502
66413	503
66414	503
66415	503
66416	503
68145	218
68145-3L	283
68145-5L	283
68145-7L	283
68146	218
68146-3L	283
68146-5L	283
68146-7L	283
68283	256
68284	256
68298	322
68317	322
68461	240
68462	66
68463	66
68467N	388
68468N	388
68488	134
68489	134
68493-01	448
68493-02	448
68493-03	448
68496	448
68497	394
68498	448
68499	394
68500	54
68501	54
68508	394
68509	394
68563	240
68590-69	246
68590-70	246
68591-1L	216
68591-3L	281
68591-5L	281
68591-7L	281
68592-1L	216
68592-3L	281
68592-5L	281
68592-7L	281
68593-1L	216
68593-3L	281
68593-5L	281
68593-7L	281
68594-1L	216
68594-3L	281
68594-5L	281
68594-7L	281
68595-1L	216
68595-3L	281
68595-5L	281
68595-7L	281
68596-1L	216
68596-3L	281
68596-5L	281
68596-7L	281
68597-1L	216
68597-3L	281
68597-5L	281
68597-7L	281
68600-50	244
68600-51	244
68602	287
68604-44	286
68604-45	286
68604-46	286
68604-47	286
68604-48	286
68604-49	286
68604-54	286
68604-55	286
68604-56	286
68604-62	286
68604-63	286
68604-64	286
68604-65	286
68604-66	286
68604-67	286
68604-68	286
68610	310
68611	310
68615	306
68616	306
68617	306
68618	306
68619	302
68620	302
68621	302
68622	302
68623	302
68624	302
68625	324
68626	324
68627	324
68628	324
74465	36

Alphabetical index

Academy	*Table*	150
Academy	*Wall*	346
Aina	*Ceiling*	256
Aire	*Ceiling*	186
Akane	*Table*	118
Amelia	*Ceiling*	310
Amelia	*Table*	48
Anna	*Ceiling*	232
Anouk	*Table*	152
Argón	*Ceiling*	578
Aris	*Ceiling*	324
Art	*Ceiling*	283
Artis	*Floor*	134
Artis	*Table*	134
Artis	*Wall*	448
Aurea	*Wall*	350
Baobab	*Table*	156
Bel	*Wall*	404
Bela	*Clip-on*	162
Berni	*Floor*	146
Berni	*Table*	146
Berni	*Wall*	444
Bianca	*Wall*	534
Bic	*Ceiling*	320
Black	*Floor*	66
Board	*Wall*	522
Boc	*Wall*	394
Boken	*Wall*	404
Brume	*Ceiling*	310
Brume	*Wall*	534
Buddy	*Table*	34
Calma	*Wall*	536
Cata	*Ceiling*	188
Cata	*Table*	42
Cata	*Wall*	408
Celia	*Wall*	374
Charlotte	*Ceiling*	240
Chera	*Wall*	488
Claire	*Ceiling*	226
Click	*Wall*	388
Coco	*Wall*	456
Cocotte	*Ceiling*	318
Confetti	*Ceiling*	244
Confetti	*Wall*	508
Conga	*Ceiling*	258
Conga	*Floor*	126
Conga	*Table*	126
Conga	*Wall*	422
Corb	*Wall*	352
Costas	*Ceiling*	246
Costas	*Wall*	510
Cotton	*Wall*	502
Cove	*Wall*	492
Crater	*Ceiling*	240
Cronos	*Wall*	382
Danka	*Ceiling*	236
Dante	*Wall*	380
Danubio	*Wall*	544
Diana	*Ceiling*	230
Diula	*Wall*	506
Dolme	*Ceiling*	318
Dome	*Ceiling*	192
Dome	*Floor*	72
Dome	*Table*	70
Dome	*Wall*	414
Dominica	*Floor*	88
Dominica	*Table*	88
Dominica	*Wall*	340
Dop	*Ceiling*	590
Drum	*Floor*	122
Drum	*Table*	122
Duas	*Wall*	388
Eaco	*Wall*	490
Ebba	*Ceiling*	592
Elsa	*Wall*	492
Eres	*Wall*	462
Eterna	*Wall*	432
Flac	*Ceiling*	564
Flic	*Ceiling*	562
Flin	*Wall*	402
Fold	*Wall*	438
Foro	*Ceiling*	326
Fox	*Ceiling*	552
Frame	*Wall*	436
Fresh	*Ceiling*	570
Gabo	*Wall*	386
Gala	*Wall*	534
Gas	*Ceiling*	588
Guadalupe	*Floor*	98
Guadalupe	*Table*	98
Guadalupe	*Wall*	342
Guest	*Floor*	64
Haka	*Ceiling*	250
Han	*Wall*	524
Handy	*Wall*	444
Homs	*Wall*	462
Hoshi	*Table*	46
Hyde	*Ceiling*	572
Inviting	*Clip-on*	164
Inviting	*Table*	150
Inviting	*Wall*	346
Isabelle	*Ceiling*	196
Isabelle	*Wall*	512
Ito	*Table*	156
Janet	*Ceiling*	308
Jellyfish	*Floor*	64
Joy	*Wall*	520
Juliet	*Wall*	402
Kale	*Wall*	406
Kamen	*Wall*	494
Kappu	*Wall*	476
Kera	*Wall*	520
Kiva	*Wall*	542
Kivi	*Ceiling*	558
Klee	*Wall*	396
Kombo	*Ceiling*	216
Lago	*Wall*	532
Lao	*Ceiling*	457
Lao	*Floor*	104
Lao	*Table*	104
Lao	*Wall*	361
Le Petit	*Wall*	350
Le Vita	*Ceiling*	224
Le Vita	*Floor*	106
Le Vita	*Table*	106
Le Vita	*Wall*	516
Lead	*Wall*	406
Lena	*Clip-on*	166
Lena	*Table*	154
Leo	*Ceiling*	296
Leo	*Floor*	92
Leo	*Table*	92
Leo	*Track*	604
Leo	*Wall*	356
Leser	*Wall*	406
Liggera	*Ceiling*	272
Liggera	*Floor*	100
Liggera	*Table*	100
Liggera	*Wall*	348
Lina	*Ceiling*	232
Linda	*Ceiling*	254
Linda	*Floor*	140
Linda	*Table*	140
Linda	*Wall*	504
Link	*Ceiling*	298
Link	*Floor*	102
Link	*Table*	102
Link	*Wall*	454
Logos	*Ceiling*	328
Loke	*Wall*	400
Loop	*Ceiling*	242
Loop	*Floor*	112
Loop	*Table*	112
Loop	*Wall*	428
Lox	*Ceiling*	550
Luan	*Ceiling*	592
Luang	*Floor*	110
Luang	*Table*	108
Luang	*Wall*	428
Lula	*Table*	56
Lumina	*Ceiling*	177
Lumina		170
Luna	*Wall*	494
Lune	*Wall*	470
Lupe	*Floor*	142
Lupe	*Table*	142
Lupe	*Wall*	430
Mabe	*Wall*	530

Magma	*Ceiling*	240
Magritte	*Wall*	526
Mambo	*Ceiling*	252
Mambo	*Floor*	116
Mambo	*Table*	116
Mambo	*Wall*	426
Mar	*Ceiling*	184
Marisol	*Ceiling*	220
Marlin	*Ceiling*	226
Martinica	*Floor*	90
Martinica	*Table*	90
Martinica	*Wall*	370
Matilda	*Floor*	76
Matilda	*Table*	75
Matilda	*Wall*	332
May	*Wall*	514
Maya	*Wall*	362
Mega	*Ceiling*	320
Milo	*Wall*	484
Mine	*Ceiling*	222
Mine	*Table*	52
Mizu	*Ceiling*	306
Moist	*Ceiling*	582
Moma	*Table*	54
Montreal	*Floor*	128
Montreal	*Table*	128
Montreal	*Wall*	448
Mood	*Wall*	398
Moy	*Table*	48
Moy	*Wall*	516
Nais	*Ceiling*	560
Nash	*Wall*	474
Navi	*Wall*	594
Neon	*Ceiling*	580
Neu	*Ceiling*	588
Niko	*Table*	50
Niko	*Wall*	364
Nila	*Floor*	136
Nila	*Table*	136
Nila	*Wall*	446
Nilo	*Wall*	546
Nina	*Ceiling*	218
Nit	*Wall*	366
Niva	*Ceiling*	584
Noon	*Wall*	354
Novo	*Wall*	460
Nubo	*Wall*	528
Olaf	*Wall*	486
Orleans	*Ceiling*	298
Orleans	*Wall*	361
Oslo	*Wall*	486
Otto	*Table*	154
Otton	*Wall*	496
Ovo	*Wall*	464
Pam	*Ceiling*	234
Papua	*Floor*	66
Pepper	*Clip-on*	166
Perla	*Wall*	530
Ping	*Wall*	532
Pixie	*Wall*	400
Plas	*Wall*	596
Plat	*Ceiling*	218
Pluma	*Ceiling*	220
Press	*Wall*	394
Pure	*Wall*	376
Radón	*Ceiling*	576
Rem	*Floor*	132
Rem	*Table*	132
Rem	*Wall*	434
Retro	*Ceiling*	272
Retro	*Wall*	360
Rob	*Wall*	448
Roda	*Wall*	450
Rol	*Ceiling*	302
Ron	*Wall*	430
Room	*Wall*	440
Sahara	*Wall*	450
Saigon	*Ceiling*	264
Saipan	*Ceiling*	248
Samba	*Ceiling*	260
Samba	*Floor*	124
Samba	*Table*	124
Samba	*Wall*	418
Savoy	*Ceiling*	254
Savoy	*Floor*	130
Savoy	*Table*	130
Savoy	*Wall*	420
Sera	*Wall*	520
Seven	*Ceiling*	322
Shan	*Table*	44
Shoku	*Ceiling*	314
Side	*Ceiling*	316
Smile	*Wall*	354
Snap	*Wall*	360
Snow	*Wall*	492
Sole	*Wall*	468
Staff	*Floor*	58
Stan	*Ceiling*	294
Stan	*Track*	602
Stan	*Wall*	292
Stan Slim	*Ceiling*	294
Stan Slim	*Track*	600
Stan Slim	*Wall*	358
Stand Up	*Floor*	62
Stone	*Wall*	457
Stood	*Ceiling*	266
Stood	*Floor*	114
Stood	*Table*	114
Stood	*Wall*	504
Studio	*Ceiling*	206
Studio	*Clip-on*	166
Studio	*Floor*	96
Studio	*Table*	96
Studio	*Wall*	338
Suau	*Wall*	392
Sumba	*Ceiling*	248
Sumba	*Table*	54
Sumba	*Wall*	424
Sven	*Ceiling*	304
Take Away	*Table*	38
Tast	*Ceiling*	556
Tatawin	*Ceiling*	202
Tatawin	*Floor*	82
Tatawin	*Table*	78
Tatawin	*Wall*	334
Tecto	*Ceiling*	308
Ten	*Table*	52
Ten	*Wall*	518
Tender	*Ceiling*	312
Tera	*Wall*	494
Tide	*Wall*	538
Tierra	*Ceiling*	182
Tila	*Wall*	344
Timit	*Wall*	384
Tola	*Ceiling*	329
Trama	*Wall*	480
Tree	*Ceiling*	254
Tree	*Floor*	144
Tree	*Table*	144
Treewood	*Floor*	60
Tuk	*Wall*	594
Tupai	*Ceiling*	248
Venice	*Ceiling*	212
Venice	*Floor*	86
Venice	*Table*	86
Venice	*Wall*	336
Vesper	*Ceiling*	258
Vesper	*Floor*	138
Vesper	*Table*	138
Vesper	*Wall*	442
Vico	*Ceiling*	210
Volga	*Wall*	540
Volta	*Floor*	148
Volta	*Table*	148
Vuk	*Ceiling*	326
Well	*Wall*	352
Wet	*Ceiling*	582
Whizz	*Ceiling*	214
Whizz	*Floor*	62
Whizz	*Wall*	378
Windsor	*Ceiling*	262
Windsor	*Floor*	120
Windsor	*Table*	120
Windsor	*Wall*	416
Zon	*Ceiling*	326



Showroom Barcelona
Princesa 52
08003 Barcelona
Spain
Tel +34932387373
showroom.barcelona@faro.es


Showroom Madrid
Velázquez 35 4ºD
28001 Madrid
Spain
Tel +34689583571
showroom.madrid@faro.es

Showroom Paris
7 Rue d'Uzès
75002 París
France
Tel +33745061553
showroom.paris@faro.es

Showroom Buenos Aires
Ven Street Center Local 30
Av. Italia 4950
1622 Dique Luján
Buenos Aires Argentina
Tel +5491171390813
showroom.argentina@faro.es

Showroom Milano
Ecosistema showroom
Via Gaetano Giardino 5
20123 Milano

Showroom Manila
699 Malate
1004 Metro, Manila
Philippines



Logistics Headquarters
Dinámica 1 Pol. Ind. Santa Rita
08755 Castellbisbal
Spain
Tel +34937723949
info@faro.es

Logistics China
Room 1706-05, Glory International
Finance Center
25 Guicheng Road, Nanhai District
Foshan, Guangdong Province

Logistics USA
135 West 41nd Street Suite 1002
10036 New York
USA

Request visit

Be present.
Let light guide you
to a more conscious
way of living