



TOOY

Signatures #I



IT UNA COLLEZIONE DI IDENTITÀ LUMINOSE, DOVE OGNI PROGETTO NASCE DA UN SEGNO DISTINTIVO E OGNI LUCE CONTRIBUISCE A DEFINIRE IL CARATTERE DEGLI SPAZI. QUESTO VOLUME RACCOGLIE LA VISIONE DI TOOY ATTRAVERSO UNA SELEZIONE DI COLLEZIONI CHE INTERPRETANO LA LUCE CON LINGUAGGI PROGETTUALI DIFFERENTI. DALLE ICONE CHE HANNO DEFINITO L'IDENTITÀ DEL BRAND ALLE INTRODUZIONI PIÙ RECENTI, OGNI PROGETTO ESPRIME UN EQUILIBRIO TRA RICERCA, MATERIA E INNOVAZIONE. IN QUESTE PAGINE PRENDE FORMA UN UNIVERSO COERENTE, DOVE DESIGN, CULTURA MANIFATTURIERA ITALIANA E ATTENZIONE AL DETTAGLIO SI INCONTRANO PER DARE VITA A SOLUZIONI CAPACI DI DIALOGARE CON L'ARCHITETTURA CONTEMPORANEA.

A BASILIO.

CI HAI INSEGNATO CHE COSTRUIRE UN'AZIENDA SIGNIFICA, PRIMA DI TUTTO, COSTRUIRE PERSONE.

QUANDO HAI INIZIATO, QUASI SETTANT'ANNI FA, NON STAVI SEMPLICEMENTE APRENDO UN LABORATORIO.
STAVI DANDO FORMA A UN MODO DI LAVORARE, DI AFFRONTARE LE DIFFICOLTÀ, DI GUARDARE AL FUTURO.
UN MODO CHE, ANCORA OGGI, CONTINUA A GUIDARCI.

ENTRARE IN AZIENDA SIGNIFICA RITROVARE LA TUA PRESENZA NEI GESTI QUOTIDIANI, NELLA CURA DEI DETTAGLI, NEL RISPETTO PER IL LAVORO E NELLE PERSONE CHE LO RENDONO POSSIBILE. SONO INSEGNAMENTI CHE IL TEMPO NON HA CAMBIATO. AL CONTRARIO, CONTINUANO A VIVERE NELLE NOSTRE SCELTE.

DA QUELLA VISIONE È NATA UN'AZIENDA.
DA QUEI VALORI È NATA ANCHE TOOY.

OGGI ABBIAMO LA RESPONSABILITÀ DI PORTARE AVANTI TUTTO QUESTO. NON PER CONSERVARE CIÒ CHE È STATO, MA PER FARLO CRESCERE, CON LO STESSO CORAGGIO CON CUI TU HAI INIZIATO.

CONTINUEREMO A GUARDARE AVANTI, SENZA DIMENTICARE CIÒ CHE CI HAI INSEGNATO.

CON GRATITUDINE,
VALERIA E VALERIO

IT UNA FIRMA AUTENTICA NON SEGUE IL TEMPO. LO ATTRAVERSA. OGNI PROGETTO NASCE DA UN GESTO PROGETTUALE CAPACE DI LASCIARE UN SEGNO. UNA PROPORZIONE, UNA MATERIA, UN DETTAGLIO, UNA PRESENZA LUMINOSA CHE CONTRIBUISCE A DEFINIRE IL CARATTERE DI UNO SPAZIO. IN TOOY, LA LUCE È MOLTO PIÙ DI UNA FUNZIONE. È UNO STRUMENTO DI ESPRESSIONE, UN ELEMENTO ARCHITETTONICO CAPACE DI COSTRUIRE ATMOSFERE, GENERARE RELAZIONI E RACCONTARE IDENTITÀ. SIGNATURES RACCOGLIE QUESTA VISIONE ATTRAVERSO UNA SELEZIONE DI COLLEZIONI NATE DA SENSIBILITÀ PROGETTUALI DIFFERENTI MA UNITE DALLA STESSA RICERCA: TRASFORMARE LA LUCE IN UN LINGUAGGIO CONTEMPORANEO, CAPACE DI DIALOGARE CON GLI SPAZI E CON CHI LI VIVE.

OGNI FIRMA HA UN'ORIGINE. EVERY SIGNATURE HAS AN ORIGIN.


EN A TRUE SIGNATURE DOES NOT FOLLOW TIME. IT TRANSCENDS IT. EVERY PROJECT BEGINS WITH A DESIGN GESTURE INTENDED TO LEAVE A LASTING MARK. A PROPORTION, A MATERIAL, A DETAIL, A LUMINOUS PRESENCE THAT HELPS DEFINE THE CHARACTER OF A SPACE. AT TOOY, LIGHT IS FAR MORE THAN A FUNCTION. IT IS A MEDIUM OF EXPRESSION—AN ARCHITECTURAL ELEMENT THAT SHAPES ATMOSPHERES, CREATES CONNECTIONS AND REVEALS IDENTITY. SIGNATURES BRINGS TOGETHER THIS VISION THROUGH A CURATED SELECTION OF COLLECTIONS BORN FROM DIVERSE DESIGN PERSPECTIVES YET UNITED BY A SHARED AMBITION: TO TRANSFORM LIGHT INTO A CONTEMPORARY LANGUAGE, CAPABLE OF ENGAGING IN DIALOGUE WITH ARCHITECTURE AND THE PEOPLE WHO INHABIT IT.

IT OGNI FIRMA NASCE DA UNA STORIA. LA NOSTRA AFFONDA LE PROPRIE RADICI NEL CUORE DEI MONTI SIBILLINI, DOVE NEL 1956 UNA PICCOLA OFFICINA HA INIZIATO A TRASFORMARE IL SAPERE ARTIGIANALE IN CULTURA MANIFATTURIERA. DA QUELLA VISIONE È CRESCIUTA UN'AZIENDA CAPACE DI EVOLVERSI NEL TEMPO, MANTENENDO INTATTO IL VALORE DELLE PROPRIE ORIGINI. TOOY NASCE DA QUESTA EREDITÀ. UN MARCHIO CONTEMPORANEO CHE INTERPRETA IL MADE IN ITALY ATTRAVERSO UN LINGUAGGIO NUOVO, FONDATO SULL'EQUILIBRIO TRA RICERCA PROGETTUALE, QUALITÀ COSTRUTTIVA E SENSIBILITÀ INTERNAZIONALE. OGGI OGNI COLLEZIONE PORTA CON SÉ QUESTA DOPPIA ANIMA: LA SOLIDITÀ DI UNA LUNGA ESPERIENZA PRODUTTIVA E LA LIBERTÀ DI IMMAGINARE NUOVI MODI DI VIVERE LA LUCE.

EN EVERY SIGNATURE BEGINS WITH A STORY. OURS IS ROOTED IN THE HEART OF THE SIBILLINI MOUNTAINS, WHERE, IN 1956, A SMALL WORKSHOP BEGAN TRANSFORMING ARTISANAL CRAFTSMANSHIP INTO A CULTURE OF MANUFACTURING EXCELLENCE. FROM THAT VISION GREW A COMPANY THAT HAS EVOLVED OVER TIME WHILE REMAINING TRUE TO THE VALUES ON WHICH IT WAS FOUNDED. TOOY WAS BORN FROM THIS LEGACY—A CONTEMPORARY BRAND THAT REINTERPRETS MADE IN ITALY THROUGH A DISTINCTIVE DESIGN LANGUAGE, SHAPED BY THE BALANCE BETWEEN CREATIVE RESEARCH, MANUFACTURING EXCELLENCE AND AN INTERNATIONAL PERSPECTIVE. TODAY, EVERY COLLECTION EMBODIES THIS DUAL HERITAGE: THE STRENGTH OF DECADES OF PRODUCTION EXPERTISE AND THE FREEDOM TO IMAGINE NEW WAYS OF EXPERIENCING LIGHT.

IT LA LUCE NON COMPLETA UNO SPAZIO. LO DEFINISCE. È IL PRIMO ELEMENTO A COSTRUIRE UN'ATMOSFERA E L'ULTIMO CHE RIMANE NELLA MEMORIA. PER QUESTO OGNI COLLEZIONE TOOY NASCE DALLA RICERCA DI UN EQUILIBRIO TRA FORMA, FUNZIONE E CARATTERE. COLLABORIAMO CON DESIGNER CHE CONDIVIDONO UNA STESSA SENSIBILITÀ PROGETTUALE, LASCIANDO CHE CIASCUNO INTERPRETI LA LUCE CON UN LINGUAGGIO PERSONALE. IL RISULTATO È UNA COLLEZIONE ETEROGENEA MA COERENTE, CAPACE DI DIALOGARE CON AMBIENTI RESIDENZIALI, HOSPITALITY E CONTRACT SENZA RINUNCIARE ALLA PROPRIA IDENTITÀ.

EN LIGHT DOES NOT COMPLETE A SPACE. IT DEFINES IT. IT IS THE FIRST ELEMENT TO SHAPE AN ATMOSPHERE AND THE LAST TO REMAIN IN MEMORY. THIS IS WHY EVERY TOOY COLLECTION IS BORN FROM THE PURSUIT OF A BALANCE BETWEEN FORM, FUNCTION AND CHARACTER. WE COLLABORATE WITH DESIGNERS WHO SHARE A COMMON DESIGN SENSIBILITY, WHILE GIVING EACH OF THEM THE FREEDOM TO INTERPRET LIGHT THROUGH THEIR OWN DISTINCTIVE LANGUAGE. THE RESULT IS A COLLECTION THAT IS DIVERSE YET COHESIVE, DESIGNED TO ENGAGE WITH RESIDENTIAL, HOSPITALITY AND CONTRACT ENVIRONMENTS WHILE REMAINING TRUE TO ITS IDENTITY.



IT OGGI TOOY PORTA LA PROPRIA VISIONE DELLA LUCE IN TUTTO IL MONDO, COLLABORANDO CON ARCHITETTI, INTERIOR DESIGNER E PARTNER INTERNAZIONALI NELLO SVILUPPO DI PROGETTI RESIDENZIALI, HOSPITALITY E CONTRACT. UNA CRESCITA COSTRUITA NEL TEMPO, ALIMENTATA DALL'EVOLUZIONE COSTANTE DELLE COLLEZIONI, DALL'ESPANSIONE DELLA RETE DISTRIBUTIVA E DA UNA CONTINUA CAPACITÀ DI INTERPRETARE I CAMBIAMENTI DEL PROGETTO CONTEMPORANEO. OGNI NUOVA COLLABORAZIONE CONTRIBUISCE A RAFFORZARE L'IDENTITÀ DI UN BRAND CHE CONTINUA A VALORIZZARE LA CULTURA DEL DESIGN ITALIANO, DIALOGANDO CON UN PANORAMA INTERNAZIONALE IN COSTANTE EVOLUZIONE.

OGGI ↑ TODAY ↓

EN TODAY, TOOY BRINGS ITS VISION OF LIGHT TO THE WORLD, COLLABORATING WITH ARCHITECTS, INTERIOR DESIGNERS AND INTERNATIONAL PARTNERS ON RESIDENTIAL, HOSPITALITY AND CONTRACT PROJECTS. A JOURNEY OF GROWTH BUILT OVER TIME, DRIVEN BY THE CONTINUOUS EVOLUTION OF ITS COLLECTIONS, THE EXPANSION OF ITS INTERNATIONAL DISTRIBUTION NETWORK, AND AN ONGOING ABILITY TO RESPOND TO THE CHANGING NEEDS OF CONTEMPORARY DESIGN. EACH NEW COLLABORATION STRENGTHENS THE IDENTITY OF A BRAND THAT CONTINUES TO CELEBRATE THE CULTURE OF ITALIAN DESIGN WHILE ENGAGING WITH AN EVER-EVOLVING GLOBAL LANDSCAPE.

IT OGNI FIRMA NASCE DA UN INCONTRO. TOOY COLLABORA CON DESIGNER PROVENIENTI DA CULTURE ED ESPERIENZE PROGETTUALI DIFFERENTI, ACCOMUNATI DALLA STESSA RICERCA DELLA QUALITÀ E DAL DESIDERIO DI ESPLORARE NUOVE POSSIBILITÀ ESPRESSIVE DELLA LUCE. OGNI COLLEZIONE CONSERVA UNA PROPRIA IDENTITÀ, CONTRIBUENDO AL TEMPO STESSO A COSTRUIRE UN LINGUAGGIO COMUNE CHE DEFINISCE L'UNIVERSO TOOY.

PROGETTISTI ↑ DESIGNERS ↓

EN EVERY SIGNATURE BEGINS WITH AN ENCOUNTER. TOOY COLLABORATES WITH DESIGNERS FROM DIVERSE CULTURAL AND CREATIVE BACKGROUNDS, UNITED BY A SHARED PURSUIT OF QUALITY AND A DESIRE TO EXPLORE NEW EXPRESSIVE POSSIBILITIES THROUGH LIGHT. EACH COLLECTION RETAINS ITS OWN DISTINCTIVE IDENTITY WHILE CONTRIBUTING TO A SHARED DESIGN LANGUAGE THAT DEFINES THE TOOY WORLD.



FEDERICA BIASI
562 THULA

MARCO CASAMONTI /
STUDIO ARCHEA
520 STRUCTURE
PILAR & VIGA






CARA / DAVIDE
566 TRATTI



ROBERTO GIACOMUCCI
512 BILANCELLA
505 QUADRANTE



CORRADO DOTTI
559 EXCALIBUR
555 FILIPA
561 GORDON
557 LEGIER
558 LILLY
551 MACAO
556 MOLLY
554 MUSE
552 NABILA
560 OSMAN




STUDIO10
564 LEI

FABIO FANTOLINO
509 BOLINA
510 STILLA



STUDIOPEPE
563 NASTRO
563 NASTRO SYSTEM





DUCCIO MARIA GAMBI
518 IGOR




FEDERICO PERI
565 LINFA

INDEX
COLLECTIONS

TABLE
PORTABLE TABLE
PENDANT
WALL
WALL/CEILING
CEILING
FLOOR
CHANDELIER
TRACK


COLLECTIONS



557 LEGIER
P. 126



559 EXCALIBUR
P. 62



512 BILANCELLA
P. 26



509 BOLINA
P. 36



520 STRUCTURE
PILAR & VIGA
P. 454




565 LINFA
P. 174




555 FILIPA
P. 78




560 OSMAN
P. 396



563 NASTRO
P. 328




558 LILLY
P. 162



551 MACAO
P. 208

COLLECTIONS




510 STILLA
P. 434



561 GORDON
P. 86



518 IGOR
P. 116



505 QUADRANTE
P. 426



564 LEI
P. 146



562 THULA
P. 476



554 MUSE
P. 250



556 MOLLY
P. 224



521 VOLTA
P. 518



552 NABILA
P. 266




566 TRATTI
P. 504

TABLE



509.34 BOLINA
P. 46



555.31 FILIPA
P. 82




561.31 GORDON
P. 97




557.32L LEGIER
P. 136




557.34L LEGIER
P. 138




558.31 LILLY
P. 168



558.32 LILLY
P. 166




565.32 LINFA
P. 194



551.32 MACAO
P. 210



556.31L MOLLY
P. 234



556.32L MOLLY
P. 236



554.35 MUSE
P. 258




552.32 NABILA
P. 296




552.33 NABILA
P. 298



552.36 NABILA
P. 300



NASTRO 563.31
P. 346




NASTRO 563.32
P. 350



NASTRO 563.33
P. 352



560.31 OSMAN
P. 412



560.34 OSMAN
P. 414

TABLE



510.31 STILLA
P. 444

PORTABLE TABLE




563.34 NASTRO
P. 354

PENDANT



512.21 BILANCELLA
P. 29




512.22 BILANCELLA
P. 34



509.24 BOLINA
P. 38



509.25 BOLINA
P. 39



509.26 BOLINA
P. 42



561.21 GORDON
P. 92




561.22 GORDON
P. 92



561.24 GORDON
P. 92



518.11 IGOR
P. 118




518.21 IGOR
P. 120

PENDANT



559.21 EXCALIBUR
P. 66



555.22 FILIPA
P. 81



557.22L LEGIER
P. 129




557.24L LEGIER
P. 131



564.21 LEI
564.22 LEI
P. 148



558.22 LILLY
P. 164



558.23 LILLY
P. 164



558.25 LILLY
P. 165



565.21 LINFA
P. 184



565.22S LINFA
P. 186




565.22M LINFA
P. 188




565.22B LINFA
P. 188



565.23S LINFA
P. 191



565.23M LINFA
P. 190



565.23B LINFA
P. 190



556.21L MOLLY
P. 227



556.22L MOLLY
P. 227



556.23L MOLLY
P. 227



554.15 MUSE
P. 255



554.21 MUSE
P. 256

PENDANT



554.22 MUSE
P. 256



563.11 NASTRO
P. 330




552.21 NABILA
552.21L NABILA
P. 290




552.22 NABILA
552.22L NABILA
P. 291




552.23 NABILA
P. 294




563.12 NASTRO
P. 334



563.13 NASTRO
P. 338



563.14 NASTRO
P. 340



563.21 NASTRO
P. 342




563.22 NASTRO
P. 344




560.21 OSMAN
P. 406




510.14 STILLA
P. 436



520.21 STRUCTURE
PILAR & VIGA
P. 456



520.22 STRUCTURE
PILAR & VIGA
P. 456



520.23 STRUCTURE
PILAR & VIGA
P. 456



562.21 THULA
P. 478



562.22 THULA
P. 479



562.23 THULA
P. 482



521.11 VOLTA
P. 521



521.21 VOLTA

PENDANT



521.22 VOLTA




521.23 VOLTA
P. 523

WALL



559.41 EXCALIBUR
P. 71




559.42 EXCALIBUR
P. 74



555.41 FILIPA
P. 84




561.41 GORDON
P. 100




561.42 GORDON
P. 100



561.43 GORDON
P. 101



561.48 GORDON
P. 103



561.49 GORDON
P. 107




557.42L LEGIER
P. 140



557.44L LEGIER
P. 141



LILLY 558.42
P. 169



565.43 LINFA
P. 198



551.44 MACAO
P. 214



556.42L MOLLY
P. 237



554.44 MUSE
P. 260

WALL




563.41 NASTRO
P. 363




563.42 NASTRO
P. 366



563.43 NASTRO
P. 368



563.46 NASTRO



563.47 NASTRO
P. 370



560.41 OSMAN
P. 410



560.42 OSMAN
P. 410



510.41 STILLA
P. 447



510.42 STILLA
P. 448



520.41H STRUCTURE
PILAR & VIGA



520.42H STRUCTURE
PILAR & VIGA



520.43H STRUCTURE
PILAR & VIGA
P. 462



520.44H STRUCTURE
PILAR & VIGA



520.41V STRUCTURE
PILAR & VIGA
P. 465



520.42V STRUCTURE
PILAR & VIGA
P. 466



520.43V STRUCTURE
PILAR & VIGA



562.41 THULA
P. 486



562.42 THULA
P. 492



562.43 THULA
P. 494



562.45 THULA
P. 497

WALL

562.46 THULA
P. 498



562.47 THULA
P. 500



521.41 VOLTA



521.42 VOLTA
P. 521



521.43 VOLTA
P. 522

WALL/CEILING



512.71 BILANCELLA
P. 32



509.43 BOLINA



509.44 BOLINA
P. 50



509.45 BOLINA
P. 52



557.74L LEGIER
P. 142



564.41 LEI
564.42 LEI
P. 150



565.41 LINFA
P. 196



556.71L MOLLY
P. 242



556.72L MOLLY
P. 244



556.73L MOLLY
P. 245



554.71 MUSE
P. 262




554.72 MUSE
P. 262



552.41 NABILA
552.41L NABILA
P. 306



552.42 NABILA
552.42L NABILA
P. 310



552.43 NABILA
P. 312

WALL/CEILING



552.73 NABILA
552.73L NABILA
P. 316




560.74 OSMAN
P. 420



566.41 TRATTI
P. 512

566.42 TRATTI
P. 510



566.72 TRATTI
P. 508



566.73 TRATTI
P. 508

CEILING



509.71 BOLINA
P. 55




509.72 BOLINA
P. 56




509.73 BOLINA
P. 58




561.11A GORDON
P. 88



561.11B GORDON
P. 88



561.11C GORDON
P. 88



561.13ABC GORDON
P. 89



561.71 GORDON
P. 110



557.72L LEGIER
P. 142



564.71 LEI
564.72 LEI
P. 158

CEILING



510.74 STILLA
P. 448



566.71 TRATTI
P. 508



566.74 TRATTI
P. 514



566.75 TRATTI
P. 514



566.76 TRATTI
P. 514



566.77 TRATTI
P. 514

FLOOR



561.61 GORDON
P. 108




561.62 GORDON



564.61 LEI
P. 156



558.65 LILLY
P. 170



565.65 LINFA
P. 200




551.64 MACAO
P. 216



551.65 MACAO
P. 220



556.62L MOLLY
P. 239



556.65L MOLLY
P. 240



554.65 MUSE
P. 261

FLOOR



552.66 NABILA
552.66L NABILA
P. 314




563.61 NASTRO
P. 372



563.62L NASTRO
P. 375




563.63 NASTRO
P. 377



563.64 NASTRO
P. 378



560.61 OSMAN
P. 416



560.64 OSMAN
P. 417




520.61 STRUCTURE
PILAR & VIGA
P. 468



566.61 TRATTI
P. 513

CHANDELIER




559.12 EXCALIBUR




559.13 EXCALIBUR
P. 64



565.18 LINFA
P. 178



565.12 LINFA
P. 177



565.13 LINFA
P. 180




565.15 LINFA
P. 183



554.13 MUSE
P. 252



552.19 NABILA
552.19L NABILA
P. 268




552.10 NABILA
552.10L NABILA
P. 270




552.12 NABILA
552.12L NABILA
P. 272




552.14 NABILA
552.14L NABILA
P. 276




552.16 NABILA
552.16L NABILA
P. 278




552.32 FLAT NABILA
552.32L FLAT NABILA
P. 280




552.48 NABILA
552.48L NABILA
P. 286




552.48 FLAT NABILA
552.48L FLAT NABILA



560.12 OSMAN
P. 398



560.16 OSMAN
P. 400



560.17 OSMAN
P. 402




505.08 QUADRANTE
P. 428




505.09 QUADRANTE
P. 428

CHANDELIER



505.12 QUADRANTE
P. 429



505.16 QUADRANTE
P. 430



505.25 QUADRANTE
P. 431



510.18 STILLA
P. 440




510.12 STILLA
P. 442

TRACK



564.45 LEI
564.46 LEI



512 BILANCELLA
ROBERTO GIACOMUCCI
512.21
512.22
512.71

IT BILANCELLA NASCE DALL'ESSENZIALITÀ DEL SEGNO. UNA LINEA SOTTILE ATTRAVERSA LO SPAZIO CON PRECISIONE, TRASFORMANDO LA LUCE IN UN ELEMENTO GRAFICO CAPACE DI VALORIZZARE L'ARCHITETTURA SENZA MAI DOMINARLA. LA POSSIBILITÀ DI DECENTRALIZZARE IL PUNTO LUCE AMPLIA LA LIBERTÀ PROGETTUALE, PERMETTENDO DI COSTRUIRE COMPOSIZIONI LEGGERE E FUNZIONALI. DISPONIBILE IN DIVERSE CONFIGURAZIONI, BILANCELLA INTERPRETA GLI SPAZI CONTEMPORANEI CON EQUILIBRIO, FLESSIBILITÀ E UNA PRESENZA DISCRETA CHE LASCIA IL SEGNO.
EN BILANCELLA IS DEFINED BY THE PURITY OF A SINGLE LINE. A SLENDER STRUCTURE CROSSES THE SPACE WITH PRECISION, TRANSFORMING LIGHT INTO A GRAPHIC ELEMENT THAT ENHANCES ARCHITECTURE WITHOUT OVERPOWERING IT. ITS DECENTRALISED SYSTEM EXPANDS DESIGN FREEDOM, ALLOWING LIGHT TO BE POSITIONED EXACTLY WHERE IT IS NEEDED. AVAILABLE IN MULTIPLE CONFIGURATIONS, BILANCELLA BRINGS BALANCE, FLEXIBILITY AND A REFINED ARCHITECTURAL PRESENCE TO CONTEMPORARY INTERIORS.



512.21 BILANCELLA
C64 DARK BRONZE


p 28
p 29



512.21 BILANCELLA
C74 SAND BLACK

p 30
p 31





512.71 BILANCELLA
C64 DARK BRONZE

p 32
p 33



512.22 BILANCELLA
C74 SAND BLACK

512 BILANCELLA

HARDWARE



C74 SAND BLACK




C64 DARK BRONZE

512.21 BILANCELLA PENDANT

IP 40 CE


WATTAGE	40W LED 2700K
LUMENS	3200LM
VOLTAGE	220/240V
DIMMABILITY	PHASE CUT
CABLE/STEM LENGTH	150 CM



512.22 BILANCELLA PENDANT

IP 40 CE


WATTAGE	40W LED 2700K
LUMENS	3200LM
VOLTAGE	220/240V
DIMMABILITY	PHASE CUT
CABLE/STEM LENGTH	800 CM




512.71 BILANCELLA WALL/CEILING

IP 40 CE

WATTAGE	40W LED 2700K
LUMENS	3200LM
VOLTAGE	220/240V
DIMMABILITY	PHASE CUT





509 BOLINA
FABIO FANTOLINO
509.24
509.25
509.26
509.34
509.43
509.44
509.45
509.71
509.72
509.73

p 36
p 37

IT ISPIRATA AL MONDO DELLA NAVIGAZIONE, BOLINA NASCE DALL'EQUILIBRIO TRA TENSIONE E LEGGEREZZA. COME LA MANOVRA DA CUI PRENDE IL NOME, INTERPRETA IL MOVIMENTO COME UN GESTO ARMONIOSO, TRASFORMANDO MATERIALI E PROPORZIONI IN UNA PRESENZA LUMINOSA ESSENZIALE E SENZA TEMPO. IL DIFFUSORE IN VETRO DIALOGA CON LA MORBIDEZZA DELLA PELLE IN UN RAFFINATO EQUILIBRIO MATERICO, MENTRE LE DIVERSE CONFIGURAZIONI PERMETTONO ALLA COLLEZIONE DI INSERIRSI CON NATURALEZZA IN AMBIENTI RESIDENZIALI, HOSPITALITY E CONTRACT. UNA LUCE ACCOGLIENTE CHE CONIUGA ELEGANZA, CARATTERE E COMFORT VISIVO.
EN INSPIRED BY THE WORLD OF SAILING, BOLINA EMBODIES THE BALANCE BETWEEN TENSION AND LIGHTNESS. LIKE THE NAUTICAL MANOEUVRE FROM WHICH IT TAKES ITS NAME, IT TRANSFORMS MOVEMENT INTO A HARMONIOUS DESIGN GESTURE, WHERE MATERIALS AND PROPORTIONS CREATE A TIMELESS LUMINOUS PRESENCE. GLASS AND LEATHER ENGAGE IN A REFINED DIALOGUE OF TEXTURES, WHILE THE COLLECTION'S VERSATILITY ALLOWS IT TO INTEGRATE SEAMLESSLY INTO RESIDENTIAL, HOSPITALITY AND CONTRACT SETTINGS. A WELCOMING LIGHT DEFINED BY ELEGANCE, CHARACTER AND VISUAL COMFORT.



509.24 BOLINA
C64 DARK BRONZE
+ L05 LIGHT BEIGE NABUK
+ SATIN WHITE GLASS



509.25 BOLINA
C64 DARK BRONZE
+ L04 CARAMEL NABUK
+ AMBER GLASS





509.25 BOLINA
C64 DARK BRONZE
+ L05 LIGHT BEIGE NABUK
+ SATIN WHITE GLASS



p 42
p 43

509.26 BOLINA
C64 DARK BRONZE
+ L04 CARAMEL NABUK
+ AMBER GLASS

509.26 BOLINA
C64 DARK BRONZE
+ L05 LIGHT BEIGE NABUK
+ SATIN WHITE GLASS

p 44
p 45

509.34 BOLINA
C64 DARK BRONZE
+ L05 LIGHT BEIGE NABUK
+ SATIN WHITE GLASS



p 46
p 47







509.34 BOLINA
C64 DARK BRONZE
+ L04 CARAMEL NABUK
+ AMBER GLASS



p 48
p 49







509.44 BOLINA
C64 DARK BRONZE
+ L04 CARAMEL NABUK
+ AMBER GLASS

p 50
p 51

509.44 BOLINA
C64 DARK BRONZE
+ L05 LIGHT BEIGE NABUK
+ SATIN WHITE GLASS

509.45 BOLINA
C64 DARK BRONZE
+ L04 CARAMEL NABUK
+ AMBER GLASS



509.45 BOLINA
C64 DARK BRONZE
+ L05 LIGHT BEIGE NABUK
+ SATIN WHITE GLASS



509.71 BOLINA
C64 DARK BRONZE
+ L04 CARAMEL NABUK
+ AMBER GLASS



p 54
p 55



509.72 BOLINA
C64 DARK BRONZE
+ L04 CARAMEL NABUK
+ AMBER GLASS



p 56
p 57

509.73 BOLINA
C64 DARK BRONZE
+ L04 CARAMEL NABUK
+ AMBER GLASS



509 BOLINA

HARDWARE + GLASS



C64 DARK BRONZE
+ L04 CARAMEL NABUK
+ AMBER GLASS




C64 DARK BRONZE
+ L05 LIGHT BEIGE NABUK
+ SATIN WHITE GLASS

509.24 BOLINA SINGLE PENDANT

IP 20 CE


WATTAGE	19W LED 2700K
LUMENS	3900LM
VOLTAGE	220/240V
DIMMABILITY	DALI 2 AND PUSH
CABLE/STEM LENGTH	1X30 CM, 1X60 CM, 1X90 CM INCLUDED



509.25 BOLINA SINGLE PENDANT

IP 20 CE


WATTAGE	28,5W LED 2700K
LUMENS	5850LM
VOLTAGE	220/240V
DIMMABILITY	DALI 2 AND PUSH
CABLE/STEM LENGTH	1X30 CM, 1X60 CM, 1X90 CM INCLUDED



509.26 BOLINA DOUBLE PENDANT

IP 20 CE

WATTAGE	57W LED 2700K
LUMENS	11700LM
VOLTAGE	220/240V
DIMMABILITY	DALI 2 AND PUSH
CABLE/STEM LENGTH	1X30 CM, 1X60 CM, 1X90 CM INCLUDED



509 BOLINA

HARDWARE + GLASS



C64 DARK BRONZE
+ L04 CARAMEL NABUK
+ AMBER GLASS




C64 DARK BRONZE
+ L05 LIGHT BEIGE NABUK
+ SATIN WHITE GLASS

509.34 BOLINA TABLE

IP 20 CE


WATTAGE	19W LED 2700K
LUMENS	3900LM
VOLTAGE	220/240V
DIMMABILITY	DIMMER ON CABLE
CABLE/STEM LENGTH	150 CM



509.43 BOLINA WALL/CEILING

IP 20 CE


WATTAGE	10W LED 2700K
LUMENS	1950LM
VOLTAGE	220/240V



509.44 BOLINA WALL/CEILING

IP 20 CE


WATTAGE	19W LED 2700K
LUMENS	3900LM
VOLTAGE	220/240V



509.45 BOLINA WALL/CEILING

IP 20 CE

WATTAGE	28,5W LED 2700K
LUMENS	5850LM
VOLTAGE	220/240V



509 BOLINA

HARDWARE + GLASS



C64 DARK BRONZE
+ L04 CARAMEL NABUK
+ AMBER GLASS




C64 DARK BRONZE
+ L05 LIGHT BEIGE NABUK
+ SATIN WHITE GLASS

509.71 BOLINA CEILING

IP 20 CE


WATTAGE	38W LED 2700K
LUMENS	7800LM
VOLTAGE	220/240V
DIMMABILITY	DALI 2 AND PUSH



509.72 BOLINA CEILING

IP 20 CE


WATTAGE	45W LED 2700K
LUMENS	9750LM
VOLTAGE	220/240V
DIMMABILITY	DALI 2 AND PUSH




509.73 BOLINA CEILING

IP 20 CE

WATTAGE	66,5W LED 2700K
LUMENS	13650LM
VOLTAGE	220/240V
DIMMABILITY	DALI 2 AND PUSH






559 EXCALIBUR
CORRADO DOTTI
559.12
559.13
559.21
559.41
559.42

IT CON IL SUO RAFFINATO RICHIAMO ALL'ESTETICA DÉCO, EXCALIBUR COSTRUISCE UN EQUILIBRIO TRA GEOMETRIA, MATERIA E LUCE. I PRISMI LUMINOSI SEMBRANO SOSPESI ALL'INTERNO DELLA STRUTTURA METALLICA, CREANDO UNA COMPOSIZIONE ESSENZIALE CAPACE DI VALORIZZARE GLI SPAZI CON ELEGANZA E PERSONALITÀ. LE NUOVE FINITURE AMPLIANO LE POSSIBILITÀ ESPRESSIVE DELLA COLLEZIONE, MANTENENDONE INTATTA L'IDENTITÀ. SOSPENSIONI, CHANDELIER E APPLIQUE DANNO VITA A CONFIGURAZIONI CHE INTERPRETANO LA LUCE COME ELEMENTO DECORATIVO E ARCHITETTONICO AL TEMPO STESSO.

EN WITH ITS REFINED ART DECO INSPIRATION, EXCALIBUR EXPLORES THE BALANCE BETWEEN GEOMETRY, MATERIAL AND LIGHT. LUMINOUS PRISMS APPEAR SUSPENDED WITHIN THE METAL STRUCTURE, CREATING AN ESSENTIAL COMPOSITION THAT ENHANCES INTERIORS WITH ELEGANCE AND CHARACTER. NEW FINISHES EXPAND THE COLLECTION'S EXPRESSIVE POSSIBILITIES WHILE PRESERVING ITS DISTINCTIVE IDENTITY. PENDANTS, CHANDELIERS AND WALL LIGHTS INTERPRET LIGHT AS BOTH A DECORATIVE AND ARCHITECTURAL ELEMENT.



559.13 EXCALIBUR
C64 DARK BRONZE
+ C83 SATIN TITANIUM

p 64
p 65







p 66
p 67

559.21 EXCALIBUR
C64 DARK BRONZE
+ C83 SATIN TITANIUM

559.21 EXCALIBUR
C74 SAND BLACK
+ C41 BRUSHED BRASS



559.21 EXCALIBUR
C74 SAND BLACK
+ C41 BRUSHED BRASS

p 68
p 69



p 70
p 71



559.41 EXCALIBUR
C64 DARK BRONZE
+ C83 SATIN TITANIUM



559.41 EXCALIBUR
C74 SAND BLACK
+ C41 BRUSHED BRASS



p 72
p 73



Products


559.42 EXCALIBUR
C64 DARK BRONZE
+ C83 SATIN TITANIUM



p 74
p 75

Signatures

559.42 EXCALIBUR
C74 SAND BLACK
+ C41 BRUSHED BRASS



559 EXCALIBUR

HARDWARE



C64 DARK BRONZE
+ C83 SATIN TITANIUM




C74 SAND BLACK
+ C41 BRUSHED BRASS

559.12 EXCALIBUR CHANDELIER

IP 40 CE cULus


WATTAGE	12 X MAX 15W - E27
VOLTAGE	220/240V
DIMMABILITY	ACCORDING TO BULB
CABLE/STEM LENGTH	125 CM



559.13 EXCALIBUR CHANDELIER

IP 40 CE cULus

WATTAGE	3 X MAX 15W - E27
VOLTAGE	220/240V
DIMMABILITY	ACCORDING TO BULB
CABLE/STEM LENGTH	125 CM



559.21 EXCALIBUR PENDANT

IP 40 CE cULus

WATTAGE	1 X MAX 15W - E27
VOLTAGE	220/240V
DIMMABILITY	ACCORDING TO BULB
CABLE/STEM LENGTH	150 CM



559 EXCALIBUR

HARDWARE



C64 DARK BRONZE
+ C83 SATIN TITANIUM




C74 SAND BLACK
+ C41 BRUSHED BRASS

559.41 EXCALIBUR WALL

IP 40 CE cULus


WATTAGE	1 X MAX 15W - E27
VOLTAGE	220/240V
DIMMABILITY	ACCORDING TO BULB





559.42 EXCALIBUR WALL

IP 40 CE cULus

WATTAGE	2 X MAX 15W - E27
VOLTAGE	220/240V
DIMMABILITY	ACCORDING TO BULB







555 FILIPA
CORRADO DOTTI
555.22
555.31
555.41

p 78
p 79

IT ISPIRATA ALLA TRADIZIONALE LANTERNA CINESE, FILIPA REINTERPRETA UN'ICONA DELLA CULTURA ORIENTALE ATTRAVERSO UN LINGUAGGIO CONTEMPORANEO FATTO DI LEGGEREZZA, EQUILIBRIO E PRECISIONE. LA STRUTTURA BIDIMENSIONALE INCORNICIA IL DIFFUSORE, CREANDO UN RAFFINATO GIOCO DI PIENI E VUOTI CHE RENDE LA LUCE PROTAGONISTA. L'INCONTRO TRA MATERIALI, PROPORZIONI E DETTAGLI ESPRIME UN'ELEGANZA ESSENZIALE, CAPACE DI CONIUGARE MEMORIA, INNOVAZIONE E RICERCATEZZA MATERICA. UNA PRESENZA LUMINOSA DISCRETA, PENSATA PER DIALOGARE CON LO SPAZIO ATTRAVERSO LA PUREZZA DELLA FORMA.
EN INSPIRED BY THE TRADITIONAL CHINESE LANTERN, FILIPA REINTERPRETS AN ICON OF EASTERN CULTURE THROUGH A CONTEMPORARY DESIGN LANGUAGE DEFINED BY LIGHTNESS, BALANCE AND PRECISION. ITS TWO-DIMENSIONAL STRUCTURE FRAMES THE DIFFUSER, CREATING A REFINED INTERPLAY OF SOLIDS AND VOIDS THAT PLACES LIGHT AT THE CENTRE OF THE COMPOSITION. THE DIALOGUE BETWEEN MATERIALS, PROPORTIONS AND REFINED DETAILS EXPRESSES AN UNDERSTATED ELEGANCE, BRINGING TOGETHER MEMORY, INNOVATION AND REFINED MATERIALITY. A LUMINOUS PRESENCE DESIGNED TO ENGAGE WITH SPACE THROUGH THE PURITY OF ITS FORM.

p 80
p 81



555.22 FILIPA
C74 SAND BLACK
+ L01 TWO-TONE LEATHER
+ CLEAR GLASS



p 82
p 83



555.31 FILIPA
C74 SAND BLACK
+ L01 TWO-TONE LEATHER
+ CLEAR GLASS



555.41 FILIPA
C74 SAND BLACK
+ C46 SAND GREY
+ CLEAR GLASS



555 FILIPA

HARDWARE + GLASS



C74 SAND BLACK
+ C46 SAND GREY
+ CLEAR GLASS




C74 SAND BLACK
+ L01 TWO-TONE LEATHER
+ CLEAR GLASS

555.22 FILIPA PENDANT

IP 40 CE


WATTAGE	1 X MAX 5W - G9 + 1 X 4W LED 2700K
LUMENS	500LM
VOLTAGE	220/240V
DIMMABILITY	ACCORDING TO BULB + PHASE CUT
CABLE/STEM LENGTH	150 CM



555.31 FILIPA TABLE

IP 40 CE


WATTAGE	1 X MAX 5W - G9
VOLTAGE	220/240V
DIMMABILITY	ON REQUEST
CABLE/STEM LENGTH	150 CM




555.41 FILIPA WALL

IP 40 CE

WATTAGE	1 X MAX 5W - G9
VOLTAGE	220/240V
DIMMABILITY	ACCORDING TO BULB





561 GORDON
CORRADO DOTTI
561.11A
561.11B
561.11C
561.13ABC
561.21
561.22
561.24
561.31
561.41
561.42
561.43
561.48
561.49
561.61
561.71

IT GORDON REINTERPRETA IL DIFFUSORE CONICO ATTRAVERSO UN LINGUAGGIO ESSENZIALE E CONTEMPORANEO, DOVE FORMA, PROPORZIONE E MATERIA TROVANO UN EQUILIBRIO NATURALE. LE SUE LINEE PULITE E LA CURA DEL DETTAGLIO CONFERISCONO ALLA COLLEZIONE UNA PRESENZA DECISA MA DISCRETA, CAPACE DI INSERIRSI CON ARMONIA IN CONTESTI DIFFERENTI. VERSATILE E FUNZIONALE, GORDON DIALOGA CON AMBIENTI RESIDENZIALI, PROFESSIONALI E HOSPITALITY ATTRAVERSO UNA LUCE PRECISA E UN'ESTETICA SENZA TEMPO. UNA COLLEZIONE CHE ESPRIME IL CARATTERE DEL PROGETTO CON SEMPLICITÀ E RIGORE.
EN GORDON REINTERPRETS THE CONICAL DIFFUSER THROUGH AN ESSENTIAL CONTEMPORARY LANGUAGE, WHERE FORM, PROPORTION AND MATERIALITY EXIST IN NATURAL BALANCE. CLEAN LINES AND METICULOUS DETAILING GIVE THE COLLECTION A CONFIDENT YET UNDERSTATED PRESENCE, ALLOWING IT TO INTEGRATE EFFORTLESSLY INTO A VARIETY OF SETTINGS. VERSATILE AND FUNCTIONAL, GORDON ENGAGES WITH RESIDENTIAL, WORKPLACE AND HOSPITALITY ENVIRONMENTS THROUGH PRECISE ILLUMINATION AND TIMELESS AESTHETICS. A COLLECTION THAT EXPRESSES THE STRENGTH OF DESIGN THROUGH SIMPLICITY AND CLARITY.



561.11A GORDON
C2 MATTE BLACK
+ C48 BLACK CHROME



561.11B GORDON
C2 MATTE BLACK
+ C2 MATTE BLACK

561.11C
C2 MATTE BLACK
+ C41 BRUSHED BRASS



p 88
p 89



561.13ABC GORDON
C2 MATTE BLACK
+ C41 BRUSHED BRASS



561.13ABC GORDON
C2 MATTE BLACK
+ C41 BRUSHED BRASS



p 90
p 91

561.21 GORDON
561.22 GORDON
561.24 GORDON
C2 MATTE BLACK
+ C2 MATTE BLACK

p 92
p 93

Products



561.21 GORDON
C2 MATTE BLACK
+ C48 BLACK CHROME

561.22 GORDON
C2 MATTE BLACK
+ C2 MATTE BLACK

p 94
p 95

Signatures



561.24 GORDON
C2 MATTE BLACK
+ C41 BRUSHED BRASS

561.31 GORDON
C2 MATTE BLACK
+ C41 BRUSHED BRASS





p 98
p 99





561.31 GORDON
C2 MATTE BLACK
+ C48 BLACK CHROME

C2 MATTE BLACK
+ C2 MATTE BLACK







Products

561.41 GORDON
C2 MATTE BLACK
+ C2 MATTE BLACK

561.42 GORDON
C2 MATTE BLACK
+ C41 BRUSHED BRASS



p 100
p 101

Signatures

561.43 GORDON
C2 MATTE BLACK
+ C2 MATTE BLACK

561.48 GORDON
C2 MATTE BLACK
+ C2 MATTE BLACK



p 102
p 103





561.48 GORDON
C2 MATTE BLACK
+ C41 BRUSHED BRASS





p 104
p 105

561.49 GORDON
C2 MATTE BLACK
+ C2 MATTE BLACK



p 106
p 107



p 108
p 109

561.61 GORDON
C2 MATTE BLACK
+ C2 MATTE BLACK



561.71 GORDON
C2 MATTE BLACK
+ C2 MATTE BLACK

561 GORDON

HARDWARE



C2 MATTE BLACK
+ C2 MATTE BLACK




C2 MATTE BLACK
+ C41 BRUSHED BRASS



C2 MATTE BLACK
+ C48 BLACK CHROME


561.11A GORDON CEILING

WATTAGE	1 X MAX 7,5W - E27
VOLTAGE	220/240V
DIMMABILITY	ACCORDING TO BULB
CABLE/STEM LENGTH	FROM 70 TO 90 CM




561.11B GORDON CEILING

WATTAGE	1 X MAX 7,5W - E27
VOLTAGE	220/240V
DIMMABILITY	ACCORDING TO BULB
CABLE/STEM LENGTH	FROM 75 TO 95 CM



561.11C GORDON CEILING

WATTAGE	1 X MAX 7,5W - E27
VOLTAGE	220/240V
DIMMABILITY	ACCORDING TO BULB
CABLE/STEM LENGTH	FROM 80 TO 100 CM



561 GORDON

HARDWARE




C2 MATTE BLACK
+ C2 MATTE BLACK

C2 MATTE BLACK
+ C41 BRUSHED BRASS

C2 MATTE BLACK
+ C48 BLACK CHROME


561.13ABC GORDON CEILING

WATTAGE	3 X MAX 7,5W - E27
VOLTAGE	220/240V
DIMMABILITY	ACCORDING TO BULB
CABLE/STEM LENGTH	FROM 80 TO 100 CM




561.21 GORDON PENDANT

WATTAGE	1 X MAX 7,5W - E27
VOLTAGE	220/240V
DIMMABILITY	ACCORDING TO BULB
CABLE/STEM LENGTH	150 CM



561.22 GORDON PENDANT

WATTAGE	1 X MAX 7,5W - E27
VOLTAGE	220/240V
DIMMABILITY	ACCORDING TO BULB
CABLE/STEM LENGTH	150 CM



561 GORDON

HARDWARE




C2 MATTE BLACK
+ C2 MATTE BLACK

C2 MATTE BLACK
+ C41 BRUSHED BRASS

C2 MATTE BLACK
+ C48 BLACK CHROME


561.24 GORDON PENDANT

WATTAGE	1 X 24W LED 2700K
LUMENS	2760LM
VOLTAGE	220/240V
DIMMABILITY	PHASE CUT
CABLE/STEM LENGTH	150 CM




561.31 GORDON TABLE

WATTAGE	1 X MAX 7,5W - E27
VOLTAGE	220/240V
DIMMABILITY	ON REQUEST
CABLE/STEM LENGTH	150 CM



561.41 GORDON WALL

WATTAGE	1 X MAX 7,5W - E27
VOLTAGE	220/240V
DIMMABILITY	ACCORDING TO BULB




561 GORDON

HARDWARE




561.42 GORDON WALL

WATTAGE	1 X MAX 7,5W - E27
VOLTAGE	220/240V
DIMMABILITY	ACCORDING TO BULB




561.43 GORDON

WATTAGE	1 X MAX 7,5W - E27
VOLTAGE	220/240V
DIMMABILITY	ACCORDING TO BULB




561.48 GORDON

WATTAGE	2 X MAX 7,5W - E27
VOLTAGE	220/240V
DIMMABILITY	ACCORDING TO BULB



561.49 GORDON WALL

WATTAGE	1 X MAX 7,5W - E27
VOLTAGE	220/240V
DIMMABILITY	ACCORDING TO BULB




561 GORDON

HARDWARE




561.61 GORDON FLOOR

WATTAGE	1 X MAX 7,5W - E27
VOLTAGE	220/240V
DIMMABILITY	ON REQUEST
CABLE/STEM LENGTH	300 CM




561.62 GORDON FLOOR

WATTAGE	1 X E27 MAX 7,5W
VOLTAGE	220/240V
CABLE/STEM LENGTH	300 CM




561.71 GORDON CEILING

WATTAGE	1 X MAX 7,5W - E27
VOLTAGE	220/240V
DIMMABILITY	ACCORDING TO BULB



518 IGOR
DUCCIO MARIA GAMBI
518.11
518.21




p 116
p 117

IT ISPIRATA ALL'ESSENZIALITÀ E ALL'EQUILIBRIO DELLE FORME DI UN ELICOTTERO, IGOR TRADUCE UN RIFERIMENTO TECNICO IN UN LINGUAGGIO PROGETTUALE ELEGANTE E CONTEMPORANEO. LE PROPORZIONI RIGOROSE E IL SEGNO PULITO DEFINISCONO UNA PRESENZA LUMINOSA LEGGERA, CAPACE DI DIALOGARE CON LO SPAZIO ATTRAVERSO SEMPLICITÀ E PRECISIONE. PENSATA PER VIVERE COME ELEMENTO SINGOLO O IN COMPOSIZIONI, IGOR INTERPRETA LA LUCE CON NATURALE EQUILIBRIO, TRASFORMANDO UNA GEOMETRIA ESSENZIALE IN UN OGGETTO DAL CARATTERE DISTINTIVO. UNA COLLEZIONE CHE ESPRIME LA FORZA DEL PROGETTO ATTRAVERSO LA PUREZZA DELLA FORMA.


EN INSPIRED BY THE ESSENTIAL BALANCE OF HELICOPTER FORMS, IGOR TRANSFORMS A TECHNICAL REFERENCE INTO AN ELEGANT CONTEMPORARY DESIGN LANGUAGE. CLEAN LINES AND RIGOROUS PROPORTIONS CREATE A LIGHT YET DISTINCTIVE PRESENCE THAT ENGAGES WITH SPACE THROUGH SIMPLICITY AND PRECISION. DESIGNED TO STAND ALONE OR AS PART OF LARGER COMPOSITIONS, IGOR INTERPRETS LIGHT WITH NATURAL BALANCE, TURNING ESSENTIAL GEOMETRY INTO A LIGHTING OBJECT OF DISTINCTIVE CHARACTER. A COLLECTION THAT EXPRESSES THE STRENGTH OF DESIGN THROUGH THE PURITY OF FORM.




p 118
p 119



518.11 IGOR
C2 MATTE BLACK
+ RIPSTOP FABRIC





518.21 IGOR
C68 SATIN NICKEL
+ RIPSTOP FABRIC

p 120
p 121



518.21 IGOR
C68 SATIN NICKEL
+ RIPSTOP FABRIC

p 122
p 123



518.21 IGOR
C68 SATIN NICKEL
+ RIPSTOP FABRIC

518 IGOR

HARDWARE + FABRIC



C2 MATTE BLACK
+ RIPSTOP FABRIC




C68 SATIN NICKEL
+ RIPSTOP FABRIC

518.11 IGOR VERTICAL PENDANT

IP20 CE


WATTAGE	50W 2700K
LUMENS	5500LM
VOLTAGE	220/240V
DIMMABILITY	DALI 2 AND PUSH
CABLE/STEM LENGTH	200 CM




518.21 IGOR HORIZONTAL PENDANT

IP20 CE

WATTAGE	50W 2700K
LUMENS	5500LM
VOLTAGE	220/240V
DIMMABILITY	DALI 2 AND PUSH
CABLE/STEM LENGTH	200 CM







557 LEGIER
CORRADO DOTTI
557.22L
557.24L
557.32L
557.34L
557.42L
557.44L
557.72L
557.74L

p 126
p 127

IT ISPIRATA ALLE ELEGANTI AMPOLLE IN VETRO DI MURANO, LEGIER TRASFORMA UN OGGETTO DELLA TRADIZIONE IN UNA COLLEZIONE DAL LINGUAGGIO CONTEMPORANEO. IL VETRO SOFFIATO DIALOGA CON METALLI E FINITURE RICERCATE, CREANDO UN RAFFINATO EQUILIBRIO TRA MEMORIA, MATERIA E INNOVAZIONE. PENSATA PER VIVERE COME ELEMENTO SINGOLO O IN COMPOSIZIONI CHANDELIER, LEGIER DIFFONDE UNA LUCE MORBIDA E AVVOLGENTE CHE DONA PROFONDITÀ AGLI AMBIENTI. UNA COLLEZIONE CHE INTERPRETA L'ELEGANZA SENZA TEMPO DEL VETRO ATTRAVERSO UNA SENSIBILITÀ PROGETTUALE CONTEMPORANEA.
EN INSPIRED BY THE ELEGANT GLASS VESSELS OF MURANO TRADITION, LEGIER TRANSFORMS A TIMELESS OBJECT INTO A CONTEMPORARY LIGHTING COLLECTION. BLOWN GLASS MEETS REFINED METALS AND FINISHES, CREATING A SOPHISTICATED BALANCE BETWEEN HERITAGE, MATERIALITY AND INNOVATION. DESIGNED AS BOTH A STANDALONE PIECE AND A CHANDELIER COMPOSITION, LEGIER CASTS A SOFT, ENVELOPING LIGHT THAT ADDS DEPTH TO ANY INTERIOR. A COLLECTION THAT REINTERPRETS THE TIMELESS ELEGANCE OF GLASS THROUGH A CONTEMPORARY DESIGN SENSIBILITY.

557.22L LEGIER
C74 SAND BLACK
+ C72 OPAQUE NICKEL
+ SMOKE GLASS

p 128
p 129



Products

557.22L LEGIER
C74 SAND BLACK
+ C72 OPAQUE NICKEL
+ SMOKE GLASS



p 130
p 131

Signatures

557.22L LEGIER
557.24L LEGIER
C74 SAND BLACK
+ C72 OPAQUE NICKEL
+ SMOKE GLASS



557.22L LEGIER
557.24L LEGIER
C74 SAND BLACK
+ C72 OPAQUE NICKEL
+ OPAL WHITE GLASS

p 132
p 133



p 134
p 135



557.22L LEGIER
557.24L LEGIER
C74 SAND BLACK
+ C72 OPAQUE NICKEL
+ OPAL WHITE GLASS

Products

557.32L LEGIER
C74 SAND BLACK
+ C72 OPAQUE NICKEL
+ SMOKE GLASS



p 136
p 137

Signatures

557.32L LEGIER
C74 SAND BLACK
+ C41 BRUSHED BRASS
+ SMOKE GLASS

557.34L LEGIER
C74 SAND BLACK
+ C41 OPAQUE NICKEL
+ OPAL WHITE GLASS




p 138
p 139



557.42L LEGIER
C74 SAND BLACK
+ C41 BRUSHED BRASS
+ SMOKE GLASS

p 140
p 141



557.44L LEGIER
C74 SAND BLACK
+ C72 OPAQUE NICKEL
+ OPAL WHITE GLASS





557.72L LEGIER
C74 SAND BLACK
+ C41 BRUSHED BRASS
+ OPAL WHITE GLASS

557.72L LEGIER
C74 SAND BLACK
+ C41 BRUSHED BRASS
+ SMOKE GLASS

557.74L LEGIER
C74 SAND BLACK
+ C72 OPAQUE NICKEL
+ OPAL WHITE GLASS

557.74L LEGIER
C74 SAND BLACK
+ C72 OPAQUE NICKEL
+ SMOKE GLASS





p 142

p 143

557 LEGIER

HARDWARE + GLASS



C74 SAND BLACK
+ C72 OPAQUE NICKEL
+ SMOKE GLASS



C74 SAND BLACK
+ C41 BRUSHED BRASS
+ SMOKE GLASS




C74 SAND BLACK
+ C72 OPAQUE NICKEL
+ OPAL WHITE GLASS




C74 SAND BLACK
+ C41 BRUSHED BRASS
+ OPAL WHITE GLASS

557.22L LEGIER PENDANT




WATTAGE	1 X 8,2W LED 2700K
LUMENS	1400LM
VOLTAGE	220/240V
DIMMABILITY	PHASE CUT
CABLE/STEM LENGTH	150 CM

557.24L LEGIER PENDANT



WATTAGE	1 X 8,2W LED 2700K
LUMENS	1400LM
VOLTAGE	220/240V
DIMMABILITY	PHASE CUT
CABLE/STEM LENGTH	150 CM

557.32L LEGIER TABLE



WATTAGE	1 X 8,2W LED 2700K
LUMENS	1400LM
VOLTAGE	220/240V
DIMMABILITY	PHASE CUT
CABLE/STEM LENGTH	150 CM

557 LEGIER

HARDWARE + GLASS



C74 SAND BLACK
+ C72 OPAQUE NICKEL
+ SMOKE GLASS



C74 SAND BLACK
+ C41 BRUSHED BRASS
+ SMOKE GLASS




C74 SAND BLACK
+ C72 OPAQUE NICKEL
+ OPAL WHITE GLASS



C74 SAND BLACK
+ C41 BRUSHED BRASS
+ OPAL WHITE GLASS


557.34L LEGIER TABLE

WATTAGE	1 X 8,2W LED 2700K
LUMENS	1400LM
VOLTAGE	220/240V
DIMMABILITY	PHASE CUT
CABLE/STEM LENGTH	150 CM




557.42L LEGIER WALL

WATTAGE	1 X 8,2W LED 2700K
LUMENS	1400LM
VOLTAGE	220/240V
DIMMABILITY	PHASE CUT



557.44L LEGIER WALL

WATTAGE	1 X 8,2W LED 2700K
LUMENS	1400LM
VOLTAGE	220/240V
DIMMABILITY	PHASE CUT



557 LEGIER

HARDWARE + GLASS



C74 SAND BLACK
+ C72 OPAQUE NICKEL
+ SMOKE GLASS



C74 SAND BLACK
+ C41 BRUSHED BRASS
+ SMOKE GLASS




C74 SAND BLACK
+ C72 OPAQUE NICKEL
+ OPAL WHITE GLASS



C74 SAND BLACK
+ C41 BRUSHED BRASS
+ OPAL WHITE GLASS


557.72L LEGIER CEILING


WATTAGE	1 X 8,2W LED 2700K
LUMENS	1400LM
VOLTAGE	220/240V
DIMMABILITY	PHASE CUT



557.74L LEGIER WALL/CEILING

WATTAGE	1 X 8,2W LED 2700K
LUMENS	1400LM
VOLTAGE	220/240V
DIMMABILITY	PHASE CUT





564 LEI
STUDIO10
564.21
564.22
564.41
564.42
564.45
564.46
564.71
564.72

IT LEI INTERPRETA LA LUCE COME UN ELEMENTO DELICATO E SOFISTICATO, CAPACE DI DEFINIRE LO SPAZIO ATTRAVERSO UN LINGUAGGIO ESSENZIALE. LE PROPORZIONI EQUILIBRATE E L'ATTENZIONE AL DETTAGLIO DANNO VITA A UNA COLLEZIONE CHE CONIUGA ELEGANZA, FUNZIONALITÀ E VERSATILITÀ. PENSATA PER DIALOGARE CON AMBIENTI RESIDENZIALI E CONTRACT, LEI DIFFONDE UNA LUCE ACCOGLIENTE CHE CONTRIBUISCE A COSTRUIRE ATMOSFERE INTIME E CONTEMPORANEE.
EN LEI INTERPRETS LIGHT AS A REFINED AND UNDERSTATED PRESENCE, DEFINING INTERIORS THROUGH AN ESSENTIAL DESIGN LANGUAGE. BALANCED PROPORTIONS AND METICULOUS DETAILING CREATE A COLLECTION WHERE ELEGANCE, FUNCTIONALITY AND VERSATILITY COEXIST. DESIGNED FOR BOTH RESIDENTIAL AND CONTRACT ENVIRONMENTS, LEI PROVIDES A WELCOMING LIGHT THAT SHAPES INTIMATE, CONTEMPORARY ATMOSPHERES.





564.21 LEI
C2 MATTE BLACK
+ BOTTLE GREEN GLASS

564.21 LEI
C2 MATTE BLACK
+ RUBY RED

564.21 LEI
C2 MATTE BLACK
+ FROST GLASS

564.21 LEI
C2 MATTE BLACK
+ SMOKE GLASS





p 148
p 149



564.41 LEI
C42 SATIN BRASS
+ CLEAR GLASS



p 150
p 151



p 152
p 153



564.42 LEI
C70G BRUSHED TITANIUM
+ CLEAR GLASS

564.41 LEI
C42 SATIN BRASS
+ CLEAR GLASS



p 154
p 155



564.61 LEI
C70G BRUSHED TITANIUM
+ CLEAR GLASS



564.61 LEI
C42 SATIN BRASS
+ FROST GLASS

p 156
p 157

564.71 LEI
C2 MATTE BLACK
+ FROST GLASS



564 LEI

HARDWARE + GLASS



C2 MATTE BLACK
+ CLEAR GLASS



C2 MATTE BLACK
+ FROST GLASS



C42 SATIN BRASS
+ CLEAR GLASS



C42 SATIN BRASS
+ FROST GLASS



C70G BRUSHED TITANIUM
+ CLEAR GLASS



C70G BRUSHED TITANIUM
+ FROST GLASS

564.21 LEI PENDANT

WATTAGE	1 X MAX 4,5W - GU10
VOLTAGE	220/240V
DIMMABILITY	ACCORDING TO BULB
CABLE/STEM LENGTH	150 CM




564.22 LEI PENDANT

WATTAGE	1 X 5W LED 2700K
LUMENS	660LM
VOLTAGE	220/240V
DIMMABILITY	PHASE CUT
CABLE/STEM LENGTH	150 CM

564.41 LEI WALL/CEILING

WATTAGE	1 X MAX 4,5W - GU10
VOLTAGE	220/240V
DIMMABILITY	ACCORDING TO BULB



564 LEI

HARDWARE + GLASS


C2 MATTE BLACK
+ CLEAR GLASS


C2 MATTE BLACK
+ FROST GLASS


C42 SATIN BRASS
+ CLEAR GLASS



C42 SATIN BRASS
+ FROST GLASS


C70G BRUSHED TITANIUM
+ CLEAR GLASS


C70G BRUSHED TITANIUM
+ FROST GLASS


564.42 LEI WALL/CEILING

WATTAGE	1 X 5W LED 2700K
LUMENS	660LM
VOLTAGE	12-40V CC 160MA
DIMMABILITY	PHASE CUT




564.45 LEI TRACK

WATTAGE	1 X MAX 4,5W - GU10
VOLTAGE	220/240V
DIMMABILITY	ACCORDING TO BULB



564.46 LEI TRACK

WATTAGE	1 X 5W LED 2700K
LUMENS	660LM
VOLTAGE	48V
DIMMABILITY	DALI



564 LEI

HARDWARE + GLASS


C2 MATTE BLACK
+ CLEAR GLASS


C2 MATTE BLACK
+ FROST GLASS


C42 SATIN BRASS
+ CLEAR GLASS



C42 SATIN BRASS
+ FROST GLASS


C70G BRUSHED TITANIUM
+ CLEAR GLASS


C70G BRUSHED TITANIUM
+ FROST GLASS


564.61 LEI FLOOR

WATTAGE	1 X MAX 4,5W - GU10
VOLTAGE	220/240V
DIMMABILITY	ACCORDING TO BULB
CABLE/STEM LENGTH	300 CM




564.71 LEI CEILING


WATTAGE	1 X MAX 4,5W - GU10
VOLTAGE	220/240V
DIMMABILITY	ACCORDING TO BULB



564.72 LEI CEILING

WATTAGE	1 X 5W LED 2700K
LUMENS	660LM
VOLTAGE	12-40V CC 160MA
DIMMABILITY	PHASE CUT





558 LILLY
CORRADO DOTTI
558.22
558.23
558.25
558.31
558.32
558.42
558.65

IT ISPIRATA ALLA SOBRIETÀ E AL MINIMALISMO DEL DESIGN ASIATICO, LILLY INTERPRETA LA LUCE ATTRAVERSO UNA PRESENZA LEGGERA, MISURATA E PROFONDAMENTE ELEGANTE. LA STRUTTURA IN METALLO DEFINISCE UNA GEOMETRIA ESSENZIALE, MENTRE IL DIFFUSORE IN TESSUTO E RETE FILTRA LA LUCE CON DELICATEZZA, CREANDO UN'ATMOSFERA MORBIDA E RACCOLTA. LE DIVERSE TIPOLOGIE DELLA COLLEZIONE MANTENGONO LO STESSO EQUILIBRIO TRA PROPORZIONE, MATERIA E FUNZIONE, INSERENDOSI NEGLI SPAZI CON NATURALE DISCREZIONE. UN'ELEGANZA MAI OSTENTATA, AFFIDATA ALLA PRECISIONE DEL DISEGNO E ALLA RAFFINATEZZA DEI MATERIALI.
EN INSPIRED BY THE RESTRAINT AND MINIMALISM OF ASIAN DESIGN, LILLY INTERPRETS LIGHT THROUGH A PRESENCE THAT IS LIGHT, MEASURED AND QUIETLY ELEGANT. THE METAL STRUCTURE DEFINES AN ESSENTIAL GEOMETRY, WHILE THE FABRIC AND MESH DIFFUSER FILTERS THE LIGHT WITH DELICACY, CREATING A SOFT AND INTIMATE ATMOSPHERE. ACROSS ITS DIFFERENT CONFIGURATIONS, THE COLLECTION RETAINS THE SAME BALANCE OF PROPORTION, MATERIAL AND FUNCTION, INTEGRATING INTO INTERIORS WITH NATURAL DISCRETION. AN UNDERSTATED ELEGANCE EXPRESSED THROUGH THE PRECISION OF ITS DESIGN AND THE REFINEMENT OF ITS MATERIALS.





558.22 LILLY
558.23 LILLY
C74 SAND BLACK
+ BEIGE FABRIC AND BLACK NET

p 164
p 165

558.25 LILLY
C74 SAND BLACK
+ BEIGE FABRIC AND BLACK NET



558.32 LILLY
C74 SAND BLACK
+ BEIGE FABRIC AND BLACK NET





p 166
p 167

558.31 LILLY
C74 SAND BLACK
+ BEIGE FABRIC AND BLACK NET



p 168
p 169



558.42 LILLY
C74 SAND BLACK
+ BEIGE FABRIC AND BLACK NET



558.65 LILLY
C74 SAND BLACK
+ BEIGE FABRIC AND BLACK NET



558 LILLY

HARDWARE + SHADE



C74 SAND BLACK
+ BEIGE FABRIC AND BLACK NET

558.22 LILLY PENDANT

WATTAGE	1 X MAX 15W - E27
VOLTAGE	220/240V
DIMMABILITY	ACCORDING TO BULB
CABLE/STEM LENGTH	150 CM




558.23 LILLY PENDANT

WATTAGE	1 X MAX 15W - E27
VOLTAGE	220/240V
DIMMABILITY	ACCORDING TO BULB
CABLE/STEM LENGTH	150 CM



558.25 LILLY PENDANT

WATTAGE	1 X MAX 15W - E27
VOLTAGE	220/240V
DIMMABILITY	ACCORDING TO BULB
CABLE/STEM LENGTH	150 CM



558 LILLY

HARDWARE + SHADE




C74 SAND BLACK
+ BEIGE FABRIC AND BLACK NET

558.31 LILLY SIDE TABLE

IP20 CE cULus CCC


WATTAGE	1 X MAX 10W - E14
VOLTAGE	220/240V
CABLE/STEM LENGTH	150 CM



558.32 LILLY TABLE

IP20 CE cULus CCC


WATTAGE	1 X MAX 15W - E27
VOLTAGE	220/240V
CABLE/STEM LENGTH	150 CM



558.42 LILLY WALL

IP40 CE cULus CCC

WATTAGE	1 X MAX 15W - E27
VOLTAGE	220/240V
DIMMABILITY	ACCORDING TO BULB



558 LILLY

HARDWARE + SHADE




C74 SAND BLACK
+ BEIGE FABRIC AND BLACK NET

558.65 LILLY FLOOR

IP20 CE cULus CCC

WATTAGE	1 X MAX 15W - E27
VOLTAGE	220/240V
CABLE/STEM LENGTH	300 CM





565 LINFA
FEDERICO PERI
565.12
565.13
565.15
565.18
565.21
565.22S
565.22M
565.22B
565.23S
565.23M
565.23B
565.32
565.41
565.43
565.65

p 174
p 175

IT LINFA TRAE ISPIRAZIONE DALLA NATURA E DALLA LEGGEREZZA DELLE FORME ORGANICHE. LE LINEE MORBIDE E IL DIALOGO TRA MATERIALI RESTITUISCONO UNA PRESENZA LUMINOSA ELEGANTE, PENSATA PER CREARE UN EQUILIBRIO ARMONIOSO TRA LUCE E SPAZIO. UNA COLLEZIONE CHE INTERPRETA LA NATURALEZZA COME VALORE PROGETTUALE, TRASFORMANDO OGNI AMBIENTE IN UN LUOGO ACCOGLIENTE, RAFFINATO E SENZA TEMPO.
EN LINFA DRAWS INSPIRATION FROM NATURE AND THE LIGHTNESS OF ORGANIC FORMS. SOFT LINES AND A REFINED DIALOGUE BETWEEN MATERIALS CREATE AN ELEGANT LUMINOUS PRESENCE DESIGNED TO ESTABLISH HARMONY BETWEEN LIGHT AND SPACE. A COLLECTION THAT EMBRACES NATURALNESS AS A DESIGN VALUE, TRANSFORMING INTERIORS INTO WELCOMING, REFINED AND TIMELESS ENVIRONMENTS.

565.12 LINFA
C72 OPAQUE NICKEL
+ SMOKE + WHITE + CLEAR GLASS



p 176
p 177



565.18 LINFA
C70 TITANIUM
+ SMOKE + WHITE + CLEAR GLASS

p 178
p 179

565.13 LINFA
C72 OPAQUE NICKEL
+ SMOKE + WHITE + CLEAR GLASS

p 180
p 181

565.15 LINFA
C24 HOT GOLD
+ SMOKE + WHITE + CLEAR GLASS

p 182
p 183





565.21 LINFA
C72 OPAQUE NICKEL
+ SMOKE GLASS

565.21 CLUSTER LINFA
C72 OPAQUE NICKEL
+ SMOKE GLASS

p 184
p 185

565.21 LINFA
C72 OPAQUE NICKEL
+ CLEAR GLASS

C72 OPAQUE NICKEL
+ WHITE GLASS





565.22S LINFA
C72 OPAQUE NICKEL
+ SMOKE + WHITE + CLEAR GLASS



565.22S + COUNTERWEIGHT LINFA
565.22M LINFA
C70 TITANIUM
+ SMOKE + WHITE + CLEAR GLASS



p 186
p 187

565.22M LINFA
565.22B LINFA
C70 TITANIUM
+ SMOKE + WHITE + CLEAR GLASS





p 188
p 189



565.23S LINFA
C72 OPAQUE NICKEL
+ SMOKE + WHITE + CLEAR GLASS

565.23M LINFA
565.23B LINFA
C70 TITANIUM
+ SMOKE + WHITE + CLEAR GLASS

p 190
p 191

565.23M LINFA
C70 TITANIUM
+ SMOKE + WHITE + CLEAR GLASS



565.23M LINFA
565.23B LINFA
C70 TITANIUM
+ SMOKE + WHITE + CLEAR GLASS

p 192
p 193



565.32 LINFA
C72 OPAQUE NICKEL
+ SMOKE + WHITE + CLEAR GLASS

p 194
p 195

Products

565.41 LINFA
C72 OPAQUE NICKEL
+ WHITE GLASS



p 196
p 197

Signatures



565.41 LINFA
C72 OPAQUE NICKEL
+ SMOKE GLASS





565.41 LINFA
C72 OPAQUE NICKEL
+ CLEAR GLASS





565.43 LINFA
C70 TITANIUM
+ SMOKE + WHITE + CLEAR GLASS

p 198
p 199





p 200
p 201



565.65 LINFA
C70 TITANIUM
+ SMOKE + WHITE + CLEAR GLASS

565.65 LINFA
C24 HOT GOLD
+ SMOKE + WHITE + CLEAR GLASS



565.65 LINFA
C70 TITANIUM
+ SMOKE + WHITE + CLEAR GLASS

p 202

565 LINFA

HARDWARE + GLASS



C24 HOT GOLD
+ SMOKE GLASS
+ WHITE GLASS
+ CLEAR GLASS



C70 TITANIUM
+ SMOKE GLASS
+ WHITE GLASS
+ CLEAR GLASS




C72 OPAQUE NICKEL
+ SMOKE GLASS
+ WHITE GLASS
+ CLEAR GLASS

565.12 LINFA CHANDELIER

IP 40 CE


WATTAGE	20 X 2,7W LED 2700K
LUMENS	7000LM
VOLTAGE	220/240V
DIMMABILITY	PHASE CUT
CABLE/STEM LENGTH	1X60 CM, 1X90 CM INCLUDED



565.18 LINFA CHANDELIER

IP 40 CE


WATTAGE	18 X 2,7W LED 2700K
LUMENS	6300LM
VOLTAGE	220/240V
DIMMABILITY	PHASE CUT
CABLE/STEM LENGTH	1X60 CM, 1X90 CM INCLUDED



565.13 LINFA CHANDELIER


IP 40 CE

WATTAGE	30 X 2,7W LED 2700K
LUMENS	10500LM
VOLTAGE	220/240V
DIMMABILITY	PHASE CUT
CABLE/STEM LENGTH	1X60 CM, 1X90 CM INCLUDED




565 LINFA

HARDWARE + GLASS



C24 HOT GOLD
+ SMOKE GLASS
+ WHITE GLASS
+ CLEAR GLASS



C70 TITANIUM
+ SMOKE GLASS
+ WHITE GLASS
+ CLEAR GLASS




C72 OPAQUE NICKEL
+ SMOKE GLASS
+ WHITE GLASS
+ CLEAR GLASS

565.15 LINFA CHANDELIER

IP 40 CE


WATTAGE	50 X 2,7W LED 2700K
LUMENS	17500LM
VOLTAGE	220/240V
DIMMABILITY	PHASE CUT
CABLE/STEM LENGTH	1X60 CM, 1X90 CM INCLUDED



565.21 LINFA PENDANT

IP 40 CE


WATTAGE	1 X 2,7W LED 2700K
LUMENS	350LM
VOLTAGE	220/240V
DIMMABILITY	PHASE CUT
CABLE/STEM LENGTH	150 CM



565.22S LINFA PENDANT

IP 40 CE

WATTAGE	6 X 2,7W LED 2700K
LUMENS	2100LM
VOLTAGE	220/240V
DIMMABILITY	PHASE CUT
CABLE/STEM LENGTH	125 CM



565 LINFA

HARDWARE + GLASS



C24 HOT GOLD
+ SMOKE GLASS
+ WHITE GLASS
+ CLEAR GLASS



C70 TITANIUM
+ SMOKE GLASS
+ WHITE GLASS
+ CLEAR GLASS




C72 OPAQUE NICKEL
+ SMOKE GLASS
+ WHITE GLASS
+ CLEAR GLASS

565.22M LINFA PENDANT

IP 40 CE


WATTAGE	10 X 2,7W LED 2700K
LUMENS	3500LM
VOLTAGE	220/240V
DIMMABILITY	PHASE CUT
CABLE/STEM LENGTH	125 CM



565.22B LINFA PENDANT

IP 40 CE


WATTAGE	14 X 2,7W LED 2700K
LUMENS	4900LM
VOLTAGE	220/240V
DIMMABILITY	PHASE CUT
CABLE/STEM LENGTH	125 CM



565.23S LINFA PENDANT


IP 40 CE

WATTAGE	6 X 2,7W LED 2700K
LUMENS	2100LM
VOLTAGE	220/240V
DIMMABILITY	PHASE CUT
CABLE/STEM LENGTH	125 CM



565 LINFA

HARDWARE + GLASS



C24 HOT GOLD
+ SMOKE GLASS
+ WHITE GLASS
+ CLEAR GLASS


C70 TITANIUM
+ SMOKE GLASS
+ WHITE GLASS
+ CLEAR GLASS

C72 OPAQUE NICKEL
+ SMOKE GLASS
+ WHITE GLASS
+ CLEAR GLASS

565.23M LINFA PENDANT

IP 40 CE


WATTAGE	10 X 2,7W LED 2700K
LUMENS	3500LM
VOLTAGE	220/240V
DIMMABILITY	PHASE CUT
CABLE/STEM LENGTH	125 CM



565.23B LINFA PENDANT

IP 40 CE


WATTAGE	14 X 2,7W LED 2700K
LUMENS	4900LM
VOLTAGE	220/240V
DIMMABILITY	PHASE CUT
CABLE/STEM LENGTH	125 CM



565.32 LINFA TABLE

IP 40 CE

WATTAGE	2 X 2,7W LED 2700K
LUMENS	700LM
VOLTAGE	220/240V
DIMMABILITY	ON BOARD
CABLE/STEM LENGTH	150 CM



565 LINFA

HARDWARE + GLASS



C24 HOT GOLD
+ SMOKE GLASS
+ WHITE GLASS
+ CLEAR GLASS



C70 TITANIUM
+ SMOKE GLASS
+ WHITE GLASS
+ CLEAR GLASS




C72 OPAQUE NICKEL
+ SMOKE GLASS
+ WHITE GLASS
+ CLEAR GLASS

565.41 LINFA WALL/CEILING

IP 40 CE


WATTAGE	1 X 2,7W LED 2700K
LUMENS	350LM
VOLTAGE	220/240V
DIMMABILITY	PHASE CUT



565.43 LINFA WALL

IP 40 CE


WATTAGE	3 X 2,7W LED 2700K
LUMENS	1050LM
VOLTAGE	220/240V
DIMMABILITY	PHASE CUT




565.65 LINFA FLOOR

IP 40 CE

WATTAGE	5 X 2,7W LED 2700K
LUMENS	1750LM
VOLTAGE	220/240V
DIMMABILITY	DIMMER ON CABLE
CABLE/STEM LENGTH	300 CM





p 208
p 209

551 MACAO
CORRADO DOTTI
551.32
551.44
551.64
551.65

IT ISPIRATA ALL'ESTETICA DELLE TRADIZIONALI LANTERNE GIAPPONESI, MACAO REINTERPRETA UN'ICONA SENZA TEMPO ATTRAVERSO UN LINGUAGGIO ESSENZIALE E CONTEMPORANEO. LE PROPORZIONI LEGGERE E IL DIFFUSORE IN TESSUTO FILTRANO LA LUCE CON NATURALEZZA, CREANDO ATMOSFERE INTIME E ACCOGLIENTI. DISPONIBILE IN DIVERSE CONFIGURAZIONI, LA COLLEZIONE CONSERVA LA STESSA ELEGANZA IN OGNI VERSIONE, ADATTANDOSI CON ARMONIA AGLI SPAZI RESIDENZIALI E HOSPITALITY. UN EQUILIBRIO TRA SEMPLICITÀ, LEGGEREZZA E RAFFINATA PRESENZA SCENICA.
EN INSPIRED BY TRADITIONAL JAPANESE LANTERNS, MACAO REINTERPRETS A TIMELESS ICON THROUGH AN ESSENTIAL CONTEMPORARY LANGUAGE. ITS LIGHTWEIGHT PROPORTIONS AND FABRIC DIFFUSER SOFTEN THE LIGHT, CREATING INTIMATE AND WELCOMING ATMOSPHERES. AVAILABLE IN A VARIETY OF CONFIGURATIONS, THE COLLECTION PRESERVES ITS UNDERSTATED ELEGANCE ACROSS EVERY VERSION, ADAPTING NATURALLY TO RESIDENTIAL AND HOSPITALITY INTERIORS. A REFINED BALANCE OF SIMPLICITY, LIGHTNESS AND PRESENCE.






551.32 MACAO
C74 SAND BLACK
+ BEIGE FABRIC AND BLACK NET

551.32 MACAO
C74 SAND BLACK
+ WHITE FABRIC

551.32 MACAO
C74 SAND BLACK
+ BEIGE FABRIC AND BLACK NET



551.32 MACAO
C74 SAND BLACK
+ BEIGE FABRIC AND BLACK NET

p 212
p 213

551.44 MACAO
C74 SAND BLACK
+ WHITE FABRIC



p 214
p 215



551.44 MACAO
C74 SAND BLACK
+ BEIGE FABRIC AND BLACK NET

551.64 MACAO
C74 SAND BLACK
+ WHITE FABRIC

p 216
p 217



551.64 MACAO
C74 SAND BLACK
+ WHITE FABRIC



551.64 MACAO
C74 SAND BLACK
+ BEIGE FABRIC AND BLACK NET

p 218
p 219



551.65 MACAO
C74 SAND BLACK
+ BEIGE FABRIC AND BLACK NET



p 220
p 221

551.65 MACAO
C74 SAND BLACK
+ WHITE FABRIC



551 MACAO

HARDWARE + SHADE




C74 SAND BLACK
+ WHITE FABRIC



C74 SAND BLACK
+ BEIGE FABRIC AND BLACK NET

551.32 MACAO TABLE

WATTAGE	1 X MAX 15W - E27
VOLTAGE	220/240V
DIMMABILITY	ON REQUEST
CABLE/STEM LENGTH	150 CM




551.44 MACAO WALL

WATTAGE	1 X MAX 15W - E27
VOLTAGE	220/240V
DIMMABILITY	ACCORDING TO BULB



551.64 MACAO FLOOR

WATTAGE	1 X MAX 20W - E27
VOLTAGE	220/240V
DIMMABILITY	ON REQUEST
CABLE/STEM LENGTH	300 CM



551 MACAO

HARDWARE + SHADE




C74 SAND BLACK
+ WHITE FABRIC



C74 SAND BLACK
+ BEIGE FABRIC AND BLACK NET

551.65 MACAO FLOOR


WATTAGE	1 X MAX 20W - E27
VOLTAGE	220/240V
DIMMABILITY	ON REQUEST
CABLE/STEM LENGTH	300 CM





p 224
p 225

556 MOLLY
CORRADO DOTTI
556.21L
556.22L
556.23L
556.31L
556.32L
556.42L
556.62L
556.65L
556.71L
556.72L
556.73L



IT MOLLY NASCE DALL'INCONTRO TRA SEMPLICITÀ FORMALE E RICCHEZZA MATERICA. LA CUPOLA E L'ANELLO DIALOGANO ATTRAVERSO FINITURE PREZIOSE, DANDO VITA A UNA COLLEZIONE DAL CARATTERE CONTEMPORANEO, CAPACE DI ADATTARSI CON NATURALEZZA A CONTESTI DIFFERENTI. DISPONIBILE IN TRE DIMENSIONI E IN NUMEROSE CONFIGURAZIONI, MOLLY TROVA LA PROPRIA FORZA NELL'EQUILIBRIO TRA PROPORZIONE, VERSATILITÀ E QUALITÀ DELLA LUCE. UNA PRESENZA LUMINOSA PENSATA PER CREARE COMPOSIZIONI ARMONIOSE, DAL SINGOLO ELEMENTO ALLE INSTALLAZIONI PIÙ SCENOGRAFICHE.

EN MOLLY IS BORN FROM THE ENCOUNTER BETWEEN FORMAL SIMPLICITY AND MATERIAL RICHNESS. THE DOME AND RING ENGAGE IN A REFINED DIALOGUE OF FINISHES, CREATING A CONTEMPORARY COLLECTION THAT NATURALLY ADAPTS TO A VARIETY OF SETTINGS. AVAILABLE IN THREE SIZES AND MULTIPLE CONFIGURATIONS, MOLLY FINDS ITS STRENGTH IN THE BALANCE BETWEEN PROPORTION, VERSATILITY AND LIGHTING QUALITY. A LUMINOUS PRESENCE CONCEIVED FOR HARMONIOUS COMPOSITIONS, FROM A SINGLE FIXTURE TO STRIKING INSTALLATIONS.


p 226
p 227



556.21L MOLLY
556.22L MOLLY
556.23L MOLLY
C50 PEWTER
+ C74 SAND BLACK

556.21L MOLLY
556.22L MOLLY
556.23L MOLLY
C50 PEWTER
+ C74 SAND BLACK

p 228
p 229



556.21L MOLLY
556.22L MOLLY
C74 SAND BLACK
+ C41 BRUSHED BRASS

C50 PEWTER
+ C41 BRUSHED BRASS

p 230
p 231



556.21L MOLLY
C50 PEWTER
+ C50 PEWTER

Products





556.22L MOLLY
C41 BRUSHED BRASS
+ C41 BRUSHED BRASS

C41 BRUSHED BRASS
+ C74 SAND BLACK

C46 SAND GREY
+ C41 BRUSHED BRASS

C74 SAND BLACK
+ C41 BRUSHED BRASS





p 232
p 233

Signatures



556.23L MOLLY
C46 SAND GREY
+ C74 SAND BLACK

556.31L MOLLY
C41 BRUSHED BRASS
+ C74 SAND BLACK

C74 SAND BLACK
+ C41 BRUSHED BRASS





p 234
p 235



556.32L MOLLY
556.42L MOLLY
C41 BRUSHED BRASS
+ C41 BRUSHED BRASS



p 236
p 237

556.62L MOLLY
C74 SAND BLACK
+ C74 SAND BLACK

p 238
p 239



556.65L MOLLY
C74 SAND BLACK
+ C41 BRUSHED BRASS

p 240
p 241



p 242
p 243

556.71L MOLLY
C41 BRUSHED BRASS
+ C41 BRUSHED BRASS





556.71L MOLLY
C50 PEWTER
+ C74 SAND BLACK

556.72L MOLLY
C50 PEWTER
+ C41 BRUSHED BRASS





p 244
p 245





556.73L MOLLY
C74 SAND BLACK
+ C41 BRUSHED BRASS


556 MOLLY

HARDWARE



556.21L MOLLY PENDANT

WATTAGE	1 X 8,2W LED 2700K
LUMENS	1400LM
VOLTAGE	220/240V
DIMMABILITY	PHASE CUT
CABLE/STEM LENGTH	150 CM




556.22L MOLLY PENDANT

WATTAGE	1 X 8,2W LED 2700K
LUMENS	1400LM
VOLTAGE	220/240V
DIMMABILITY	PHASE CUT
CABLE/STEM LENGTH	150 CM



556.23L MOLLY PENDANT

WATTAGE	1 X 14W LED 2700K
LUMENS	1900LM
VOLTAGE	220/240V
DIMMABILITY	PHASE CUT
CABLE/STEM LENGTH	150 CM




556 MOLLY

HARDWARE




556.31L MOLLY SIDE TABLE

WATTAGE	1 X 8,2W LED 2700K
LUMENS	1400LM
VOLTAGE	220/240V
DIMMABILITY	DIMMER ON CABLE
CABLE/STEM LENGTH	150 CM




556.32L MOLLY TABLE

WATTAGE	1 X 8,2W LED 2700K
LUMENS	1400LM
VOLTAGE	220/240V
DIMMABILITY	DIMMER ON CABLE
CABLE/STEM LENGTH	150 CM



556.42L MOLLY WALL

WATTAGE	1 X 8,2W LED 2700K
LUMENS	1400LM
VOLTAGE	220/240V




556 MOLLY

HARDWARE




556.62L MOLLY FLOOR

WATTAGE	1 X 8,2W LED 2700K
LUMENS	1400LM
VOLTAGE	220/240V
DIMMABILITY	DIMMER ON CABLE
CABLE/STEM LENGTH	300 CM



556.65L MOLLY FLOOR

WATTAGE	1 X 14W LED 2700K
LUMENS	1900LM
VOLTAGE	220/240V
DIMMABILITY	DIMMER ON CABLE
CABLE/STEM LENGTH	300 CM




556.71L MOLLY WALL/CEILING

WATTAGE	1 X 8,2W LED 2700K
LUMENS	1400LM
VOLTAGE	220/240V
DIMMABILITY	PHASE CUT



556 MOLLY

HARDWARE



556.72L MOLLY WALL/CEILING


WATTAGE	1 X 8,2W LED 2700K
LUMENS	1400LM
VOLTAGE	220/240V
DIMMABILITY	PHASE CUT



556.73L MOLLY WALL/CEILING

WATTAGE	1 X 14W LED 2700K
LUMENS	1900LM
VOLTAGE	220/240V
DIMMABILITY	PHASE CUT





p 250
p 251

554 MUSE
CORRADO DOTTI
554.13
554.15
554.21
554.22
554.35
554.44
554.65
554.71
554.72

IT MUSE NASCE DALL'INCONTRO TRA MEMORIA E CONTEMPORANEITÀ. LE PROPORZIONI NEO-VINTAGE E IL GIOCO DI VOLUMI TRA VETRO E METALLO DANNO VITA A UNA COLLEZIONE DAL CARATTERE RAFFINATO, DOVE OGNI DETTAGLIO CONTRIBUISCE A COSTRUIRE UN EQUILIBRIO MATERICO RICCO DI SFUMATURE. LE DIVERSE FINITURE AMPLIFICANO LE POSSIBILITÀ ESPRESSIVE DEL PROGETTO, PERMETTENDO ALLA LUCE DI ASSUMERE OGNI VOLTA UN'IDENTITÀ DIFFERENTE. UNA COLLEZIONE PENSATA PER CREARE ATMOSFERE SOFISTICATE, IN CUI DESIGN E MATERIA DIALOGANO CON NATURALE ARMONIA.
EN MUSE EMERGES FROM THE MEETING OF MEMORY AND CONTEMPORARY DESIGN. NEO-VINTAGE PROPORTIONS AND THE INTERPLAY BETWEEN GLASS AND METAL CREATE A REFINED COLLECTION WHERE EVERY DETAIL CONTRIBUTES TO A RICH MATERIAL DIALOGUE. ITS RANGE OF FINISHES EXPANDS THE COLLECTION'S EXPRESSIVE POSSIBILITIES, ALLOWING LIGHT TO TAKE ON A DIFFERENT IDENTITY IN EVERY SETTING. A COLLECTION CONCEIVED TO CREATE SOPHISTICATED ATMOSPHERES WHERE DESIGN AND MATERIAL EXIST IN NATURAL HARMONY.



554.13 MUSE
C74 SAND BLACK
+ C41 BRUSHED BRASS



p 252
p 253



554.15 MUSE
C74 SAND BLACK
+ C41 BRUSHED BRASS

p 254
p 255





554.21 MUSE
554.22 MUSE
C74 SAND BLACK
+ C41 BRUSHED BRASS



p 256
p 257





554.35 MUSE
C74 SAND BLACK
+ C41 BRUSHED BRASS

p 258
p 259

554.44 MUSE
C74 SAND BLACK
+ C41 BRUSHED BRASS



554.65 MUSE
C74 SAND BLACK
+ C41 BRUSHED BRASS

p 260
p 261



p 262



554.71 MUSE
554.72 MUSE
C74 SAND BLACK
+ C41 BRUSHED BRASS

554 MUSE


HARDWARE + GLASS



C74 SAND BLACK
+ C41 BRUSHED BRASS
+ CLEAR GLASS

554.13 MUSE CHANDELIER

WATTAGE	13 X MAX 5W - G9
VOLTAGE	220/240V
DIMMABILITY	ACCORDING TO BULB
CABLE/STEM LENGTH	125 CM




554.15 MUSE PENDANT

WATTAGE	5 X MAX 5W - G9
VOLTAGE	220/240V
DIMMABILITY	ACCORDING TO BULB
CABLE/STEM LENGTH	125 CM



554.21 MUSE PENDANT

WATTAGE	1 X MAX 5W - G9
VOLTAGE	220/240V
DIMMABILITY	ACCORDING TO BULB
CABLE/STEM LENGTH	150 CM



554 MUSE


HARDWARE + GLASS



C74 SAND BLACK
+ C41 BRUSHED BRASS
+ CLEAR GLASS


554.22 MUSE PENDANT

WATTAGE	1 X MAX 5W - G9
VOLTAGE	220/240V
DIMMABILITY	ACCORDING TO BULB
CABLE/STEM LENGTH	150 CM




554.35 MUSE TABLE

WATTAGE	4 X MAX 5W - G9
VOLTAGE	220/240V
DIMMABILITY	ON REQUEST
CABLE/STEM LENGTH	150 CM



554.44 MUSE WALL

WATTAGE	4 X MAX 5W - G9
VOLTAGE	220/240V
DIMMABILITY	ACCORDING TO BULB



554 MUSE


HARDWARE + GLASS



C74 SAND BLACK
+ C41 BRUSHED BRASS
+ CLEAR GLASS


554.65 MUSE FLOOR

WATTAGE	4 X MAX 5W - G9
VOLTAGE	220/240V
DIMMABILITY	ON REQUEST
CABLE/STEM LENGTH	300 CM



554.71 MUSE WALL/CEILING


WATTAGE	1 X MAX 5W - G9
VOLTAGE	220/240V
DIMMABILITY	ACCORDING TO BULB



554.72 MUSE WALL/CEILING

WATTAGE	1 X MAX 5W - G9
VOLTAGE	220/240V
DIMMABILITY	ACCORDING TO BULB





p 266
p 267

Signatures

552 NABILA
CORRADO DOTTI
552.19
552.19L
552.10
552.10L
552.12
552.12L
552.14
552.14L
552.16
552.16L
552.32FLAT
552.32LFLAT
552.48
552.48L
552.48FLAT
552.48LFLAT
552.21
552.21L
552.22
552.22L
552.23
552.32
552.33
552.36
552.41
552.41L
552.42
552.42L
552.43
552.66
552.66L
552.73
552.73L

IT ISPIRATA AL DESIGN DEGLI ANNI CINQUANTA, NABILA REINTERPRETA L'ELEGANZA DELLE GRANDI ICONE DECORATIVE ATTRAVERSO UN LINGUAGGIO CONTEMPORANEO. LE SFERE IN VETRO SEMBRANO SOSPESE ALL'INTERNO DELLA STRUTTURA METALLICA, CREANDO UN RAFFINATO EQUILIBRIO TRA PIENI E VUOTI, LUCE E MATERIA. L'AMPIA VARIETÀ DI CONFIGURAZIONI RENDE LA COLLEZIONE ESTREMAMENTE VERSATILE, MANTENENDO IN OGNI VERSIONE LA STESSA IDENTITÀ SOFISTICATA. UNA PRESENZA LUMINOSA CHE ATTRAVERSA IL TEMPO CON NATURALE ELEGANZA.
EN INSPIRED BY THE DESIGN LANGUAGE OF THE 1950S, NABILA REINTERPRETS THE ELEGANCE OF DECORATIVE LIGHTING ICONS THROUGH A CONTEMPORARY PERSPECTIVE. GLASS SPHERES APPEAR SUSPENDED WITHIN THE METAL FRAME, CREATING A REFINED BALANCE BETWEEN SOLIDS AND VOIDS, LIGHT AND MATERIAL. ITS WIDE RANGE OF CONFIGURATIONS MAKES THE COLLECTION REMARKABLY VERSATILE WHILE PRESERVING THE SAME SOPHISTICATED IDENTITY THROUGHOUT. A LUMINOUS PRESENCE DESIGNED TO TRANSCEND TIME WITH EFFORTLESS ELEGANCE.



552.19 NABILA
C2 MATTE BLACK
+ C48 BLACK CHROME
+ SMOKE GLASS

p 268
p 269



552.19 NABILA
C2 MATTE BLACK
+ C41 BRUSHED BRASS
+ CLEAR GLASS





552.10 NABILA
C2 MATTE BLACK
+ C48 BLACK CHROME
+ SMOKE GLASS

p 270
p 271





552.12 NABILA
C2 MATTE BLACK
+ C41 BRUSHED BRASS
+ CLEAR GLASS




552.12 NABILA
C83 SATIN TITANIUM
+ C64 DARK BRONZE
+ CHAMPAGNE GLASS



p 274
p 275



552.14 NABILA
C2 MATTE BLACK
+ C41 BRUSHED BRASS
+ CLEAR GLASS



p 276
p 277

552.16 NABILA
C2 MATTE BLACK
+ C41 BRUSHED BRASS
+ CLEAR GLASS

C2 MATTE BLACK
+ C48 BLACK CHROME
+ SMOKE GLASS




p 278
p 279





552.32LFLAT NABILA
C83 SATIN TITANIUM
+ C64 DARK BRONZE
+ CHAMPAGNE GLASS

p 280
p 281



p 282
p 283

552.32FLAT NABILA
C2 MATTE BLACK
+ C41 BRUSHED BRASS
+ CLEAR GLASS

552.32FLAT NABILA
C2 MATTE BLACK
+ C41 BRUSHED BRASS
+ CLEAR GLASS



p 284
p 285



552.48 NABILA
C2 MATTE BLACK
+ C48 BLACK CHROME
+ SMOKE GLASS




p 286
p 287

552.48 NABILA
C2 MATTE BLACK
+ C41 BRUSHED BRASS
+ CLEAR GLASS







552.48 NABILA
C2 MATTE BLACK
+ C41 BRUSHED BRASS
+ CLEAR GLASS

p 288
p 289

552.21 NABILA
552.22 NABILA
C2 MATTE BLACK
+ C41 BRUSHED BRASS
+ CLEAR GLASS

p 290
p 291

552.21 NABILA
C2 MATTE BLACK
+ C41 BRUSHED BRASS
+ CLEAR GLASS

C2 MATTE BLACK
+ C48 BLACK CHROME
+ SMOKE GLASS






552.22 NABILA
C2 MATTE BLACK
+ C41 BRUSHED BRASS
+ CLEAR GLASS

C2 MATTE BLACK
+ C48 BLACK CHROME
+ SMOKE GLASS







552.23 NABILA
C2 MATTE BLACK
+ C41 BRUSHED BRASS
+ CLEAR GLASS

p 294
p 295





552.32 NABILA
C2 MATTE BLACK
+ C41 BRUSHED BRASS
+ CLEAR GLASS

p 296
p 297






552.33 NABILA
C2 MATTE BLACK
+ C41 BRUSHED BRASS
+ CLEAR GLASS

p 298
p 299

552.36 NABILA
C2 MATTE BLACK
+ C41 BRUSHED BRASS
+ CLEAR GLASS



p 300
p 301



552.36 NABILA
C83 SATIN TITANIUM
+ C64 DARK BRONZE
+ CHAMPAGNE GLASS

552.36 NABILA
C2 MATTE BLACK
+ C48 BLACK CHROME
+ SMOKE GLASS



p 302
p 303



p 304
p 305



552.41 NABILA
C2 MATTE BLACK
+ C41 BRUSHED BRASS
+ CLEAR GLASS

552.41 NABILA
C83 SATIN TITANIUM
+ C64 DARK BRONZE
+ CHAMPAGNE GLASS





p 306
p 307



552.41 NABILA
C83 SATIN TITANIUM
+ C64 DARK BRONZE
+ CHAMPAGNE GLASS

p 308
p 309

552.42 NABILA
C83 SATIN TITANIUM
+ C64 DARK BRONZE
+ CHAMPAGNE GLASS



p 310
p 311

552.42 NABILA
C2 MATTE BLACK
+ C41 BRUSHED BRASS
+ CLEAR GLASS



552.43 NABILA
C2 MATTE BLACK
+ C41 BRUSHED BRASS
+ CLEAR GLASS



552.43 NABILA
C2 MATTE BLACK
+ C48 BLACK CHROME
+ SMOKE GLASS



p 312
p 313







552.66 NABILA
C2 MATTE BLACK
+ C41 BRUSHED BRASS
+ CLEAR GLASS

C2 MATTE BLACK
+ C48 BLACK CHROME
+ SMOKE GLASS





p 314
p 315

552.73 NABILA
C2 MATTE BLACK
+ C41 BRUSHED BRASS
+ CLEAR GLASS



552 NABILA

HARDWARE + GLASS



C2 MATTE BLACK
+ C41 BRUSHED BRASS
+ CLEAR GLASS



C2 MATTE BLACK
+ C48 BLACK CHROME
+ SMOKE GLASS





C83 SATIN TITANIUM
+ C64 DARK BRONZE
+ CHAMPAGNE GLASS

552.19 NABILA CHANDELIER

IP 40 CE cULus CC

WATTAGE	9 X MAX 5W - G9
VOLTAGE	220/240V
DIMMABILITY	ACCORDING TO BULB
CABLE/STEM LENGTH	1X30 CM, 1X60 CM, 1X90 CM + JOINT KIT INCLUDED






552.19L NABILA CHANDELIER

IP 40 CE


WATTAGE	9 X 3,5W LED 2700K
LUMENS	5310LM
VOLTAGE	220/240V
DIMMABILITY	DALI 2 AND PUSH
CABLE/STEM LENGTH	1X30 CM, 1X60 CM, 1X90 CM + JOINT KIT INCLUDED



552.10 NABILA CHANDELIER

IP 40 CE cULus CC

WATTAGE	10 X MAX 5W - G9
VOLTAGE	220/240V
DIMMABILITY	ACCORDING TO BULB
CABLE/STEM LENGTH	1X30 CM, 1X60 CM, 1X90 CM + JOINT KIT INCLUDED



552 NABILA

HARDWARE + GLASS



C2 MATTE BLACK
+ C41 BRUSHED BRASS
+ CLEAR GLASS


C2 MATTE BLACK
+ C48 BLACK CHROME
+ SMOKE GLASS

C83 SATIN TITANIUM
+ C64 DARK BRONZE
+ CHAMPAGNE GLASS

552.10L NABILA CHANDELIER

IP 40 CE


WATTAGE	10 X 3,5W LED 2700K
LUMENS	5900LM
VOLTAGE	220/240V
DIMMABILITY	DALI 2 AND PUSH
CABLE/STEM LENGTH	1X30 CM, 1X60 CM, 1X90 CM + JOINT KIT INCLUDED



552.12 NABILA CHANDELIER

IP 40 CE cULus


WATTAGE	12 X MAX 5W - G9
VOLTAGE	220/240V
DIMMABILITY	ACCORDING TO BULB
CABLE/STEM LENGTH	1X30 CM, 1X60 CM, 1X90 CM + JOINT KIT INCLUDED



552.12L NABILA CHANDELIER

IP 40 CE

WATTAGE	12 X 3,5W LED 2700K
LUMENS	7080LM
VOLTAGE	220/240V
DIMMABILITY	DALI 2 AND PUSH
CABLE/STEM LENGTH	1X30 CM, 1X60 CM, 1X90 CM + JOINT KIT INCLUDED



552 NABILA

HARDWARE + GLASS



C2 MATTE BLACK
+ C41 BRUSHED BRASS
+ CLEAR GLASS



C2 MATTE BLACK
+ C48 BLACK CHROME
+ SMOKE GLASS




C83 SATIN TITANIUM
+ C64 DARK BRONZE
+ CHAMPAGNE GLASS

552.14 NABILA CHANDELIER

IP 40 CE


WATTAGE	14 X MAX 5W - G9
VOLTAGE	220/240V
DIMMABILITY	ACCORDING TO BULB
CABLE/STEM LENGTH	1X30 CM, 1X60 CM, 1X90 CM + JOINT KIT INCLUDED



552.14L NABILA CHANDELIER

IP 40 CE


WATTAGE	14 X 3,5W LED 2700K
LUMENS	8260LM
VOLTAGE	220/240V
DIMMABILITY	DALI 2 AND PUSH
CABLE/STEM LENGTH	1X30 CM, 1X60 CM, 1X90 CM + JOINT KIT INCLUDED



552.16 NABILA CHANDELIER

IP 40 CE cULus

WATTAGE	16 X MAX 5W - G9
VOLTAGE	220/240V
DIMMABILITY	ACCORDING TO BULB
CABLE/STEM LENGTH	1X30 CM, 1X60 CM, 1X90 CM + JOINT KIT INCLUDED



552 NABILA

HARDWARE + GLASS



C2 MATTE BLACK
+ C41 BRUSHED BRASS
+ CLEAR GLASS



C2 MATTE BLACK
+ C48 BLACK CHROME
+ SMOKE GLASS





C83 SATIN TITANIUM
+ C64 DARK BRONZE
+ CHAMPAGNE GLASS

552.16L NABILA CHANDELIER

IP 40 CE

WATTAGE	16 X 3,5W LED 2700K
LUMENS	9440LM
VOLTAGE	220/240V
DIMMABILITY	DALI 2 AND PUSH
CABLE/STEM LENGTH	1X30 CM, 1X60 CM, 1X90 CM + JOINT KIT INCLUDED






552.32FLAT NABILA CHANDELIER

IP 40 CE


WATTAGE	32 X MAX 5W - G9
LUMENS	
VOLTAGE	220/240V
DIMMABILITY	ACCORDING TO BULB
CABLE/STEM LENGTH	1X60 CM, 1X90 CM + JOINT KIT INCLUDED



552.32LFLAT NABILA CHANDELIER

IP 40 CE

WATTAGE	32 X 3,5W LED 2700K
LUMENS	18880LM
VOLTAGE	220/240V
DIMMABILITY	DALI 2 AND PUSH
CABLE/STEM LENGTH	1X60 CM, 1X90 CM + JOINT KIT INCLUDED



552 NABILA

HARDWARE + GLASS



C2 MATTE BLACK
+ C41 BRUSHED BRASS
+ CLEAR GLASS



C2 MATTE BLACK
+ C48 BLACK CHROME
+ SMOKE GLASS




C83 SATIN TITANIUM
+ C64 DARK BRONZE
+ CHAMPAGNE GLASS

552.48 NABILA CHANDELIER

IP 40 CE


WATTAGE	48 X MAX 5W - G9
VOLTAGE	220/240V
DIMMABILITY	ACCORDING TO BULB
CABLE/STEM LENGTH	TO BE SPECIFIED



552.48L NABILA CHANDELIER

IP 40 CE


WATTAGE	48 X 3,5W LED 2700K
LUMENS	28320LM
VOLTAGE	220/240V
DIMMABILITY	DALI 2 AND PUSH
CABLE/STEM LENGTH	TO BE SPECIFIED



552.48FLAT NABILA CHANDELIER

IP 40 CE

WATTAGE	48 X MAX 5W - G9
VOLTAGE	220/240V
DIMMABILITY	ACCORDING TO BULB
CABLE/STEM LENGTH	1X60 CM, 1X90 CM + JOINT KIT INCLUDED



552 NABILA

HARDWARE + GLASS



C2 MATTE BLACK
+ C41 BRUSHED BRASS
+ CLEAR GLASS


C2 MATTE BLACK
+ C48 BLACK CHROME
+ SMOKE GLASS

C83 SATIN TITANIUM
+ C64 DARK BRONZE
+ CHAMPAGNE GLASS

552.48LFLAT NABILA CHANDELIER

IP 40 CE

WATTAGE	48 X 3,5W LED 2700K
LUMENS	28320LM
VOLTAGE	220/240V
DIMMABILITY	DALI 2 AND PUSH
CABLE/STEM LENGTH	1X60 CM, 1X90 CM + JOINT KIT INCLUDED



552.21 NABILA PENDANT

IP 40 CE cULus

WATTAGE	1 X MAX 5W - G9
VOLTAGE	220/240V
DIMMABILITY	ACCORDING TO BULB
CABLE/STEM LENGTH	150 CM



552.21L NABILA PENDANT

IP 40 CE

WATTAGE	1 X 3,5W LED 2700K
LUMENS	590LM
VOLTAGE	220/240V
DIMMABILITY	DALI 2 AND PUSH
CABLE/STEM LENGTH	150 CM



552 NABILA

HARDWARE + GLASS



C2 MATTE BLACK
+ C41 BRUSHED BRASS
+ CLEAR GLASS



C2 MATTE BLACK
+ C48 BLACK CHROME
+ SMOKE GLASS



C83 SATIN TITANIUM
+ C64 DARK BRONZE
+ CHAMPAGNE GLASS

552.22 NABILA PENDANT

IP 40 CE cULus


WATTAGE	1 X MAX 5W - G9
VOLTAGE	220/240V
DIMMABILITY	ACCORDING TO BULB
CABLE/STEM LENGTH	150 CM



552.22L NABILA PENDANT

IP 40 CE


WATTAGE	1 X 3,5W LED 2700K
LUMENS	590LM
VOLTAGE	220/240V
DIMMABILITY	DALI 2 AND PUSH
CABLE/STEM LENGTH	150 CM



552.23 NABILA PENDANT

IP 40 CE

WATTAGE	1 X MAX 5W - E14
VOLTAGE	220/240V
CABLE/STEM LENGTH	150 CM



552 NABILA

HARDWARE + GLASS



C2 MATTE BLACK
+ C41 BRUSHED BRASS
+ CLEAR GLASS



C2 MATTE BLACK
+ C48 BLACK CHROME
+ SMOKE GLASS




C83 SATIN TITANIUM
+ C64 DARK BRONZE
+ CHAMPAGNE GLASS

552.32 NABILA TABLE

IP 40 CE


WATTAGE	1 X MAX 5W - G9
VOLTAGE	220/240V
DIMMABILITY	ON REQUEST
CABLE/STEM LENGTH	150 CM



552.33 NABILA TABLE

IP 40 CE


WATTAGE	3 X MAX 5W - G9
VOLTAGE	220/240V
DIMMABILITY	ON REQUEST
CABLE/STEM LENGTH	150 CM



552.36 NABILA SIDE TABLE

IP 40 CE

WATTAGE	1 X MAX 5W - G9
VOLTAGE	220/240V
DIMMABILITY	ON REQUEST
CABLE/STEM LENGTH	150 CM



552 NABILA

HARDWARE + GLASS



C2 MATTE BLACK
+ C41 BRUSHED BRASS
+ CLEAR GLASS



C2 MATTE BLACK
+ C48 BLACK CHROME
+ SMOKE GLASS



C83 SATIN TITANIUM
+ C64 DARK BRONZE
+ CHAMPAGNE GLASS

552.41 NABILA WALL/CEILING

IP 40 CE cULus

WATTAGE	1 X MAX 5W - G9
VOLTAGE	220/240V
DIMMABILITY	ACCORDING TO BULB



552.41L NABILA WALL/CEILING

IP 40 CE


WATTAGE	1 X 3,5W LED 2700K
LUMENS	590LM
VOLTAGE	220/240V



552.42 NABILA WALL/CEILING

IP 40 CE cULus

WATTAGE	1 X MAX 5W - G9
VOLTAGE	220/240V
DIMMABILITY	ACCORDING TO BULB



552 NABILA

HARDWARE + GLASS



C2 MATTE BLACK
+ C41 BRUSHED BRASS
+ CLEAR GLASS



C2 MATTE BLACK
+ C48 BLACK CHROME
+ SMOKE GLASS



C83 SATIN TITANIUM
+ C64 DARK BRONZE
+ CHAMPAGNE GLASS

552.42L NABILA WALL/CEILING

IP 40 CE


WATTAGE	1 X 3,5W LED 2700K
LUMENS	590LM
VOLTAGE	220/240V



552.43 NABILA WALL/CEILING

IP 40 CE


WATTAGE	1 X MAX 5W - E14
VOLTAGE	220/240V
DIMMABILITY	ACCORDING TO BULB



552.66 NABILA FLOOR

IP 40 CE

WATTAGE	6 X MAX 5W - G9
VOLTAGE	220/240V
DIMMABILITY	ON REQUEST
CABLE/STEM LENGTH	300 CM



552 NABILA

HARDWARE + GLASS



C2 MATTE BLACK
+ C41 BRUSHED BRASS
+ CLEAR GLASS



C2 MATTE BLACK
+ C48 BLACK CHROME
+ SMOKE GLASS




C83 SATIN TITANIUM
+ C64 DARK BRONZE
+ CHAMPAGNE GLASS

552.66L NABILA FLOOR

IP 40 CE


WATTAGE	6 X 3,5W LED 2700K
LUMENS	3540LM
VOLTAGE	220/240V
DIMMABILITY	ON REQUEST
CABLE/STEM LENGTH	300 CM



552.73 NABILA WALL/CEILING

IP 40 CE cULus CC


WATTAGE	3 X MAX 5W - G9
VOLTAGE	220/240V
DIMMABILITY	ACCORDING TO BULB




552.73L NABILA WALL/CEILING

IP 40 CE

WATTAGE	3 X 3,5W LED 2700K
LUMENS	1770LM
VOLTAGE	220/240V





563 NASTRO
STUDIOPEPE
563.11
563.12
563.13
563.14
563.21
563.22
563.31
563.32
563.33
563.34
563.41
563.42
563.43
563.46
563.47
563.61
563.62L
563.63
563.64

p 328
p 329

IT DISEGNATA DA STUDIOPEPE, NASTRO NASCE DALL'INCONTRO TRA LA LEGGEREZZA DI UN NASTRO E LA SOLIDITÀ DI UN CONTRAPPESO. UN EQUILIBRIO INASPETTATO PRENDE FORMA ATTRAVERSO UNA FASCIA METALLICA CHE ACCOGLIE LA LUCE CON NATURALE ELEGANZA, TRASFORMANDO UN GESTO SEMPLICE IN UN SEGNO PROGETTUALE RICONOSCIBILE. LA COLLEZIONE SI ARRICCHISCE DI NUOVE INTERPRETAZIONI CHE AMPLIANO IL SUO LINGUAGGIO ESPRESSIVO, MANTENENDO INTATTA L'IDENTITÀ CHE L'HA RESA ICONICA. UNA PRESENZA SCULTOREA, DOVE MATERIA, FORMA E LUCE DIALOGANO IN PERFETTO EQUILIBRIO.

EN DESIGNED BY STUDIOPEPE, NASTRO IS BORN FROM THE ENCOUNTER BETWEEN THE LIGHTNESS OF A RIBBON AND THE SOLIDITY OF A COUNTERWEIGHT. AN UNEXPECTED BALANCE TAKES SHAPE THROUGH A METAL BAND THAT EMBRACES LIGHT WITH EFFORTLESS ELEGANCE, TRANSFORMING A SIMPLE GESTURE INTO A DISTINCTIVE DESIGN STATEMENT. NEW INTERPRETATIONS EXPAND THE COLLECTION'S EXPRESSIVE LANGUAGE WHILE PRESERVING THE IDENTITY THAT HAS MADE IT AN ICON. A SCULPTURAL PRESENCE WHERE MATERIAL, FORM AND LIGHT EXIST IN PERFECT BALANCE.

563.11 NASTRO
C74 SAND BLACK
+ C41 BRUSHED BRASS

p 330
p 331





563.11 NASTRO
C25 TERRACOTTA
+ C41 BRUSHED BRASS

p 332
p 333



563.12 NASTRO
C74 SAND BLACK
+ C26 GREENISH-GREY

p 334
p 335





563.12 NASTRO
C22 BEIGE
+ C41 BRUSHED BRASS

p 336
p 337



563.13 NASTRO
C22 BEIGE
+ C41 BRUSHED BRASS

C22 BEIGE
+ C25 TERRACOTTA

p 338
p 339








563.14 NASTRO
C22 BEIGE
+ C25 TERRACOTTA

p 340
p 341

563.21 NASTRO
C22 BEIGE
+ C25 TERRACOTTA

p 342
p 343



p 344
p 345



563.22 NASTRO
C22 BEIGE
+ W01 ASH





563.31 NASTRO
C22 BEIGE
+ C25 TERRACOTTA

p 346
p 347



563.31 NASTRO
C74 SAND BLACK
+ M01 CONCRETE

563.31 NASTRO
C74 SAND BLACK
+ C41 BRUSHED BRASS

C22 BEIGE
+ C41 BRUSHED BRASS





p 348
p 349

563.31 NASTRO
C26 GREENISH-GREY
+ M01 CONCRET



563.32 NASTRO
C22 BEIGE
+ W01 ASH

C26 GREENISH-GREY
+ C41 BRUSHED BRASS





p 350
p 351



563.33 NASTRO
C25 TERRACOTTA

C22 BEIGE



p 352
p 353





563.34 NASTRO
C25 TERRACOTTA

p 354
p 355



563.34 NASTRO
C3 YELLOW LEMON

p 356
p 357





p 358
p 359

563.34 NASTRO
C9 MINT GREEN


p 360
p 361



p 362
p 363



563.41 NASTRO
C74 SAND BLACK
+ C41 BRUSHED BRASS





563.41 NASTRO
C22 BEIGE
+ M01 CONCRETE

p 364
p 365



563.42 NASTRO
C22 BEIGE
+ C74 SAND BLACK

C22 BEIGE
+ W01 ASH



p 366
p 367





563.43 NASTRO
C22 BEIGE
+ C74 SAND BLACK

C25 TERRACOTTA
+ C41 BRUSHED BRASS

p 368
p 369





563.47 NASTRO
C74 SAND BLACK
+ W01 ASH

C74 SAND BLACK
+ C41 BRUSHED BRASS

p 370
p 371







563.61 NASTRO
C22 BEIGE
+ C74 SAND BLACK

p 372
p 373


563.62L NASTRO
C74 SAND BLACK
+ C41 BRUSHED BRASS
Vincent Van Duysen Works 2009 – 2018
KENGO KUMA COMPLETE WORKS

p 374
p 375



563.63 NASTRO
C74 SAND BLACK
+ C41 BRUSHED BRASS



p 376
p 377

563.64 NASTRO
C22 BEIGE
+ C41 BRUSHED BRASS

p.378
p.379



563.64 NASTRO
C22 BEIGE
+ C41 BRUSHED BRASS

p 380

563 NASTRO

HARDWARE

C22 BEIGE

C25 TERRACOTTA

C26 GREENISH-GREY

C74 SAND BLACK

CYLINDER

C41 BRUSHED BRASS


M01 CONCRETE

W01 ASH

563.11 NASTRO PENDANT

IP 20 CE cULus


WATTAGE	1 X MAX 12W - E27 R80
VOLTAGE	220/240V
DIMMABILITY	ACCORDING TO BULB
CABLE/STEM LENGTH	150 CM



563.12 NASTRO PENDANT

IP 40 CE cULus


WATTAGE	2 X 9W LED 2700K
LUMENS	2060LM
VOLTAGE	220/240V
DIMMABILITY	PHASE CUT
CABLE/STEM LENGTH	125 CM



563.13 NASTRO PENDANT

IP 40 CE

WATTAGE	3 X 9W LED 2700K
LUMENS	3090LM
VOLTAGE	220/240V
DIMMABILITY	PHASE CUT
CABLE/STEM LENGTH	125 CM



563 NASTRO

HARDWARE


C22 BEIGE


C25 TERRACOTTA


C26 GREENISH-GREY


C74 SAND BLACK

CYLINDER



C41 BRUSHED BRASS


M01 CONCRETE


W01 ASH


563.14 NASTRO PENDANT

WATTAGE	4 X 9W LED 2700K
LUMENS	4120LM
VOLTAGE	220/240V
DIMMABILITY	PHASE CUT
CABLE/STEM LENGTH	125 CM




563.21 NASTRO PENDANT

WATTAGE	26W LED 2700K
LUMENS	3334LM
VOLTAGE	220/240V
DIMMABILITY	PHASE CUT
CABLE/STEM LENGTH	125 CM



563.22 NASTRO PENDANT

WATTAGE	48W LED 2700K
LUMENS	6149LM
VOLTAGE	220/240V
DIMMABILITY	PHASE CUT
CABLE/STEM LENGTH	125 CM



563 NASTRO

HARDWARE


C22 BEIGE


C25 TERRACOTTA


C26 GREENISH-GREY


C74 SAND BLACK

CYLINDER



C41 BRUSHED BRASS


M01 CONCRETE


W01 ASH


563.31 NASTRO TABLE

WATTAGE	13W LED 2700K
LUMENS	1559LM
VOLTAGE	220/240V
DIMMABILITY	TOUCH DIMMER ON BOARD
CABLE/STEM LENGTH	150 CM



563.32 NASTRO TABLE

WATTAGE	13W LED 2700K
LUMENS	1559LM
VOLTAGE	220/240V
DIMMABILITY	TOUCH DIMMER ON BOARD
CABLE/STEM LENGTH	150 CM



563 NASTRO


HARDWARE

C22 BEIGE
C25 TERRACOTTA
C74 SAND BLACK

563.33 NASTRO TABLE

IP 40 CE

WATTAGE	7,7W LED 2700K
LUMENS	570LM
VOLTAGE	220/240V
DIMMABILITY	TOUCH DIMMER ON BOARD
CABLE/STEM LENGTH	150 CM



563 NASTRO


HARDWARE

C3 YELLOW LEMON
C9 MINT GREEN
C22 BEIGE
C25 TERRACOTTA
C74 SAND BLACK

563.34 NASTRO PORTABLE TABLE

IP 54 CE

WATTAGE	3W LED 2700K
LUMENS	320LM
VOLTAGE	5V
DIMMABILITY	GESTURE SENSOR



563 NASTRO

HARDWARE

C22 BEIGE
C25 TERRACOTTA
C26 GREENISH-GREY
C74 SAND BLACK


CYLINDER

C41 BRUSHED BRASS
M01 CONCRETE
W01 ASH

563.41 NASTRO WALL

IP 40 CE


WATTAGE	11W LED 2700K
LUMENS	1451LM
VOLTAGE	220/240V
DIMMABILITY	PHASE CUT



563.42 NASTRO WALL

IP 40 CE


WATTAGE	15W LED 2700K
LUMENS	1862LM
VOLTAGE	220/240V
DIMMABILITY	PHASE CUT



563.43 NASTRO WALL

IP 40 CE

WATTAGE	15W LED 2700K
LUMENS	1862LM
VOLTAGE	220/240V
DIMMABILITY	PHASE CUT



563 NASTRO

HARDWARE


C22 BEIGE


C25 TERRACOTTA


C26 GREENISH-GREY


C74 SAND BLACK

CYLINDER



C41 BRUSHED BRASS


M01 CONCRETE


W01 ASH


563.46 NASTRO WALL

WATTAGE	50W LED 2700K
LUMENS	6387LM
VOLTAGE	220/240V
DIMMABILITY	PHASE CUT




563.47 NASTRO WALL

WATTAGE	68W LED 2700K
LUMENS	8725LM
VOLTAGE	220/240V
DIMMABILITY	PHASE CUT
CABLE/STEM LENGTH	125 CM



563.61 NASTRO FLOOR

WATTAGE	8W LED 2700K
LUMENS	1039LM
VOLTAGE	220/240V
DIMMABILITY	INTEGRATED DIMMER ON CABLE
CABLE/STEM LENGTH	300 CM



563 NASTRO

HARDWARE


C22 BEIGE


C25 TERRACOTTA


C26 GREENISH-GREY


C74 SAND BLACK

CYLINDER



C41 BRUSHED BRASS


M01 CONCRETE


W01 ASH


563.62L NASTRO FLOOR

WATTAGE	53W LED 2700K
LUMENS	6776LM
VOLTAGE	220/240V
DIMMABILITY	INTEGRATED DIMMER ON CABLE
CABLE/STEM LENGTH	300 CM




563.63 NASTRO FLOOR


WATTAGE	76W LED 2700K
LUMENS	9807LM
VOLTAGE	220/240V
DIMMABILITY	INTEGRATED DIMMER ON CABLE
CABLE/STEM LENGTH	300 CM



563.64 NASTRO FLOOR

WATTAGE	105W LED 2700K
LUMENS	13466LM
VOLTAGE	220/240V
DIMMABILITY	INTEGRATED DIMMER ON CABLE
CABLE/STEM LENGTH	300 CM





563 NASTRO SYSTEM
STUDIOPEPE

p 388
p 389

IT A NASTRO SYSTEM È DEDICATO UN CATALOGO MONOGRAFICO IN CUI È POSSIBILE APPREZZARE LA VASTA GAMMA DI FINITURE, COLORI E POSSIBILITÀ DI DISPLAY OFFERTA DAL PROGETTO. SCOPRI DI PIÙ SU NASTRO SYSTEM.
EN A MONOGRAPHIC CATALOGUE DEDICATED TO THE NASTRO SYSTEM IS AVAILABLE. HERE YOU'LL BE ABLE TO APPRECIATE THE VAST RANGE OF FINISHES, COLOURS AND DISPLAY POSSIBILITIES ON OFFER. DISCOVER MORE ON NASTRO SYSTEM.

IT NASTRO SYSTEM EVOLVE IL LINGUAGGIO DELLA COLLEZIONE NASTRO TRASFORMANDOLO IN UN SISTEMA MODULARE PENSATO PER DIALOGARE CON L'ARCHITETTURA CONTEMPORANEA. LE SINUOSE STRUTTURE METALLICHE SCORRONO NELLO SPAZIO CON FLUIDITÀ, DANDO VITA A COMPOSIZIONI PERSONALIZZABILI CHE SEGUONO IL RITMO DEGLI AMBIENTI. LA COMBINAZIONE DI ELEMENTI LINEARI, CURVE E DETTAGLI LUMINOSI OFFRE UNA STRAORDINARIA LIBERTÀ PROGETTUALE, PERMETTENDO DI COSTRUIRE PERCORSI DI LUCE UNICI. UN SISTEMA IN CUI FORMA, FUNZIONE E CREATIVITÀ SI FONDONO IN UN'UNICA VISIONE PROGETTUALE.
EN NASTRO SYSTEM EVOLVES THE DESIGN LANGUAGE OF THE NASTRO COLLECTION INTO A MODULAR SYSTEM CONCEIVED TO ENGAGE WITH CONTEMPORARY ARCHITECTURE. SINUOUS METAL STRUCTURES FLOW THROUGH SPACE, CREATING BESPOKE LIGHTING COMPOSITIONS THAT FOLLOW THE RHYTHM OF THEIR SURROUNDINGS. THE COMBINATION OF LINEAR ELEMENTS, CURVES AND LUMINOUS DETAILS OFFERS EXCEPTIONAL DESIGN FREEDOM, ALLOWING UNIQUE LIGHTING PATHS TO TAKE SHAPE. A SYSTEM WHERE FORM, FUNCTION AND CREATIVITY MERGE INTO A SINGLE ARCHITECTURAL VISION.

563 NASTRO SYSTEM

p 390
p 391

563 NASTRO SYSTEM

p 392
p 393



p 394

563 NASTRO SYSTEM

HARDWARE



C74 SAND BLACK



C22 BEIGE



C41 BRUSHED BRASS

È POSSIBILE RICHIEDERE COLORI PERSONALIZZATI
IT IS POSSIBLE TO REQUEST CUSTOM COLOURS

FLAT CURVES



563.FCDX



563.FCSX

VERTICAL CURVES




563.VCDX



563.VCSX

FLAT CURVES+CYLINDERS




563.FCDXC



563.FCSXC

FLAT CURVES+LIGHT CYLINDERS




563.FCDXCL



563.FCSXCL

VERTICAL CURVES+CYLINDERS



563.VCDXCS



563.VCSXCS



563.VCDXICW



563.VCSXICW



563.VCDXCW



563.VCSXCW

JUNCTIONS



563.JCCLO



563.JCLO



563.JNECLO



563.JCOPE



563.JOPE



563.JCOPES



563.JOPES




563.JCIOPES




563.JCOPESP

WALL BARS




563.B120DW




563.B120IW

563.B60DW




563.B60IW




563.B40W

SUSPENSION BARS




563.B120DS




563.B120IS

563.B60DS




563.B60IS



563.B40S

CANOPIES AND ACCESSORIES



500.CAN46



500.CAN8



563.KITW



560 OSMAN
CORRADO DOTTI
560.12
560.16
560.17
560.21
560.31
560.34
560.41
560.42
560.61
560.64
560.74

p 396
p 397

IT OSMAN NASCE DALL'INCONTRO TRA VOLUMI DECISI E DETTAGLI RAFFINATI. LE GEOMETRIE ESSENZIALI CONFERISCONO ALLA COLLEZIONE UNA PRESENZA SCULTOREA, CAPACE DI DIALOGARE CON LO SPAZIO ATTRAVERSO UN LINGUAGGIO CONTEMPORANEO E SOFISTICATO. LA LUCE VALORIZZA LE SUPERFICI E NE SOTTOLINEA LE PROPORZIONI, CREANDO UN EQUILIBRIO TRA FORZA ESPRESSIVA E LEGGEREZZA VISIVA. UNA COLLEZIONE PENSATA PER ARCHITETTURE DAL CARATTERE DECISO.
EN OSMAN IS BORN FROM THE ENCOUNTER BETWEEN BOLD VOLUMES AND REFINED DETAILING. ESSENTIAL GEOMETRIES GIVE THE COLLECTION A SCULPTURAL PRESENCE THAT ENGAGES WITH SPACE THROUGH A SOPHISTICATED CONTEMPORARY LANGUAGE. LIGHT ENHANCES SURFACES AND PROPORTIONS, CREATING A BALANCE BETWEEN EXPRESSIVE STRENGTH AND VISUAL LIGHTNESS. A COLLECTION CONCEIVED FOR ARCHITECTURE WITH A DISTINCTIVE CHARACTER.



560.12 OSMAN
C2 MATTE BLACK
+ C41 BRUSHED BRASS
+ CLEAR GLASS

p 398
p 399



560.12 OSMAN
C2 MATTE BLACK
+ C48 BLACK CHROME
+ SMOKE GLASS



560.42 OSMAN
C2 MATTE BLACK
+ C41 BRUSHED BRASS
+ CLEAR GLASS



560.16 OSMAN
C2 MATTE BLACK
+ C41 BRUSHED BRASS
+ CLEAR GLASS

p 400
p 401



560.17 OSMAN
C2 MATTE BLACK
+ C41 BRUSHED BRASS
+ CLEAR GLASS

p 402
p 403


560.17 OSMAN
C2 MATTE BLACK
+ C48 BLACK CHROME
+ SMOKE GLASS



p 404
p 405



560.21 OSMAN
C2 MATTE BLACK
+ C48 BLACK CHROME
+ SMOKE GLASS



p 406
p 407



560.21 OSMAN
C2 MATTE BLACK
+ C41 BRUSHED BRASS
+ CLEAR GLASS



p 408
p 409

TOOY





Products

560.41 OSMAN
560.42 OSMAN
C2 MATTE BLACK
+ C48 BLACK CHROME
+ SMOKE GLASS





p 410
p 411


Signatures

560.42 OSMAN
C2 MATTE BLACK
+ C41 BRUSHED BRASS
+ CLEAR GLASS





p 412
p 413



560.31 OSMAN
C2 MATTE BLACK
+ C41 BRUSHED BRASS
+ CLEAR GLASS

C2 MATTE BLACK
+ C48 BLACK CHROME
+ SMOKE GLASS





560.34 OSMAN
C2 MATTE BLACK
+ C41 BRUSHED BRASS
+ CLEAR GLASS

C2 MATTE BLACK
+ C48 BLACK CHROME
+ SMOKE GLASS



p 414
p 415

560.61 OSMAN
C2 MATTE BLACK
+ C41 BRUSHED BRASS
+ CLEAR GLASS



p 416
p 417

560.64 OSMAN
C2 MATTE BLACK
+ C48 BLACK CHROME
+ SMOKE GLASS



560.64 OSMAN
C2 MATTE BLACK
+ C48 BLACK CHROME
+ SMOKE GLASS


p 418
p 419

560.74 OSMAN
C2 MATTE BLACK
+ C41 BRUSHED BRASS
+ CLEAR GLASS



p 420
p 421

560.74 OSMAN
C2 MATTE BLACK
+ C48 BLACK CHROME
+ SMOKE GLASS



560 OSMAN

HARDWARE + GLASS




C2 MATTE BLACK
+ C41 BRUSHED BRASS
+ CLEAR GLASS



C2 MATTE BLACK
+ C48 BLACK CHROME
+ SMOKE GLASS


560.12 OSMAN CHANDELIER

WATTAGE	12 X MAX 8W - E14
VOLTAGE	220/240V
DIMMABILITY	ACCORDING TO BULB
CABLE/STEM LENGTH	1X60 CM, 1X90 CM + JOINT KIT INCLUDED




560.16 OSMAN CHANDELIER

WATTAGE	16 X MAX 8W - E14
VOLTAGE	220/240V
DIMMABILITY	ACCORDING TO BULB
CABLE/STEM LENGTH	1X60 CM, 1X90 CM + JOINT KIT INCLUDED



560.17 OSMAN CHANDELIER

WATTAGE	16 X MAX 8W - E14
VOLTAGE	220/240V
DIMMABILITY	ACCORDING TO BULB
CABLE/STEM LENGTH	1X60 CM, 1X90 CM + JOINT KIT INCLUDED



560 OSMAN

HARDWARE + GLASS




C2 MATTE BLACK
+ C41 BRUSHED BRASS
+ CLEAR GLASS



C2 MATTE BLACK
+ C48 BLACK CHROME
+ SMOKE GLASS


560.21 OSMAN PENDANT

WATTAGE	1 X MAX 8W - E14
VOLTAGE	220/240V
DIMMABILITY	ACCORDING TO BULB
CABLE/STEM LENGTH	150 CM




560.31 OSMAN TABLE

WATTAGE	1 X MAX 8W - E14
VOLTAGE	220/240V
DIMMABILITY	ON REQUEST
CABLE/STEM LENGTH	150 CM



560.34 OSMAN TABLE

WATTAGE	4 X MAX 8W - E14
VOLTAGE	220/240V
DIMMABILITY	ON REQUEST
CABLE/STEM LENGTH	150 CM



560 OSMAN

HARDWARE + GLASS




C2 MATTE BLACK
+ C41 BRUSHED BRASS
+ CLEAR GLASS



C2 MATTE BLACK
+ C48 BLACK CHROME
+ SMOKE GLASS


560.41 OSMAN WALL

WATTAGE	1 X MAX 8W - E14
VOLTAGE	220/240V
DIMMABILITY	ACCORDING TO BULB




560.42 OSMAN WALL

WATTAGE	2 X MAX 8W - E14
VOLTAGE	220/240V
DIMMABILITY	ACCORDING TO BULB



560.61 OSMAN FLOOR

WATTAGE	1 X MAX 8W - E14
VOLTAGE	220/240V
DIMMABILITY	ON REQUEST
CABLE/STEM LENGTH	300 CM



560 OSMAN

HARDWARE + GLASS




C2 MATTE BLACK
+ C41 BRUSHED BRASS
+ CLEAR GLASS



C2 MATTE BLACK
+ C48 BLACK CHROME
+ SMOKE GLASS


560.64 OSMAN FLOOR


WATTAGE	4 X MAX 8W - E14
VOLTAGE	220/240V
DIMMABILITY	ON REQUEST
CABLE/STEM LENGTH	300 CM



560.74 OSMAN WALL/CEILING

WATTAGE	4 X MAX 8W - E14
VOLTAGE	220/240V
DIMMABILITY	ACCORDING TO BULB





505 QUADRANTE
ROBERTO GIACOMUCCI
505.08
505.09
505.12
505.16
505.25

p 426
p 427

IT QUADRANTE INTERPRETA LA LUCE COME UN ELEMENTO ARCHITETTONICO, TRASFORMANDO LINEE ESSENZIALI IN COMPOSIZIONI CAPACI DI DEFINIRE LO SPAZIO. IL RIGORE DELLA STRUTTURA MODULARE INCONTRA LA LIBERTÀ PROGETTUALE, DANDO VITA A CONFIGURAZIONI CHE SI ADATTANO CON NATURALEZZA A CONTESTI E DIMENSIONI DIFFERENTI. PIÙ CHE UNA SEMPLICE LAMPADA, QUADRANTE È UN SISTEMA CHE DISEGNA L'AMBIENTE ATTRAVERSO RITMO, PROPORZIONE E CONTINUITÀ VISIVA. UNA PRESENZA DISCRETA MA AUTOREVOLE, PENSATA PER INTEGRARE LA LUCE NELL'ARCHITETTURA CONTEMPORANEA.
EN QUADRANTE INTERPRETS LIGHT AS AN ARCHITECTURAL ELEMENT, TRANSFORMING ESSENTIAL LINES INTO COMPOSITIONS THAT DEFINE THE SPACE. THE RIGOR OF ITS MODULAR STRUCTURE MEETS DESIGN FLEXIBILITY, CREATING CONFIGURATIONS THAT NATURALLY ADAPT TO DIFFERENT ENVIRONMENTS AND SCALES. MORE THAN A LIGHTING FIXTURE, QUADRANTE IS A SYSTEM THAT SHAPES INTERIORS THROUGH RHYTHM, PROPORTION AND VISUAL CONTINUITY. A DISCREET YET DISTINCTIVE PRESENCE, CONCEIVED TO INTEGRATE LIGHT INTO CONTEMPORARY ARCHITECTURE.





505.08 QUADRANTE
505.09 QUADRANTE
C2 MATTE BLACK

p 428
p 429

505.12 QUADRANTE
C2 MATTE BLACK



505.12 QUADRANTE
505.16 QUADRANTE
C2 MATTE BLACK



p 430
p 431

505.25 QUADRANTE
C2 MATTE BLACK



505 QUADRANTE


HARDWARE

C2 MATTE BLACK

505.08 QUADRANTE CHANDELIER

IP20 CE cULus


WATTAGE	8 X MAX 3W - G9
VOLTAGE	220/240V
DIMMABILITY	ACCORDING TO BULB
CABLE/STEM LENGTH	125 CM



505.09 QUADRANTE CHANDELIER

IP20 CE cULus


WATTAGE	9 X MAX 3W - G9
VOLTAGE	220/240V
DIMMABILITY	ACCORDING TO BULB
CABLE/STEM LENGTH	125 CM



505.12 QUADRANTE CHANDELIER

IP20 CE cULus

WATTAGE	12 X MAX 3W - G9
VOLTAGE	220/240V
DIMMABILITY	ACCORDING TO BULB
CABLE/STEM LENGTH	125 CM



505 QUADRANTE


HARDWARE

C2 MATTE BLACK

505.16 QUADRANTE CHANDELIER

IP20 CE cULus


WATTAGE	16 X MAX 3W - G9
VOLTAGE	220/240V
DIMMABILITY	ACCORDING TO BULB
CABLE/STEM LENGTH	125 CM




505.25 QUADRANTE CHANDELIER

IP20 CE cULus

WATTAGE	25 X MAX 5W - G9
VOLTAGE	220/240V
DIMMABILITY	ACCORDING TO BULB
CABLE/STEM LENGTH	125 CM






510 STILLA
FABIO FANTOLINO
510.12
510.14
510.18
510.31
510.41
510.42
510.74

IT STILLA NASCE DALL'OSSERVAZIONE DELL'ACQUA E DELLA SUA NATURALE CAPACITÀ DI MODELLARE FORME LEGGERE E FLUIDE. IL DIALOGO TRA METALLO E VETRO DÀ VITA A UNA COLLEZIONE ESSENZIALE, IN CUI OGNI ELEMENTO TROVA IL PROPRIO EQUILIBRIO ATTRAVERSO PROPORZIONE, MATERIA E LUCE. IL DIFFUSORE SEMBRA ACCOGLIERE UNA GOCCIA SOSPESA, TRASFORMANDO UN GESTO NATURALE IN UN DETTAGLIO PROGETTUALE. UNA PRESENZA DELICATA MA RICONOSCIBILE, CAPACE DI DIFFONDERE UN'ATMOSFERA MORBIDA E DI DIALOGARE CON GLI SPAZI ATTRAVERSO DISCREZIONE ED ELEGANZA.
EN STILLA IS INSPIRED BY WATER AND ITS EFFORTLESS ABILITY TO SHAPE LIGHT, FLUID FORMS. THE DIALOGUE BETWEEN METAL AND GLASS GIVES LIFE TO AN ESSENTIAL COLLECTION WHERE PROPORTION, MATERIALITY AND LIGHT EXIST IN PERFECT BALANCE. THE DIFFUSER APPEARS TO CRADLE A SUSPENDED DROP, TRANSFORMING A NATURAL GESTURE INTO A DISTINCTIVE DESIGN DETAIL. A DELICATE YET RECOGNISABLE PRESENCE THAT CREATES SOFT ATMOSPHERES WHILE ENGAGING WITH ARCHITECTURE THROUGH ELEGANCE AND RESTRAINT.




510.14 STILLA
C72 OPAQUE NICKEL
+ WHITE GLASS

p 436
p 437



510.14 STILLA
C64 DARK BRONZE
+ WHITE GLASS



p 438
p 439

510.14 STILLA
C72 OPAQUE NICKEL
+ WHITE GLASS



510.18 STILLA
C72 OPAQUE NICKEL
+ WHITE GLASS

p 440
p 441






510.12 STILLA
C72 OPAQUE NICKEL
+ WHITE GLASS

p 442
p 443


510.31 STILLA
C64 DARK BRONZE
+ WHITE GLASS

p 444
p 445



510.41 STILLA
C64 DARK BRONZE
+ WHITE GLASS

510.42 STILLA
C64 DARK BRONZE
+ WHITE GLASS



510.42 STILLA
C64 DARK BRONZE
+ WHITE GLASS



p 446
p 447



510.74 STILLA
C72 OPAQUE NICKEL
+ WHITE GLASS

p 448
p 449

510.74 STILLA
C72 OPAQUE NICKEL
+ WHITE GLASS



p 450

510 STILLA

HARDWARE + GLASS



C64 DARK BRONZE
+ WHITE GLASS




C72 OPAQUE NICKEL
+ WHITE GLASS

510.14 STILLA PENDANT

IP 20 CE


WATTAGE	4 X 6,5W LED 2700K
LUMENS	5200LM
VOLTAGE	220/240V
CABLE/STEM LENGTH	150 CM



510.18 STILLA CHANDELIER

IP 20 CE


WATTAGE	8 X 6,5W LED 2700K
LUMENS	10400LM
VOLTAGE	220/240V
DIMMABILITY	DALI 2 AND PUSH
CABLE/STEM LENGTH	150 CM



510.12 STILLA CHANDELIER

IP 20 CE

WATTAGE	12 X 6,5W LED 2700K
LUMENS	15600LM
VOLTAGE	220/240V
DIMMABILITY	DALI 2 AND PUSH
CABLE/STEM LENGTH	150 CM



510 STILLA

HARDWARE + GLASS



C64 DARK BRONZE
+ WHITE GLASS




C72 OPAQUE NICKEL
+ WHITE GLASS

510.31 STILLA TABLE

IP 20 CE


WATTAGE	1 X 6,5W LED 2700K
LUMENS	1300LM
VOLTAGE	220/240V
CABLE/STEM LENGTH	150 CM



510.41 STILLA WALL

IP 20 CE


WATTAGE	1 X 6,5W LED 2700K
LUMENS	1300LM
VOLTAGE	220/240V



510.42 STILLA WALL

IP 20 CE

WATTAGE	1 X 6,5W LED 2700K
LUMENS	1300LM
VOLTAGE	220/240V



510 STILLA

HARDWARE + GLASS



C64 DARK BRONZE
+ WHITE GLASS





C72 OPAQUE NICKEL
+ WHITE GLASS

510.74 STILLA CEILING

IP 20 CE

WATTAGE	4 X 6,5W LED 2700K
LUMENS	5200LM
VOLTAGE	220/240V






p 454
p 455

520 STRUCTURE
PILAR & VIGA
MARCO CASAMONTI / STUDIO ARCHEA
520.21
520.22
520.23
520.41H
520.42H
520.43H
520.44H
520.41V
520.42V
520.43V
520.61

IT ISPIRATA AGLI ELEMENTI FONDAMENTALI DELL'ARCHITETTURA, STRUCTURE REINTERPRETA PILASTRO E TRAVE COME FORME LUMINOSE ESSENZIALI. PILAR E VIGA TRASFORMANO IL LINGUAGGIO COSTRUTTIVO IN UN'ESPERIENZA VISIVA DOVE LUCE E MATERIA DIALOGANO CON EQUILIBRIO E PRECISIONE. LA LUCE ACCOMPAGNA LE SUPERFICI, NE VALORIZZA I VOLUMI E COSTRUISCE ATMOSFERE SOFISTICATE SENZA RINUNCIARE ALLA FORZA DELLA FORMA. UNA COLLEZIONE PENSATA PER CHI CONSIDERA L'ILLUMINAZIONE PARTE INTEGRANTE DEL PROGETTO ARCHITETTONICO.
EN INSPIRED BY ARCHITECTURE'S MOST FUNDAMENTAL ELEMENTS, STRUCTURE REINTERPRETS THE PILLAR AND THE BEAM AS ESSENTIAL LUMINOUS FORMS. PILAR AND VIGA TRANSFORM STRUCTURAL LANGUAGE INTO A VISUAL EXPERIENCE WHERE LIGHT AND MATERIAL EXIST IN PERFECT BALANCE. LIGHT ENHANCES SURFACES, REVEALS VOLUMES AND CREATES SOPHISTICATED ATMOSPHERES WHILE PRESERVING THE STRENGTH OF THE FORM. A COLLECTION CONCEIVED FOR THOSE WHO SEE LIGHTING AS AN INTEGRAL PART OF ARCHITECTURAL DESIGN.



520.21 STRUCTURE PILAR & VIGA
C64 DARK BRONZE



520.22 STRUCTURE PILAR & VIGA
520.23 STRUCTURE PILAR & VIGA
C22 BEIGE



p 456
p 457

520.21 STRUCTURE PILAR & VIGA
C64 DARK BRONZE

520.22 STRUCTURE PILAR & VIGA
C22 BEIGE

p 458
p 459

520.22 STRUCTURE PILAR & VIGA
C22 BEIGE



p 460
p 461



520.43H STRUCTURE PILAR & VIGA
C2 MATTE BLACK





p 462
p 463

520.41V STRUCTURE PILAR & VIGA
C64 DARK BRONZE




p 464
p 465

520.42V STRUCTURE PILAR & VIGA
C64 DARK BRONZE



p 466
p 467




520.61 STRUCTURE PILAR & VIGA
C64 DARK BRONZE



p 468
p 469



520.61 STRUCTURE PILAR & VIGA
C22 BEIGE



520.61 STRUCTURE PILAR & VIGA
C64 DARK BRONZE



p 470
p 471

520 STRUCTURE PILAR & VIGA

HARDWARE

C2 MATTE BLACK


C22 BEIGE

C64 DARK BRONZE

520.21 STRUCTURE PILAR & VIGA HORIZONTAL PENDANT

IP 20 CE


WATTAGE	65W LED 2700K
LUMENS	3650LM
VOLTAGE	220/240V
DIMMABILITY	DALI 2 AND PUSH
CABLE/STEM LENGTH	150 CM



520.22 STRUCTURE PILAR & VIGA HORIZONTAL PENDANT

IP 20 CE


WATTAGE	125W LED 2700K
LUMENS	7250LM
VOLTAGE	220/240V
DIMMABILITY	DALI 2 AND PUSH
CABLE/STEM LENGTH	150 CM



520.23 STRUCTURE PILAR & VIGA HORIZONTAL PENDANT

IP 20 CE

WATTAGE	195W LED 2700K
LUMENS	11150LM
VOLTAGE	220/240V
DIMMABILITY	DALI 2 AND PUSH
CABLE/STEM LENGTH	150 CM



520 STRUCTURE PILAR & VIGA

HARDWARE

C2 MATTE BLACK


C22 BEIGE

C64 DARK BRONZE

520.41H STRUCTURE PILAR & VIGA HORIZONTAL WALL

IP 20 CE


WATTAGE	4,25W LED 2700K
LUMENS	250LM
VOLTAGE	220/240V



520.42H STRUCTURE PILAR & VIGA HORIZONTAL WALL

IP 20 CE


WATTAGE	31,5W LED 2700K
LUMENS	1800LM
VOLTAGE	220/240V
DIMMABILITY	DALI 2 AND PUSH



520.43H STRUCTURE PILAR & VIGA HORIZONTAL WALL

IP 20 CE

WATTAGE	63W LED 2700K
LUMENS	3600LM
VOLTAGE	220/240V
DIMMABILITY	DALI 2 AND PUSH



520 STRUCTURE PILAR & VIGA

HARDWARE

C2 MATTE BLACK


C22 BEIGE

C64 DARK BRONZE

520.44H STRUCTURE PILAR & VIGA HORIZONTAL WALL

IP 20 CE


WATTAGE	94,5W LED 2700K
LUMENS	5400LM
VOLTAGE	220/240V
DIMMABILITY	DALI 2 AND PUSH



520.41V STRUCTURE PILAR & VIGA VERTICAL WALL

IP 20 CE


WATTAGE	8,5W LED 2700K
LUMENS	500LM
VOLTAGE	220/240V



520.42V STRUCTURE PILAR & VIGA VERTICAL WALL

IP 20 CE

WATTAGE	8,5W LED 2700K
LUMENS	500LM
VOLTAGE	220/240V



520 STRUCTURE PILAR & VIGA

HARDWARE

C2 MATTE BLACK


C22 BEIGE

C64 DARK BRONZE

520.43V STRUCTURE PILAR & VIGA VERTICAL WALL

IP 20 CE


WATTAGE	8,5W LED 2700K
LUMENS	500LM
VOLTAGE	220/240V




520.61 STRUCTURE PILAR & VIGA FLOOR

IP 20 CE

WATTAGE	145W LED 2700K
LUMENS	8500LM
VOLTAGE	220/240V
DIMMABILITY	DIMMER ON CABLE
CABLE/STEM LENGTH	300 CM






562 THULA
FEDERICA BIASI
562.21
562.22
562.23
562.41
562.42
562.43
562.45
562.46
562.47

p 476
p 477

IT THULA NASCE DALL'ESSENZIALITÀ DELLA FORMA E DALLA RICERCA DI UN EQUILIBRIO PERFETTO TRA VOLUME E LEGGEREZZA. LE SUE GEOMETRIE PURE DANNO VITA A UNA PRESENZA LUMINOSA DISCRETA MA RICONOSCIBILE, CAPACE DI INSERIRSI CON NATURALEZZA IN CONTESTI DIFFERENTI. LA LUCE SI DIFFONDE IN MODO UNIFORME, VALORIZZANDO LE SUPERFICI E ACCOMPAGNANDO L'ARCHITETTURA SENZA MAI IMPORSI. UNA COLLEZIONE PENSATA PER CHI RICERCA SEMPLICITÀ, PRECISIONE PROGETTUALE E UNA PRESENZA CAPACE DI ATTRAVERSARE IL TEMPO.
EN THULA IS DEFINED BY THE PURITY OF ITS FORM AND THE PURSUIT OF A PERFECT BALANCE BETWEEN VOLUME AND LIGHTNESS. ITS ESSENTIAL GEOMETRY CREATES A DISCREET YET DISTINCTIVE LUMINOUS PRESENCE THAT INTEGRATES EFFORTLESSLY INTO A VARIETY OF INTERIORS. LIGHT IS DIFFUSED EVENLY, ENHANCING SURFACES WHILE NATURALLY COMPLEMENTING THE SURROUNDING ARCHITECTURE. A COLLECTION DESIGNED FOR THOSE WHO VALUE SIMPLICITY, PRECISION AND TIMELESS DESIGN.

562.21 THULA
C74 SAND BLACK
+ C74 SAND BLACK
+ L02 BEIGE LEATHER



p 478
p 479

562.21 THULA
562.22 THULA
C74 SAND BLACK
+ C74 SAND BLACK
+ L02 BEIGE LEATHER


562.22 THULA
C22 BEIGE
+ C68 SATIN NICKEL
+ W03 LIGHT OAK





p 480
p 481

562.23 THULA
C74 SAND BLACK
+ C74 SAND BLACK
+ W03 LIGHT OAK



p 484
p 485



562.23 THULA
C74 SAND BLACK
+ C74 SAND BLACK
+ W03 LIGHT OAK



562.41 THULA
C22 BEIGE
+ C22 BEIGE
+ L02 BEIGE LEATHER

p 486
p 487

562.41 THULA
C74 SAND BLACK
+ C74 SAND BLACK
+ W03 LIGHT OAK
+ COVER C74 SAND BLACK



p 488
p 489



p 490
p 491





562.41 THULA
C74 SAND BLACK
+ C74 SAND BLACK
+ W02 CANALETTO WALNUT



562.42 THULA
C22 BEIGE
+ C22 BEIGE
+ W03 LIGHT OAK

p 492
p 493




562.43 THULA
C74 SAND BLACK
+ C68 SATIN NICKEL
+ W02 CANALETTO WALNUT
+ COVER C74 SAND BLACK

p 494
p 495




562.43 THULA
C74 SAND BLACK
+ C74 SAND BLACK
+ W02 CANALETTO WALNUT

562.45 THULA
C74 SAND BLACK
+ C74 SAND BLACK



p 496
p 497



p 498
p 499



562.46 THULA
C22 BEIGE
+ C22 BEIGE






562.47 THULA
C74 SAND BLACK
+ C68 SATIN NICKEL

p 500

562 THULA

HARDWARE



C22 BEIGE
+ C22 BEIGE



C22 BEIGE
+ C68 SATIN NICKEL



C74 SAND BLACK
+ C74 SAND BLACK



C74 SAND BLACK
+ C68 SATIN NICKEL

SHADE



L02 BEIGE LEATHER



W02 CANALETTO WALNUT




W03 LIGHT OAK

562.21 THULA PENDANT

IP 40 CE


WATTAGE	11W LED 2700K
LUMENS	1400LM
VOLTAGE	220/240V
DIMMABILITY	PHASE CUT
CABLE/STEM LENGTH	150 CM



562.22 THULA PENDANT

IP 40 CE


WATTAGE	20W LED 2700K
LUMENS	2600LM
VOLTAGE	220/240V
DIMMABILITY	PHASE CUT
CABLE/STEM LENGTH	150 CM



562.23 THULA PENDANT

IP 40 CE

WATTAGE	26W LED 2700K
LUMENS	3400LM
VOLTAGE	220/240V
DIMMABILITY	PHASE CUT
CABLE/STEM LENGTH	150 CM



562 THULA

HARDWARE



C22 BEIGE + C22 BEIGE | C22 BEIGE + C68 SATIN NICKEL | C74 SAND BLACK + C74 SAND BLACK | C74 SAND BLACK + C68 SATIN NICKEL

SHADE




L02 BEIGE LEATHER | W02 CANALETTO WALNUT | W03 LIGHT OAK

562.41 THULA WALL

IP 40 CE


WATTAGE	11W LED 2700K
LUMENS	1400LM
VOLTAGE	24V
DIMMABILITY	PHASE CUT



562.42 THULA WALL

IP 40 CE


WATTAGE	20W LED 2700K
LUMENS	2600LM
VOLTAGE	24V
DIMMABILITY	PHASE CUT



562.43 THULA WALL

IP 40 CE

WATTAGE	26W LED 2700K
LUMENS	3400LM
VOLTAGE	24V
DIMMABILITY	PHASE CUT



562 THULA

HARDWARE



C22 BEIGE + C22 BEIGE | C22 BEIGE + C68 SATIN NICKEL | C74 SAND BLACK + C74 SAND BLACK | C74 SAND BLACK + C68 SATIN NICKEL

SHADE




L02 BEIGE LEATHER | W02 CANALETTO WALNUT | W03 LIGHT OAK

562.45 THULA WALL

IP 40 CE


WATTAGE	8W LED 2700K
LUMENS	1000LM
VOLTAGE	24V
DIMMABILITY	PHASE CUT



562.46 THULA WALL

IP 40 CE


WATTAGE	11W LED 2700K
LUMENS	1400LM
VOLTAGE	24V
DIMMABILITY	PHASE CUT




562.47 THULA WALL

IP 40 CE

WATTAGE	20W LED 2700K
LUMENS	2600LM
VOLTAGE	24V
DIMMABILITY	PHASE CUT





566 TRATTI
CARA / DAVIDE
566.41
566.42
566.61
566.71
566.72
566.73
566.74
566.75
566.76
566.77

IT TRATTI TRASFORMA UNA LINEA CONTINUA IN UN GESTO PROGETTUALE. ESSENZIALE NELLA FORMA, ESPRESSIVA NELLA PRESENZA, LA COLLEZIONE INTERPRETA LA LUCE COME UN SEGNO CAPACE DI COSTRUIRE RITMO E PROFONDITÀ ALL'INTERNO DELLO SPAZIO. LA SUA MODULARITÀ PERMETTE DI CREARE COMPOSIZIONI SEMPRE DIVERSE, OFFRENDO AI PROGETTISTI UNO STRUMENTO FLESSIBILE PER VALORIZZARE L'ARCHITETTURA ATTRAVERSO UNA LUCE PRECISA, PULITA E CONTEMPORANEA.
EN TRATTI TRANSFORMS A CONTINUOUS LINE INTO A DESIGN GESTURE. ESSENTIAL IN FORM YET EXPRESSIVE IN PRESENCE, THE COLLECTION INTERPRETS LIGHT AS A GRAPHIC ELEMENT THAT INTRODUCES RHYTHM AND DEPTH INTO ARCHITECTURAL SPACES. ITS MODULAR NATURE OFFERS DESIGNERS THE FREEDOM TO CREATE UNIQUE COMPOSITIONS, USING LIGHT AS A PRECISE AND CONTEMPORARY ARCHITECTURAL TOOL.

566 TRATTI



p 506
p 507



566.71 TRATTI
566.72 TRATTI
566.73 TRATTI
N01 POWDER NYLON

p 508
p 509

566.73 TRATTI
N01 POWDER NYLON



566.42 TRATTI
N01 POWDER NYLON




p 510
p 511

566.41 TRATTI
N01 POWDER NYLON

p 512
p 513

566.41 TRATTI
566.61 TRATTI
N01 POWDER NYLON



566.74 TRATTI
N01 POWDER NYLON

566.42 TRATTI
566.75 TRATTI
566.76 TRATTI
566.77 TRATTI
N01 POWDER NYLON



p 514

566 TRATTI


HARDWARE

N01 POWDER NYLON

566.41 TRATTI WALL/CEILING

IP 40 CE


WATTAGE	15W LED 2700K
LUMENS	950LM
VOLTAGE	24V
DIMMABILITY	PHASE CUT



566.42 TRATTI WALL/CEILING

IP 40 CE


WATTAGE	15W LED 2700K
LUMENS	950LM
VOLTAGE	24V
DIMMABILITY	PHASE CUT



566.61 TRATTI FLOOR

IP 40 CE

WATTAGE	26W LED 2700K
LUMENS	1600LM
VOLTAGE	24V
DIMMABILITY	PHASE CUT



566 TRATTI

HARDWARE




N01 POWDER NYLON

566.71 TRATTI CEILING

IP 40 CE


WATTAGE	50W LED 2700K
LUMENS	3200LM
VOLTAGE	24V
DIMMABILITY	PHASE CUT



566.72 TRATTI CEILING TO WALL

IP 40 CE


WATTAGE	35W LED 2700K
LUMENS	1950LM
VOLTAGE	24V
DIMMABILITY	PHASE CUT



566.73 TRATTI WALL/CEILING

IP 40 CE

WATTAGE	35W LED 2700K
LUMENS	1950LM
VOLTAGE	24V
DIMMABILITY	PHASE CUT



566 TRATTI

HARDWARE




N01 POWDER NYLON

566.74 TRATTI CEILING

IP 40 CE


WATTAGE	85W 2700K
LUMENS	4660LM
VOLTAGE	24V
DIMMABILITY	PHASE CUT



566.75 TRATTI CEILING

IP 40 CE


WATTAGE	28,5W 2700K
LUMENS	1564LM
VOLTAGE	24V
DIMMABILITY	PHASE CUT



566.76 TRATTI CEILING

IP 40 CE


WATTAGE	38,8W 2700K
LUMENS	2130LM
VOLTAGE	24V
DIMMABILITY	PHASE CUT





566.77 TRATTI CEILING

IP 40 CE

WATTAGE	52,1W 2700K
LUMENS	2854LM
VOLTAGE	24V
DIMMABILITY	PHASE CUT









521 VOLTA
TOOY STUDIO
521.11
521.21
521.22
521.23
521.41
521.42
521.43

p 518
p 519

IT VOLTA NASCE DA UN SEGNO ESSENZIALE CHE INTRECCIA MEMORIA E ARCHITETTURA. IL SUO PROFILO, ISPIRATO ALLE VOLTE DELLA GROTTA DELLA SIBILLA NEL CUORE DEI MONTI SIBILLINI, REINTERPRETA LA FORZA DELL'ARCO IN UN LINGUAGGIO CONTEMPORANEO, DOVE FORMA E LUCE TROVANO UN EQUILIBRIO NATURALE. IL DIALOGO TRA IL VOLUME DEL DIFFUSORE E LA STRUTTURA METALLICA GENERA UN ARMONIOSO EQUILIBRIO TRA PIENI E VUOTI, SVILUPPANDOSI NATURALMENTE NELLE COMPOSIZIONI E CREANDO RITMO E CONTINUITÀ NELLO SPAZIO. DALLA SINGOLA APPLIQUE ALLE CONFIGURAZIONI LINEARI E MODULARI, VOLTA INTERPRETA LA LUCE COME ELEMENTO ARCHITETTONICO, DANDO FORMA A UN LINGUAGGIO ESSENZIALE E RICONOSCIBILE, DOVE MEMORIA E PROGETTO SI INCONTRANO.
EN VOLTA IS BORN FROM AN ESSENTIAL GESTURE THAT WEAVES TOGETHER MEMORY AND ARCHITECTURE. INSPIRED BY THE VAULTED FORMS OF THE SIBYL'S CAVE IN THE HEART OF THE SIBILLINI MOUNTAINS, ITS PROFILE REINTERPRETS THE STRENGTH OF THE ARCH THROUGH A CONTEMPORARY LANGUAGE, WHERE FORM AND LIGHT EXIST IN NATURAL BALANCE. THE DIALOGUE BETWEEN THE DIFFUSER'S VOLUME AND THE METAL STRUCTURE CREATES A HARMONIOUS INTERPLAY OF SOLIDS AND VOIDS, UNFOLDING NATURALLY INTO COMPOSITIONS THAT BRING RHYTHM AND CONTINUITY TO SPACE. FROM A SINGLE WALL LIGHT TO LINEAR AND MODULAR CONFIGURATIONS, VOLTA INTERPRETS LIGHT AS AN ARCHITECTURAL ELEMENT, SHAPING AN ESSENTIAL AND DISTINCTIVE DESIGN LANGUAGE WHERE MEMORY AND DESIGN COME TOGETHER.

521.11 VOLTA
521.42 VOLTA
C22 BEIGE
+ C2 MATTE BLACK

p 520
p 521



521.23 VOLTA
521.43 VOLTA
C22 BEIGE
+ C68 SATIN NICKEL

p 522
p 523



p 524
p 525



521.23 VOLTA
521.43 VOLTA
C22 BEIGE
+ C68 SATIN NICKEL

Products





521.42 VOLTA
C22 BEIGE
+ C22 BEIGE

C22 BEIGE
+ C68 SATIN NICKEL

521.42 VOLTA
C22 BEIGE
+ C2 MATTE BLACK


C2 MATTE BLACK
+ C68 SATIN NICKEL





p 526
p 527

Signatures



521.42 VOLTA
C22 BEIGE
+ C2 MATTE BLACK

521 VOLTA


HARDWARE



521.11 VOLTA PENDANT

IP 40 CE cULus


WATTAGE	1 X MAX 8W - E14
VOLTAGE	220/240V
DIMMABILITY	ACCORDING TO BULB
CABLE/STEM LENGTH	150 CM



521.21 VOLTA PENDANT

IP 40 CE cULus


WATTAGE	5 X MAX 8W - E14
VOLTAGE	220/240V
DIMMABILITY	ACCORDING TO BULB
CABLE/STEM LENGTH	125 CM



521.22 VOLTA PENDANT

IP 40 CE cULus

WATTAGE	7 X MAX 8W - E14
VOLTAGE	220/240V
DIMMABILITY	ACCORDING TO BULB
CABLE/STEM LENGTH	125 CM



521 VOLTA


HARDWARE



521.23 VOLTA PENDANT

IP 40 CE cULus

WATTAGE	9 X MAX 8W - E14
VOLTAGE	220/240V
DIMMABILITY	ACCORDING TO BULB
CABLE/STEM LENGTH	125 CM



521.41 VOLTA WALL

IP 40 CE cULus


WATTAGE	1 X MAX 8W - E14
VOLTAGE	220/240V
DIMMABILITY	ACCORDING TO BULB



521.42 VOLTA WALL

IP 40 CE cULus

WATTAGE	2 X MAX 8W - E14
VOLTAGE	220/240V
DIMMABILITY	ACCORDING TO BULB



521.43 VOLTA WALL

IP 40 CE cULus

WATTAGE	3 X MAX 8W - E14
VOLTAGE	220/240V
DIMMABILITY	ACCORDING TO BULB



FINISH
C2 MATTE BLACK
C3 YELLOW LEMON
C9 MINT GREEN
C22 BEIGE
C24 HOT GOLD
C25 TERRACOTTA
C26 GREENISH-GREY
C41 BRUSHED BRASS
C42 SATIN BRASS
C46 SAND GREY
C48 BLACK CHROME
C50 PEWTER
C64 DARK BRONZE
C68 SATIN NICKEL
C70 TITANIUM
C70G BRUSHED TITANIUM
C72 OPAQUE NICKEL
C74 SAND BLACK
C83 SATIN TITANIUM
M01 CONCRETE
N01 POWDER NYLON

L01 TWO-TONE LEATHER
L02 BEIGE LEATHER
L04 LIGHT BEIGE NABUK
L05 CARAMEL NABUK


W01 ASH
W02 CANALETTO WALNUT
W03 LIGHT OAK


AMBER GLASS
CHAMPAGNE GLASS
CLEAR GLASS
FROST GLASS
SATIN WHITE GLASS
SMOKE GLASS
WHITE GLASS


IT IL CODICE COLORE SOTTO L'IMMAGINE SI RIFERISCE AL COLORE DELL'ARTICOLO FOTOGRAFATO. I COLORI STANDARD DISPONIBILI SONO MOSTRATI NELLE PAGINE "TECHNICAL SHEETS". I COLORI DEGLI ARTICOLI ILLUSTRATI SONO RIPRODOTTI IL PIÙ FEDELMENTE POSSIBILE, COMPATIBILMENTE CON I LIMITI TECNICI DELLA STAMPA E SONO SUSCETTIBILI DI PICCOLE VARIAZIONI DI TONALITÀ. COLORI "CUSTOM" SONO DISPONIBILI SU RICHIESTA SU TUTTE LE COLLEZIONI AD UN COSTO AGGIUNTIVO.
EN THE COLOUR-CODE UNDER EACH IMAGE IS RELATED TO THE COLOUR OF THE PHOTOGRAPHED ARTICLE. THE AVAILABLE STANDARD COLOURS ARE SHOWN ON TECHNICAL SHEETS PAGES. THE COLOURS OF THE ILLUSTRATED ARTICLES ARE REPRODUCED THE MOST FAITHFULLY POSSIBLE, IN LINE WITH THE TECHNICAL LIMITS OF PRINTING AND SMALL VARIATIONS OF TONE ARE POSSIBLE. CUSTOM COLORS ARE AVAILABLE UPON REQUEST ACROSS ALL COLLECTIONS AT AN ADDITIONAL COST.

HARDWARE


C2
MATTE BLACK



C3
YELLOW LEMON


C9
MINT GREEN


C22
BEIGE



C24
HOT GOLD


C25
TERRACOTTA


C26
GREENISH-GREY


C41
BRUSHED BRASS



C42
SATIN BRASS


C46
SAND GREY


C48
BLACK CHROME


C50
PEWTER



C64
DARK BRONZE


C68
SATIN NICKEL


C70
TITANIUM


C70G
BRUSHED TITANIUM


C72
OPAQUE NICKEL



C74
SAND BLACK



C83
SATIN TITANIUM


N01
POWDER NYLON


M01
CONCRETE

LEATHER


L01
TWO-TONE LEATHER


L02
BEIGE LEATHER


L04
CARAMEL NABUK


L05
LIGHT BEIGE NABUK


WOOD



W01
ASH



W02
CANALETTO WALNUT


W03
LIGHT OAK


FABRIC



BEIGE FABRIC
AND BLACK NET



RIPSTOP FABRIC


WHITE FABRIC


GLASS



AMBER GLASS



SATIN WHITE GLASS


CLEAR GLASS


CHAMPAGNE GLASS


WHITE GLASS


SMOKE GLASS


FROST GLASS

PROGRAMMA SU MISURA

IT IN TOOY, CREDIAMO CHE LA LUCE SIA PIÙ DI UNA SEMPLICE ILLUMINAZIONE — È PARTE DELL'IDENTITÀ DI UNO SPAZIO. PER QUESTO OFFRIAMO UN PROGRAMMA SU MISURA PENSATO PER DARE FORMA A SOLUZIONI ILLUMINOTECNICHE UNICHE, GUIDATE DAL PROGETTO. CHE TU SIA UN ARCHITETTO, UN INTERIOR DESIGNER O UN CONTRACTOR, IL NOSTRO TEAM LAVORERÀ A STRETTO CONTATTO CON TE PER SVILUPPARE SOLUZIONI PERSONALIZZATE CHE RISPONDANO ESATTAMENTE ALLE ESIGENZE DEL TUO SPAZIO — SIA DAL PUNTO DI VISTA ESTETICO CHE TECNICO.



COSA OFFRIAMO

Finiture personalizzate
Verniciature a polvere, metalli, tonalità del vetro, texture.

Variazioni dimensionali
Versioni scalate, altezze su misura, lunghezze speciali.

Personalizzazioni tecniche
Adattamenti elettrici, configurazioni complesse, integrazione con sistemi esistenti.

Sviluppo su misura
Dal concept al prodotto finale, possiamo sviluppare pezzi completamente nuovi, in linea con la filosofia progettuale e gli standard qualitativi di TOOY.

A CHI È RIVOLTO

- Studi di architettura e interior design
- Project manager e general contractor
- Sviluppatori di progetti hospitality, retail e spazi pubblici
- Progetti residenziali di alta gamma

COME FUNZIONA

Brief di progetto
Raccontaci la tua idea, il contesto e le esigenze tecniche.

Studio di fattibilità
Il nostro team valuta materiali, tempi di produzione e costi.

Campionatura e prototipazione
Se necessario, realizziamo campioni o mock-up per la revisione.

Produzione e consegna
I pezzi finali sono realizzati con la massima attenzione al dettaglio e consegnati nei tempi previsti.



CUSTOM PROGRAM

EN AT TOOY, WE BELIEVE LIGHT IS MORE THAN ILLUMINATION — IT'S PART OF A SPACE'S IDENTITY. THAT'S WHY WE OFFER A CUSTOM PROGRAM DESIGNED TO BRING UNIQUE, PROJECT-DRIVEN LIGHTING CONCEPTS TO LIFE. WHETHER YOU'RE AN ARCHITECT, INTERIOR DESIGNER, OR CONTRACTOR, OUR TEAM WILL WORK CLOSELY WITH YOU TO DEVELOP BESPOKE SOLUTIONS THAT MEET THE EXACT NEEDS OF YOUR SPACE — BOTH AESTHETICALLY AND TECHNICALLY.



WHAT WE OFFER

Custom Finishes
Powder-coated finishes, metal finishes, custom colours, and special textures.

Dimensional Customisation
Bespoke sizes, custom lengths, and special dimensions.

Technical Adaptation
Electrical modifications, complex configurations, and integration with existing systems.

Bespoke Product Development
From concept to finished product, we can develop completely new pieces in line with TOOY's design philosophy and quality standards.

WHO IT'S FOR

- Architecture and interior design studios
- Project managers and general contractors
- Property developers
- Hospitality, retail and public space projects
- High-end residential projects

HOW IT WORKS

Project Brief
Share your vision, project context and specific requirements.

Feasibility Study
Our team evaluates materials, production timing and technical feasibility.

Sampling & Prototyping
When required, we develop samples or mock-ups for review and approval.

Production & Delivery
Each piece is manufactured with the utmost attention to detail and delivered within the agreed timeframe.

PUBLICATION EDITED BY
TOOY

STYLING BY
FRANCESCA SANTAMBROGIO
STUDIOPEPE

PICTURES BY
DANIEL FARÒ
MENHIR STUDIOS
SILVIA RIVOLTELLA
SILVIA SIRPRESI

PICTURE ON PAGE 101
COURTESY OF STUDIO VETROBLU,
LUXI BIA, 2026

PICTURES ON PAGE 286
RICARDO ACUÑA
LOCATION
COURTESY OF SALT HOUSE, 2026
SPECIAL THANKS TO DIEZ COMPANY

TEXTS BY
TOOY

TRANSLATIONS BY
TOOY

GRAPHIC DESIGN BY
ATTO

PRINTING BY
GRAFICHE ANTIGA
SEPTEMBER 2026

THANKS TO
ALESSI
AYTM
BESANA CARPET LAB
BLOC STUDIOS
BONACINA 1889
CARA / DAVIDE
CC-TAPIS
CERAMICA FLAMINIA
CERAMICAH
CERAMICAROSA
CIMENTO
COMPASSO GALLERY
CORRADO BORSONI
CRISTINA C STUDIO
DESALTO
DOMENICO OREFICE DESIGN STUDIO
DWA DESIGN STUDIO
ELITIS
ETHIMO
EXTETA
FEDERICA BUBANI
GALLOTTI&RADICE
KNINDUSTRIE SRL
LIVING DIVANI
MAMATE
MANERBA
MARCO ROSSI ARTE CONTEMPORANEA
MDF ITALIA
MINOTTI
MMAIRO
MOGG
MOHD
MOROSO
ONCE MILANO
PAOLA C
PIETRACHIARA
PIETRO RUSSO DESIGN STUDIO
PULPO
QUAGLIOTTI
RAAWII
RAIMONDO GARAU
ROSA AGNESE ARTALE
SABA ITALIA
SALVIATI
SAMA DESIGN STUDIO
SARAH RICHIUSO
SILVIA GARAU
SOCIETY LIMONTA
SOVRAPPENSIERO DESIGN STUDIO
SPOTTI
TACCHINI ITALIA FURNITURE
TWILS
UNIQKA
VITRA

A TUTTO IL TEAM TOOY

QUESTO CATALOGO RACCONTA LE NOSTRE COLLEZIONI,
MA È ANCHE IL RISULTATO DELL'IMPEGNO QUOTIDIANO DI TUTTE
LE PERSONE CHE LAVORANO IN TOOY.
GRAZIE ALLA PRODUZIONE, AL REPARTO R&D, AL COMMERCIA-
LE, ALL'AMMINISTRAZIONE E A TUTTI COLORO CHE, CON COM-
PETENZA E DEDIZIONE, CONTRIBUISCONO OGNI GIORNO ALLA
QUALITÀ DEI NOSTRI PRODOTTI E ALLA CRESCITA DEL BRAND.

TO THE ENTIRE TOOY TEAM

THIS CATALOGUE TELLS THE STORY OF OUR COLLECTIONS, BUT
IT IS ALSO THE RESULT OF THE DAILY COMMITMENT OF EVERY-
ONE WHO WORKS AT TOOY.
THANK YOU TO OUR PRODUCTION TEAM, R&D DEPARTMENT,
SALES TEAM, ADMINISTRATION, AND TO EVERYONE WHO, WITH
EXPERTISE AND DEDICATION, CONTRIBUTES EVERY DAY TO THE
QUALITY OF OUR PRODUCTS AND THE GROWTH OF THE BRAND.



EN A COLLECTION OF LUMINOUS IDENTITIES, WHERE EVERY DESIGN BEGINS WITH A DISTINCTIVE SIGNATURE AND EVERY LIGHT HELPS DEFINE THE CHARACTER OF A SPACE. THIS VOLUME BRINGS TOGETHER TOOY'S VISION THROUGH A CURATED SELECTION OF COLLECTIONS, EACH INTERPRETING LIGHT WITH ITS OWN DESIGN LANGUAGE. FROM THE ICONIC PIECES THAT HAVE SHAPED THE BRAND'S IDENTITY TO ITS LATEST INTRODUCTIONS, EVERY PROJECT REFLECTS A BALANCE OF RESEARCH, MATERIALITY AND INNOVATION. WITHIN THESE PAGES, A COHESIVE UNIVERSE TAKES SHAPE—ONE WHERE DESIGN, ITALIAN MANUFACTURING EXPERTISE AND METICULOUS ATTENTION TO DETAIL COME TOGETHER TO CREATE LIGHTING SOLUTIONS THAT ENGAGE IN A MEANINGFUL DIALOGUE WITH CONTEMPORARY ARCHITECTURE.